Loading...

Press image to zoom

5ft Cat6 Non-Booted UTP Unshielded Ethernet Network Patch Cable - Plenum CMP-Rated - Gray

For network adapters, hubs, switches, routers, DSL/cable modems, patch panels and other high performance networking applications where plenum cables are required.

Product # :	15266
Connector 1 :	(1) RJ-45 Male
Connector 2 :	(1) RJ-45 Male

63 In Stock & ready to ship!

1

Add

Need it shipped today?

Place your order before the timer runs out!

04: 07: 45

print share chat

Product Info | Customer Reviews | Questions & Answers | Distributors | More Choices

Product Description | Product Features | Product Certifications | Product Specifications | Product Uses

Product Description

Strict building code requirements for cabling in plenum spaces have created installation challenges in settings such as schools, hospitals and other commercial buildings. C2G has expanded its connectivity portfolio to include a line of cables that are ideal for routing through plenum space above dropped ceilings or under raised floors.

Applications include voice/data/video distribution; this cable will handle bandwidth-intensive applications . Meets all Cat6 TIA/EIA standards, and reduces both impedance and structural return loss (SRL) .

Constructed from high quality plenum cable, this design minimizes Near-End Crosstalk (NEXT) levels. Available in Gray, Blue and Black to easily color-code your network installation.

Product Features

- Rated for Plenum, in-wall installations
- Cat6 cable with standard RJ45 connectors
- Available in lengths up to 100ft

WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

Product Certifications

Tap an icon to learn more:

TAA COMPLIANT

Product Specifications

Color :	Grey
Length :	5.00 Foot
Jacket Rating :	Plenum
UPC :	757120152668
Warranty :	Lifetime
Vendor :	C2G
Weight :	0.138 LB

- Conductor: 4-pair (UTP) 23AWG solid copper
- Jacket Rating: CMP - Plenum
- Connectors: 50 micron gold plated RJ45
- Wired: 568B
- Tested to 550MHz
- TIA/EIA-568-C.2
- RoHS Compliant

Product Uses

- 100Base T Ethernet
- 1000Base-T Gigabit Ethernet
- 10GBase-T 10 Gigabit
- Ethernet
- 1000 Mbps ATM
- 622Mbps ATM
- Broadband Video
- POE

Recently Viewed...





Recently Viewed...

Norton SECURED powered by VeriSign

Copyright © 2018 C2G. All Rights Reserved