




H												H											
G												G											
F												F											
E												E											
D												D											
C												C											
B												B											
A												A											

Options																							
Group		A-41791-0815/0831				Group		A-41791-0832/0848				Group		A-41791-0849/0865				Group		A-41791-0883/0891			
Header No		41790-0002/0018				Header No		41790-0002/0018				Header No		41790-0002/0018				Header No		41790-0010/0018			
Pin No		43294-0661				Pin No		43294-0209				Pin No		43294-0210				Pin No		43294-0214			
Plating		197-TIN				Plating		208-15 GOLD				Plating		228-30 GOLD				Plating		197-TIN			
Pin Length L		30.48/1.200				Pin Length L		18.29/.720				Pin Length L		18.29/.720				Pin Length L		18.29/.720			
Mating M		11.43/.450				Mating M		11.43/.450				Mating M		11.43/.450				Mating M		11.43/.450			
Gold Loc G		N/A				Gold Loc G		6.86/.270				Gold Loc G		6.86/.270				Gold Loc G		N/A			
PC Tail P		15.75/.620				PC Tail P		3.56/.140				PC Tail P		3.56/.140				PC Tail P		3.56/.140			
Tin Loc T		OVERALL				Tin Loc T		4.06/.160				Tin Loc T		4.06/.160				Tin Loc T		OVERALL			
Voided Ckts		NONE				Voided Ckts		NONE				Voided Ckts		NONE				Voided Ckts		10			
Pack Per		PK-41791-003				Pack Per		PK-41791-001				Pack Per		PK-41791-001				Pack Per		PK-41791-001			
Ckts	Item Number					Material No	Engineer Number				Material No	Engineer Number				Item Number							
2	41791-0815					41791-0832	A-41791-0832				41791-0849	A-41791-0849											
3	41791-0816					41791-0833	A-41791-0833				41791-0850	A-41791-0850											
4	41791-0817					41791-0834	A-41791-0834				41791-0851	A-41791-0851											
5	41791-0818					41791-0835	A-41791-0835				41791-0852	A-41791-0852											
6	41791-0819					41791-0836	A-41791-0836				41791-0853	A-41791-0853											
7	41791-0820					41791-0837	A-41791-0837				41791-0854	A-41791-0854											
8	41791-0821					41791-0838	A-41791-0838				41791-0855	A-41791-0855											
9	41791-0822					41791-0839	A-41791-0839				41791-0856	A-41791-0856											
10	41791-0823					41791-0840	A-41791-0840				41791-0857	A-41791-0857				41791-0883							
11	41791-0824					41791-0841	A-41791-0841				41791-0858	A-41791-0858				41791-0884							
12	41791-0825					41791-0842	A-41791-0842				41791-0859	A-41791-0859				41791-0885							
13	41791-0826					41791-0843	A-41791-0843				41791-0860	A-41791-0860				41791-0886							
14	41791-0827					41791-0844	A-41791-0844				41791-0861	A-41791-0861				41791-0887							
15	41791-0828					41791-0845	A-41791-0845				41791-0862	A-41791-0862				41791-0888							
16	41791-0829					41791-0846	A-41791-0846				41791-0863	A-41791-0863				41791-0889							
17	41791-0830					41791-0847	A-41791-0847				41791-0864	A-41791-0864				41791-0890							
18	41791-0831					41791-0848	A-41791-0848				41791-0865	A-41791-0865				41791-0891							

FORMAT TO: 02-09-03 REVISION: 02 DATE: 02/02/03											
12	11	10	9	8	7	6	5	4	3	2	1

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
	DIMENSION UNITS		SCALE		CURRENT REV DESC: New PN added				molex			
	mm		1:1									
	GENERAL TOLERANCES (UNLESS SPECIFIED)				STATUS: Production DRWN: VINOTHKUMAR S 2026-06-15 CHK'D: VINOTHKUMAR S 2026-07-07 APPR: Saravanakumar Murugesan 2026-07-07							
	ANGULAR TOL		± 0.5°									
	4 PLACES		±									
	3 PLACES		±									
	DIVISIONAL SYMBOLS	2 PLACES		± 0.250		THIRD ANGLE PROJECTION DRAWING C-SIZE SERIES 41791						
		1 PLACE		± 0.38								
		0 PLACES		±								

DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
SDA-41791		PSD	000	R2
MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
		GENERAL MARKET		5 OF 13

12												11												10												9												8												7												6												5												4												3												2												1											
Options	Group	A-41791-0892/0908											Group	A-41791-0922/0933											Group	41791-0934/0948											Group	41791-0966/0976																																																																																																									
	Header No	41790-0002/0018											Header No	41790-0007/0018											Header No	41790-0004/0018											Header No	41790-0007/0018																																																																																																									
	Pin No	43294-0209											Pin No	43294-0214											Pin No	43294-0209											Pin No	43294-0214																																																																																																									
	Plating	208-15 GOLD											Plating	197-TIN											Plating	208-15 GOLD											Plating	197-TIN																																																																																																									
	Pin Length L	20.83/.820											Pin Length L	18.29/.720											Pin Length L	18.29/.720											Pin Length L	18.29/.720																																																																																																									
	Mating M	11.43/.450											Mating M	11.43/.450											Mating M	11.43/.450											Mating M	11.43/.450																																																																																																									
	Gold Loc G	6.83/.270											Gold Loc G	N/A											Gold Loc G	6.86/.270											Gold Loc G	N/A																																																																																																									
	PC Tail P	6.10/.240											PC Tail P	3.56/.140											PC Tail P	3.56/.140											PC Tail P	3.56/.140																																																																																																									
	Tin Loc T	6.35/.250											Tin Loc T	OVERALL											Tin Loc T	4.06/.160											Tin Loc T	OVERALL																																																																																																									
	Voided Ckts	NONE											Voided Ckts	5,7											Voided Ckts	4											Voided Ckts	3,7,8																																																																																																									
Pack Per	PK-41791-002											Pack Per	PK-41791-001											Pack Per	PK-41791-001											Pack Per	PK-41791-001																																																																																																										
Ckts	Item Number												Item Number												Item Number												Item Number																																																																																																										
2	41791-0892																																																																																																																																														
3	41791-0893																																																																																																																																														
4	41791-0894																								41791-0934																																																																																																																						
5	41791-0895																								41791-0935																																																																																																																						
6	41791-0896																								41791-0936																																																																																																																						
7	41791-0897												41791-0922												41791-0937																																																																																																																						
8	41791-0898												41791-0923												41791-0938												41791-0966																																																																																																										
9	41791-0899												41791-0924												41791-0939												41791-0967																																																																																																										
10	41791-0900												41791-0925												41791-0940												41791-0968																																																																																																										
11	41791-0901												41791-0926												41791-0941												41791-0969																																																																																																										
12	41791-0902												41791-0927												41791-0942												41791-0970																																																																																																										
13	41791-0903												41791-0928												41791-0943												41791-0971																																																																																																										
14	41791-0904												41791-0929												41791-0944												41791-0972																																																																																																										
15	41791-0905												41791-0930												41791-0945												41791-0973																																																																																																										
16	41791-0906												41791-0931												41791-0946												41791-0974																																																																																																										
17	41791-0907												41791-0932												41791-0947												41791-0975																																																																																																										
18	41791-0908												41791-0933												41791-0948												41791-0976																																																																																																										

FUNCTIONAL SYMBOLS

F_A

=

0

F_C

=

0

F_P

=

0

DIVISIONAL SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

mm

SCALE

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 0.5°

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.250

1 PLACE ± 0.38

0 PLACES ±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

C-SIZE

41791

CURRENT REV DESC: New PN added

STATUS: Production

DRWN: VINOTHKUMAR S

CHK'D: VINOTHKUMAR S

APPR: Saravanakumar Murugesan

2026-06-15

2026-07-07

2026-07-07

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SDA-41791

DOC TYPE

PSD

DOC PART

000

REVISION

R2

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

GENERAL MARKET

6 OF 13

FORMAT TO: e-mec

REVISION: 0

DATE: 02/02/2021

[illegible]

[illegible]

[illegible]

H

G

F

E

D

C

B

A

Options	Group	A-41791-1179		Group	A-41791-1189		Group	A-41791-1203		Group	A-41791-1215
	Header No	41790-0008/0018		Header No	41790-0006/0018		Header No	41790-0009/0018		Header No	41790-0006/0018
	Pin No	43294-0214		Pin No	43294-0240		Pin No	43294-0240		Pin No	43294-0240
	Plating	197-TIN		Plating	197-TIN		Plating	197-TIN		Plating	197-TIN
	Pin Length L	18.29/.720		Pin Length L	19.05/.750		Pin Length L	19.05/.750		Pin Length L	19.05/.750
	Mating M	11.43/.450		Mating M	11.43/.450		Mating M	11.43/.450		Mating M	11.43/.450
	Gold Loc G	N/A		Gold Loc G	N/A		Gold Loc G	N/A		Gold Loc G	N/A
	PC Tail P	3.56/.140		PC Tail P	4.32/.170		PC Tail P	4.32/.170		PC Tail P	4.32/.170
	Tin Loc T	OVERALL		Tin Loc T	OVERALL		Tin Loc T	OVERALL		Tin Loc T	OVERALL
	Voided Ckts	2,4,8		Voided Ckts	2,3,4,5		Voided Ckts	4,5,7,9		Voided Ckts	2,4,6
	Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-001
Ckts	Item Number			Item Number			Item Number			Item Number	
2											
3											
4											
5											
6				41791-1189							
7											
8											
9	41791-1179									41791-1215	
10							41791-1203				
11											
12											
13											
14											
15											
16											
17											
18											

FUNCTIONAL SYMBOLS
F_A/ = 0
F_C/ = 0
F_P/ = 0

DIVISIONAL SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS
mm

SCALE
1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)
ANGULAR TOL ± 0.5°
4 PLACES ±
3 PLACES ±
2 PLACES ± 0.250
1 PLACE ± 0.38
0 PLACES ±
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC: New PN added

STATUS: Production
DRWN: VINOTHKUMAR S 2026-06-15
CHK'D: VINOTHKUMAR S 2026-07-07
APPR: Saravanakumar Murugesan 2026-07-07

THIRD ANGLE PROJECTION
DRAWING
C-SIZE

SERIES
41791

molex

KK 156 HEADER ASSEMBLY
FRICTION LOCK VERTICAL SOLID BODY W/O PEGS

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER
SDA-41791

DOC TYPE
PSD

DOC PART
000

REVISION
R2

MATERIAL NUMBER

CUSTOMER
GENERAL MARKET

SHEET NUMBER
10 OF 13

FORMAT TO: eplmxc
REVISION: B
DATE: 02/20/2021

12

11

10

9

8

7

6

5

4

3

2

1

12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																													
H											H																																																																																																																																																																																																																																																																																																																																																													
G											G																																																																																																																																																																																																																																																																																																																																																													
F											F																																																																																																																																																																																																																																																																																																																																																													
E											E																																																																																																																																																																																																																																																																																																																																																													
D											D																																																																																																																																																																																																																																																																																																																																																													
C											C																																																																																																																																																																																																																																																																																																																																																													
B											B																																																																																																																																																																																																																																																																																																																																																													
A											A																																																																																																																																																																																																																																																																																																																																																													
<table><tr><td rowspan="11">Options</td><td>Group</td><td>A-41791-1285</td><td></td><td>Group</td><td>A-41791-1307/1316</td><td></td><td>Group</td><td>A-41791-1318</td><td></td><td>Group</td><td>A-41791-1333</td></tr><tr><td>Header No</td><td>41790-0017</td><td></td><td>Header No</td><td>41790-0009/0018</td><td></td><td>Header No</td><td>41790-0005</td><td></td><td>Header No</td><td>41790-0007</td></tr><tr><td>Pin No</td><td>43294-0214</td><td></td><td>Pin No</td><td>43294-0214</td><td></td><td>Pin No</td><td>43294-0214</td><td></td><td>Pin No</td><td>43294-0214</td></tr><tr><td>Plating</td><td>197-TIN</td><td></td><td>Plating</td><td>197-TIN</td><td></td><td>Plating</td><td>197-TIN</td><td></td><td>Plating</td><td>197-TIN</td></tr><tr><td>Pin Length L</td><td>18.29/.720</td><td></td><td>Pin Length L</td><td>18.29/.720</td><td></td><td>Pin Length L</td><td>18.29/.720</td><td></td><td>Pin Length L</td><td>18.29/.720</td></tr><tr><td>Mating M</td><td>11.43/.450</td><td></td><td>Mating M</td><td>11.43/.450</td><td></td><td>Mating M</td><td>11.43/.450</td><td></td><td>Mating M</td><td>11.43/.450</td></tr><tr><td>Gold Loc G</td><td>N/A</td><td></td><td>Gold Loc G</td><td>N/A</td><td></td><td>Gold Loc G</td><td>N/A</td><td></td><td>Gold Loc G</td><td>N/A</td></tr><tr><td>PC Tail P</td><td>3.56/.140</td><td></td><td>PC Tail P</td><td>3.56/.140</td><td></td><td>PC Tail P</td><td>3.56/.140</td><td></td><td>PC Tail P</td><td>3.56/.140</td></tr><tr><td>Tin Loc T</td><td>OVERALL</td><td></td><td>Tin Loc T</td><td>OVERALL</td><td></td><td>Tin Loc T</td><td>OVERALL</td><td></td><td>Tin Loc T</td><td>OVERALL</td></tr><tr><td>Voided Ckts</td><td>11</td><td></td><td>Voided Ckts</td><td>5,9</td><td></td><td>Voided Ckts</td><td>2,3,4</td><td></td><td>Voided Ckts</td><td>3,5,6</td></tr><tr><td>Pack Per</td><td>PK-41791-001</td><td></td><td>Pack Per</td><td>PK-41791-001</td><td></td><td>Pack Per</td><td>PK-41791-001</td><td></td><td>Pack Per</td><td>PK-41791-001</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Ckts</td><td>Item Number</td><td></td><td></td><td>Item Number</td><td></td><td></td><td>Item Number</td><td></td><td></td><td>Item Number</td><td></td></tr><tr><td>2</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>3</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td>41791-1318</td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>41791-1333</td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>12</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>13</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>14</td><td></td><td></td><td></td><td>41791-1312</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>15</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>16</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>17</td><td>41791-1285</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>18</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>												Options	Group	A-41791-1285		Group	A-41791-1307/1316		Group	A-41791-1318		Group	A-41791-1333	Header No	41790-0017		Header No	41790-0009/0018		Header No	41790-0005		Header No	41790-0007	Pin No	43294-0214		Pin No	43294-0214		Pin No	43294-0214		Pin No	43294-0214	Plating	197-TIN		Plating	197-TIN		Plating	197-TIN		Plating	197-TIN	Pin Length L	18.29/.720		Pin Length L	18.29/.720		Pin Length L	18.29/.720		Pin Length L	18.29/.720	Mating M	11.43/.450		Mating M	11.43/.450		Mating M	11.43/.450		Mating M	11.43/.450	Gold Loc G	N/A		Gold Loc G	N/A		Gold Loc G	N/A		Gold Loc G	N/A	PC Tail P	3.56/.140		PC Tail P	3.56/.140		PC Tail P	3.56/.140		PC Tail P	3.56/.140	Tin Loc T	OVERALL		Tin Loc T	OVERALL		Tin Loc T	OVERALL		Tin Loc T	OVERALL	Voided Ckts	11		Voided Ckts	5,9		Voided Ckts	2,3,4		Voided Ckts	3,5,6	Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-001												Ckts	Item Number			Item Number			Item Number			Item Number		2												3												4												5							41791-1318					6												7									41791-1333			8												9												10												11												12												13												14				41791-1312								15												16												17	41791-1285											18											
Options	Group	A-41791-1285		Group	A-41791-1307/1316		Group	A-41791-1318		Group	A-41791-1333																																																																																																																																																																																																																																																																																																																																																													
	Header No	41790-0017		Header No	41790-0009/0018		Header No	41790-0005		Header No	41790-0007																																																																																																																																																																																																																																																																																																																																																													
	Pin No	43294-0214		Pin No	43294-0214		Pin No	43294-0214		Pin No	43294-0214																																																																																																																																																																																																																																																																																																																																																													
	Plating	197-TIN		Plating	197-TIN		Plating	197-TIN		Plating	197-TIN																																																																																																																																																																																																																																																																																																																																																													
	Pin Length L	18.29/.720		Pin Length L	18.29/.720		Pin Length L	18.29/.720		Pin Length L	18.29/.720																																																																																																																																																																																																																																																																																																																																																													
	Mating M	11.43/.450		Mating M	11.43/.450		Mating M	11.43/.450		Mating M	11.43/.450																																																																																																																																																																																																																																																																																																																																																													
	Gold Loc G	N/A		Gold Loc G	N/A		Gold Loc G	N/A		Gold Loc G	N/A																																																																																																																																																																																																																																																																																																																																																													
	PC Tail P	3.56/.140		PC Tail P	3.56/.140		PC Tail P	3.56/.140		PC Tail P	3.56/.140																																																																																																																																																																																																																																																																																																																																																													
	Tin Loc T	OVERALL		Tin Loc T	OVERALL		Tin Loc T	OVERALL		Tin Loc T	OVERALL																																																																																																																																																																																																																																																																																																																																																													
	Voided Ckts	11		Voided Ckts	5,9		Voided Ckts	2,3,4		Voided Ckts	3,5,6																																																																																																																																																																																																																																																																																																																																																													
	Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-001		Pack Per	PK-41791-001																																																																																																																																																																																																																																																																																																																																																													
Ckts	Item Number			Item Number			Item Number			Item Number																																																																																																																																																																																																																																																																																																																																																														
2																																																																																																																																																																																																																																																																																																																																																																								
3																																																																																																																																																																																																																																																																																																																																																																								
4																																																																																																																																																																																																																																																																																																																																																																								
5							41791-1318																																																																																																																																																																																																																																																																																																																																																																	
6																																																																																																																																																																																																																																																																																																																																																																								
7									41791-1333																																																																																																																																																																																																																																																																																																																																																															
8																																																																																																																																																																																																																																																																																																																																																																								
9																																																																																																																																																																																																																																																																																																																																																																								
10																																																																																																																																																																																																																																																																																																																																																																								
11																																																																																																																																																																																																																																																																																																																																																																								
12																																																																																																																																																																																																																																																																																																																																																																								
13																																																																																																																																																																																																																																																																																																																																																																								
14				41791-1312																																																																																																																																																																																																																																																																																																																																																																				
15																																																																																																																																																																																																																																																																																																																																																																								
16																																																																																																																																																																																																																																																																																																																																																																								
17	41791-1285																																																																																																																																																																																																																																																																																																																																																																							
18																																																																																																																																																																																																																																																																																																																																																																								
B											B																																																																																																																																																																																																																																																																																																																																																													
A											A																																																																																																																																																																																																																																																																																																																																																													
<table><tr><td rowspan="10">FUNCTIONAL SYMBOLS</td><td colspan="11">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td>DIMENSION UNITS</td><td>SCALE</td><td colspan="9">CURRENT REV DESC: New PN added</td></tr><tr><td>mm</td><td>1:1</td><td colspan="9"></td></tr><tr><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="9"></td></tr><tr><td>ANGULAR TOL</td><td>± 0.5°</td><td colspan="9"></td></tr><tr><td>4 PLACES</td><td>±</td><td colspan="9"></td></tr><tr><td>3 PLACES</td><td>±</td><td colspan="9"></td></tr><tr><td>2 PLACES</td><td>± 0.250</td><td colspan="9"></td></tr><tr><td>1 PLACE</td><td>± 0.38</td><td colspan="9"></td></tr><tr><td>0 PLACES</td><td>±</td><td colspan="9"></td></tr><tr><td rowspan="10">DIVISIONAL SYMBOLS</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td colspan="6"></td></tr><tr><td colspan="2"></td><td></td><td>C-SIZE</td><td>41791</td><td colspan="6"></td></tr><tr><td colspan="2"></td><td colspan="2">STATUS: Production</td><td colspan="2"></td><td colspan="5"></td></tr><tr><td colspan="2"></td><td colspan="2">DRWN: VINOTHKUMAR S</td><td colspan="2">2026-06-15</td><td colspan="5"></td></tr><tr><td colspan="2"></td><td colspan="2">CHK'D: VINOTHKUMAR S</td><td colspan="2">2026-07-07</td><td colspan="5"></td></tr><tr><td colspan="2"></td><td colspan="2">APPR: Saravanakumar Murugesan</td><td colspan="2">2026-07-07</td><td colspan="5"></td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td><td>REVISION</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">SDA-41791</td><td>PSD</td><td>000</td><td>R2</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">MATERIAL NUMBER</td><td colspan="2">CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2">GENERAL MARKET</td><td>12 OF 13</td></tr></table>												FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											DIMENSION UNITS	SCALE	CURRENT REV DESC: New PN added									mm	1:1										GENERAL TOLERANCES (UNLESS SPECIFIED)											ANGULAR TOL	± 0.5°										4 PLACES	±										3 PLACES	±										2 PLACES	± 0.250										1 PLACE	± 0.38										0 PLACES	±										DIVISIONAL SYMBOLS	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES										C-SIZE	41791									STATUS: Production											DRWN: VINOTHKUMAR S		2026-06-15									CHK'D: VINOTHKUMAR S		2026-07-07									APPR: Saravanakumar Murugesan		2026-07-07													DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION							SDA-41791		PSD	000	R2							MATERIAL NUMBER		CUSTOMER		SHEET NUMBER									GENERAL MARKET		12 OF 13																																																																																																																															
FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																																																																																							
	DIMENSION UNITS	SCALE	CURRENT REV DESC: New PN added																																																																																																																																																																																																																																																																																																																																																																					
	mm	1:1																																																																																																																																																																																																																																																																																																																																																																						
	GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																																																																																																																																							
	ANGULAR TOL	± 0.5°																																																																																																																																																																																																																																																																																																																																																																						
	4 PLACES	±																																																																																																																																																																																																																																																																																																																																																																						
	3 PLACES	±																																																																																																																																																																																																																																																																																																																																																																						
	2 PLACES	± 0.250																																																																																																																																																																																																																																																																																																																																																																						
	1 PLACE	± 0.38																																																																																																																																																																																																																																																																																																																																																																						
	0 PLACES	±																																																																																																																																																																																																																																																																																																																																																																						
DIVISIONAL SYMBOLS	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES																																																																																																																																																																																																																																																																																																																																																																			
				C-SIZE	41791																																																																																																																																																																																																																																																																																																																																																																			
			STATUS: Production																																																																																																																																																																																																																																																																																																																																																																					
			DRWN: VINOTHKUMAR S		2026-06-15																																																																																																																																																																																																																																																																																																																																																																			
			CHK'D: VINOTHKUMAR S		2026-07-07																																																																																																																																																																																																																																																																																																																																																																			
			APPR: Saravanakumar Murugesan		2026-07-07																																																																																																																																																																																																																																																																																																																																																																			
							DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																																																																																																																																																																																																																																																																																																													
							SDA-41791		PSD	000	R2																																																																																																																																																																																																																																																																																																																																																													
							MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																																																																																																																																																																																																																																																																													
									GENERAL MARKET		12 OF 13																																																																																																																																																																																																																																																																																																																																																													
12	11	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																																																																													

