




NOTES:

1. MATERIALS:
HOUSING - LIQUID CRYSTAL POLYMER (LCP)
GLASS FILLED, UL94V-0, BLACK
SIGNAL PIN AND SHIELD - COPPER ALLOY
2. FINISHES:
CONTACT AREA - SELECTIVE GOLD (Au)
PCB TAILS - SELECTIVE MATTE TIN (Sn)
3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-74031-999.
4. FOR MIXED CONTACT LENGTH CONTACT MOLEX FOR AVAILABILITY.
5. FOR SPECIFIC MATERIAL NUMBERS AND MATING INFORMATION REFER TO SHEET 2.
6. PACKAGE PER PK-74060-003.
7. ASSEMBLY WILL BE MARKED WITH P/N AND DATE CODE WITH LASER MARK ON SIDE OF HOUSING OR BY LABEL ON THE TUBE.
8. MAPS (MOLEX ADVANCED PLATING SYSTEM).

UPDATE TABLE EC NO: UCP2014-3396 DRAWNS:VANG01 2014/02/14 CHKD:MMOLFE 2014/02/14 APPR:SMILLER 2014/02/25	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
			4 PLACES	mm	INCH	DRAWN BY JJONIAK	DATE 2008/04/11	TITLE VHDM H-SERIES 8 ROW OPEN END BACKPLANE SALES DRAWING molex	DOCUMENT NO. SD-76134-001	SHEET NO. 1 OF 2
				3 PLACES	± ---	± ---	CHECKED BY BINGHAM			
			2 PLACES	± 0.25	± ---	APPROVED BY BINGHAM	DATE 2008/04/11			
			1 PLACE	± 0.38	± ---	MATERIAL NO. SEE SHEET 2				
			0 PLACE	± ---	± ---					
			ANGULAR ±1/2°			SIZE C THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							

MATERIAL NUMBER ASSIGNMENT



76134-**-0*

PIN HEIGHT / PLATING
1-4 = 0.25 or 0.76 GOLD
6-9 = 1.27 GOLD

1 & 6 = 4.75
2 & 7 = 6.25
3 & 8 = 4.25
4 & 9 = 5.15



NUMBER OF COLUMNS/PLATING
10 = 10 COLUMN MATTE TIN (FORMERLY TIN/LEAD)
25 = 25 COLUMN MATTE TIN (FORMERLY TIN/LEAD)
60 = 10 COLUMN MATTE TIN (MAPS)
75 = 25 COLUMN MATTE TIN (MAPS)
90 = 10 COLUMN MATTE TIN
85 = 25 COLUMN MATTE TIN

SIGNAL COLUMN
DAUGHTERCARD CONNECTOR SIDE








2.45
TOP OF DAUGHTERCARD PCB
TO C OF ROW A

SHIELD
SIGNAL



PART NUMBER	COLUMN	NUMBER OF SIGNAL PIN	NUMBER OF SHIELD	A	B	M	GOLD THICKNESS MICROMETER	TIN THICKNESS MICROMETER
76134-6001	10	80	10	20.00	18.00	4.75	0.25 MAPS	0.76-1.52
76134-*001							0.76	
76134-*006							1.27	
76134-7501	25	200	25	50.00	48.00	4.75	0.25 MAPS	
76134-*501							0.76	
76134-*506							1.27	
76134-6002	10	80	10	20.00	18.00	6.25	0.25 MAPS	
76134-*002							0.76	
76134-*007							1.27	
76134-7502	25	200	25	50.00	48.00	6.25	0.25 MAPS	
76134-*502							0.76	
76134-*507							1.27	
76134-6003	10	80	10	20.00	18.00	4.25	0.25 MAPS	
76134-*003							0.76	
76134-*008							1.27	
76134-7503	25	200	25	50.00	48.00	4.25	0.25 MAPS	
76134-*503							0.76	
76134-*508							1.27	
76134-6004	10	80	10	20.00	18.00	5.15	0.25 MAPS	
76134-*004							0.76	
76134-*009							1.27	
76134-7504	25	200	25	50.00	48.00	5.15	0.25 MAPS	
76134-*504							0.76	
76134-*509							1.27	

SEE SHEET 1 EC NO: UCP2014-3396 DRAWN: SVANG01 2014/02/14 CHKD: MMOLFE 2014/02/14 APPR: SMILLER 2014/02/25	QUALITY SYMBOLS	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)			DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
			▽=0	4 PLACES	± ---	± ---	DRAWN BY JJONIAK	DATE 2008/04/11	TITLE VHDM H-SERIES 8 ROW OPEN END BACKPLANE SALES DRAWING			
				3 PLACES	± ---	± ---	CHECKED BY BINGHAM	DATE 2008/04/11				
			▽=0	2 PLACES	± 0.25	± ---	APPROVED BY BINGHAM	DATE 2008/04/11			DOCUMENT NO. SD-76134-001	
			▽=0	1 PLACE	± 0.38	± ---	SHEET NO. 2 OF 2					
			0 PLACE	± ---	± ---							
			ANGULAR ±1/2°			MATERIAL NO.						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE						
			REV	C	SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						



NOTES:

1. MATERIALS:
HOUSING - LIQUID CRYSTAL POLYMER (LCP)
GLASS FILLED, UL94V-0, BLACK
SIGNAL PIN AND SHIELD - COPPER ALLOY
2. FINISHES:
CONTACT AREA - SELECTIVE GOLD (Au)
PCB TAILS - SELECTIVE MATTE TIN (Sn)
3. THIS PART CONFORMS TO MOLEX PRODUCT SPECIFICATION PS-74031-999.
4. FOR MIXED CONTACT LENGTH CONTACT MOLEX FOR AVAILABILITY.
5. FOR SPECIFIC MATERIAL NUMBERS AND MATING INFORMATION REFER TO SHEET 2.
6. PACKAGE PER PK-74060-003.
7. ASSEMBLY WILL BE MARKED WITH P/N AND DATE CODE WITH LASER MARK ON SIDE OF HOUSING OR BY LABEL ON THE TUBE.
8. MAPS (MOLEX ADVANCED PLATING SYSTEM).

UPDATE TABLE EC NO: UCP2014-3396 DRAWNS:VANG01 2014/02/14 CHKD:MMOLFE 2014/02/14 APPR:SMILLER 2014/02/25	DESCRIPTION REV	QUALITY SYMBOLS F=0 E=0 F=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY JJONIAK	DATE 2008/04/11	TITLE VHDM H-SERIES 8 ROW OPEN END BACKPLANE SALES DRAWING molex				
			4 PLACES	± ---	± ---	CHECKED BY BINGHAM	DATE 2008/04/11					
			3 PLACES	± ---	± ---	APPROVED BY BINGHAM	DATE 2008/04/11					
			2 PLACES	± 0.25	± ---	MATERIAL NO. SEE SHEET 2		DOCUMENT NO. SD-76134-001		SHEET NO. 1 OF 2		
			1 PLACE	± 0.38	± ---	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
			0 PLACE	± ---	± ---							
			ANGULAR ±1/2°									
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS									

MATERIAL NUMBER ASSIGNMENT



76134-**-0*

PIN HEIGHT / PLATING
1-4 = 0.25 or 0.76 GOLD
6-9 = 1.27 GOLD

1 & 6 = 4.75
2 & 7 = 6.25
3 & 8 = 4.25
4 & 9 = 5.15



NUMBER OF COLUMNS/PLATING
10 = 10 COLUMN MATTE TIN (FORMERLY TIN/LEAD)
25 = 25 COLUMN MATTE TIN (FORMERLY TIN/LEAD)
60 = 10 COLUMN MATTE TIN (MAPS)
75 = 25 COLUMN MATTE TIN (MAPS)
90 = 10 COLUMN MATTE TIN
85 = 25 COLUMN MATTE TIN

SIGNAL COLUMN
DAUGHTERCARD CONNECTOR SIDE



2.45
TOP OF DAUGHTERCARD PCB
TO C OF ROW A

SHIELD
SIGNAL



PART NUMBER	COLUMN	NUMBER OF SIGNAL PIN	NUMBER OF SHIELD	A	B	M	GOLD THICKNESS MICROMETER	TIN THICKNESS MICROMETER
76134-6001	10	80	10	20.00	18.00	4.75	0.25 MAPS	0.76-1.52
76134-*001							0.76	
76134-*006							1.27	
76134-7501	25	200	25	50.00	48.00	4.75	0.25 MAPS	
76134-*501							0.76	
76134-*506							1.27	
76134-6002	10	80	10	20.00	18.00	6.25	0.25 MAPS	
76134-*002							0.76	
76134-*007							1.27	
76134-7502	25	200	25	50.00	48.00	6.25	0.25 MAPS	
76134-*502							0.76	
76134-*507							1.27	
76134-6003	10	80	10	20.00	18.00	4.25	0.25 MAPS	
76134-*003							0.76	
76134-*008							1.27	
76134-7503	25	200	25	50.00	48.00	4.25	0.25 MAPS	
76134-*503							0.76	
76134-*508							1.27	
76134-6004	10	80	10	20.00	18.00	5.15	0.25 MAPS	
76134-*004							0.76	
76134-*009							1.27	
76134-7504	25	200	25	50.00	48.00	5.15	0.25 MAPS	
76134-*504							0.76	
76134-*509							1.27	

SEE SHEET 1 EC NO: UCP2014-3396 DRAWN: SVANG01 2014/02/14 CHKD: MMOLFE 2014/02/14 APPR: SMILLER 2014/02/25	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY JJONIAK	DATE 2008/04/11	TITLE VHDM H-SERIES 8 ROW OPEN END BACKPLANE SALES DRAWING molex		DOCUMENT NO. SD-76134-001	SHEET NO. 2 OF 2
			4 PLACES	± ---	± ---	CHECKED BY	DATE				
			3 PLACES	± ---	± ---	BINGHAM	2008/04/11				
			2 PLACES	± 0.25	± ---	APPROVED BY	DATE				
			1 PLACE	± 0.38	± ---	BINGHAM	2008/04/11				
			0 PLACE	± ---	± ---	MATERIAL NO.					
			ANGULAR ±1/2°		SEE TABLE						
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
REV											