



Cable Ties Polyamide 6.6 standard : T18R


Cable Tie 100x2.45 mm grey, Article number: 116-01818

 Add to watchlist



 Images (6)

 Downloads



Features

- Available in a wide range of materials and sizes
- High tensile strength with very low insertion force
- Only high quality plastic is used meeting recycling targets

You can easily accept or reject the cookies on this site by choosing one of the following links: [I accept cookies](#) [I refuse cookies](#) - [Privacy statement](#)

- Inside serrated cable ties for a strong hold onto bundles
- Ergonomic bent tail offers quick and simple installation
- Easy application either manually or with an application tool

Certifications & Approvals

Application

T-Series cable ties for bundling and securing of cables, pipes and hoses. These cable ties can be used for nearly all kind of applications.

T-Series in PA66 coloured is suitable for following markets and industries



More products in this product group

Cable Ties Polyamide 6.6 standard >

Base Data

Application Tool	MK3PNSP2, MK3SP, MK20, EVO7
Colour	Grey (GY)
Identification Plate Position	none
Pack Cont.	100 pcs.
Package Quantity per	bag
PART DESCRIPTION	T18R-PA66-GY
Product Family	T-Series in PA66 coloured
Product Group	Cable Ties Polyamide 6.6 standard
Releasable Closure (Yes/No)	No
Short Description	Cable Tie 100x2.45 mm grey
Tie Closure	plastic pawl
Variant	Inside Serrated

Product Dimensions



Bundle $\varnothing$ max.	22.0 mm
Bundle $\varnothing$ min.	1.5 mm
Height (H)	3.7 mm
Length (L)	101.6 mm
Min.Tensile Strength	80.0 N

Thickness (T)	1.0 mm
Width (W)	2.45 mm

You can easily accept or reject the cookies on this site by choosing one of the following links: I accept cookies I refuse cookies - [Privacy statement](#)

Material and Specifications

ELV compliant (Article 4 - 2)	YES
Flammability	UL 94 V2
Halogenfree	Yes
Hazardous good	No
Material	Polyamide 6.6 (PA66)
Operating Temperature - °C	-40 °C to +85 °C, (+105 °C, 500 h)
Specifications	<div>HF</div> <div>RoHS</div>

Logistics and Packaging

More Information

ETIM 6.0	EC000046
ETIM 7.0 Key	EC000046
UNSPSC Key	39121703

Accessories

<div><div>EVO7</div><div>110-70129</div><div>Manual tensioning tool plastic housing</div></div> <div></div>	<div><div>MK3PNSP2</div><div>110-03400</div><div>Pneumatic tensioning tool metal housing</div></div> <div></div>	<div><div>MK20</div><div>110-20006</div><div>Manual tensioning tool for cable ties, simple version</div></div> <div></div>
---	--	--

<div><div>MK3SP</div><div>110-03500</div><div>Manual tensioning tool metal housing</div></div>
--

You can easily accept or reject the cookies on this site by choosing one of the following links: I accept cookies

I refuse cookies - [Privacy statement](#)

Similar products



T120S

111-01019
Cable Ties Polyamide 6.6 standard



T150L

111-15407
Cable Ties Polyamide 6.6 standard



T150M

111-01140
Cable Ties Polyamide 6.6 standard



T150XL

111-15504
Cable Ties Polyamide 6.6 standard



T18I

111-02317
Cable Ties Polyamide 6.6 standard



T18I

111-02321
Cable Ties Polyamide 6.6 standard



Show all

