



SERPAC 152RC4AA

ELECTRONIC ENCLOSURES



PART NO.	DESCRIPTION (Included)	PART NO.	DESCRIPTION
5-2RC	Clear Top	1030	Pocket Clip
154AA	4AA Bottom	50	Non-Skid Feet
6005	#4X3/8" Self-Tapping Screw (4)	55	Key Holder
1026	Access Door	60	Standoff Hole
73	Double Battery Contact (3)	61	Standoff Post
72	Single Battery Contact (2)	SK5	Waterproof Seal Kit
6018	4-40 x 1 1/2" Screw (4)		
6102	4-40 Threaded Inserts (4)		





Notes: Enclosure weight .37 lb / 168 g

- 1) Enclosure meets or exceeds IP40 and NEMA 1
- 2) Circuit Board drawings see sheet 3.
- 3) All components are RoHS Compliant.
- 4) Material: Top and Bottom ABS.
- 5) When used with SK5 the enclosure meets or exceeds IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5 (.02 lb / 11g)



SERPAC 152RC4AA

ELECTRONIC ENCLOSURES




- Notes:
- 1) Enclosure weight .37 lb / 168 g
 - 2) Enclosure meets or exceeds IP40 and NEMA 1
 - 3) Circuit Board drawings see sheet 3.
 - 4) All components are RoHS Compliant.
 - 5) Material: Top and Bottom ABS.
 - 6) Customizable molding areas.
 - 7) PCB Bosses accept #4 self tapping screw.
 - 8) When used with SK5 the enclosure meets or exceeds IP 67 and NEMA 4X, 12 and 13 MIL-STD-810G 506.5 (.02 lb / 11g)

SERPAC 152RC4AA CIRCUIT BOARD

ELECTRONIC ENCLOSURES

Bottom Option A



Bottom Option B

