









MATING
KEY TYPE & COLOR


KEY TYPE:1
MAT No.:201197***0
COLOR:NATURAL




KEY TYPE:2
MAT No.:2011970**1
COLOR:BLACK




KEY TYPE:3
MAT No.:2011970**2
COLOR:RED



KEY TYPE:4
MAT No.:2011970**3
COLOR:YELLOW




嵌合寸法
MATED DIMENSION



YELLOW	RED	BLACK		NATURAL		HSG COLOR
			201197 0401	201197 2400	201197 0400	40
					201197 0380	38
					201197 0360	36
				201197 2340	201197 0340	34
					201197 0320	32
201197 0303	201197 0302		201197 0301		201197 0300	30
					201197 0280	28
		201197 2261	201197 0261			26
			201197 0241			24
			201197 0221		201197 0220	22
			201197 0201			20
			201197 0181		201197 0180	18
			201197 0161		201197 0160	16
			201197 0141		201197 0140	14
			201197 0121	201197 2120	201197 0120	12
			201197 0101		2011970100	10
エンボス梱包 EMBOSSED PKG						極数 CKT NO.
オーダー番号 ORDER NO.						

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS mm		SCALE NTS 2:1		CURRENT REV DESC: Adding New Part numbers			molex					
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: CO-000047996 DRWN: VINOTHKUMAR S 08-Jul-2026 CHK'D: VINOTHKUMAR S 01-Sep-2026 APPR: Saravanakumar Murugesan 01-Sep-2026 INITIAL REVISION: DRWN: MHAYASHI 15-Aug-2017 APPR: TKANEKO 24-Aug-2017			SPOT-ON 2.0 W/B DUAL ROW SMT PLUG ASSY SPOT-ON 2.0 W/B DUAL ROW SMT PLUG ASSY					
ANGULAR TOL ± 3°							PRODUCT CUSTOMER DRAWING					
4 PLACES ± 0							DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION
3 PLACES ± 0							2011971300-SD			PSD	000	A5
2 PLACES ± 0.2												
1 PLACE ± 0.2												
0 PLACES ± 0.2												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING A3-SIZE	SERIES 201197	MATERIAL NUMBER SEE CHART		CUSTOMER	SHEET NUMBER 2 OF 3	




26P-30P
(SCALE=4/1)

推奨基板レイアウト



RECOMMENDED PWB PATTERN LAYOUT

(参考 : メタルマスク厚さ : 120μm, マスク開口率100%)


(REFERENCE : STENCIL THICKNESS : 120μm, APERTURE RATIO : 100%)




KAPTON TAPE




10P-12P



14P-18P



20P-24P



32P-40P

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE NTS 2:1		CURRENT REV DESC: Adding New Part numbers			molex		
mm									
GENERAL TOLERANCES (UNLESS SPECIFIED)									
ANGULAR TOL ± 3 °									
4 PLACES ± 0		EC NO: CO-000047996			SPOT-ON 2.0 W/B DUAL ROW SMT PLUG ASSY SPOT-ON 2.0 W/B DUAL ROW SMT PLUG ASSY				
3 PLACES ± 0		DRWN: VINOTHKUMAR S							

DOCUMENT STATUS	Production	RELEASE DATE	01-Sep-2026	11:09:51
-----------------	------------	--------------	-------------	----------