





回路番号1マーク
CIRCUIT NO.1 MARK

注)
NOTE

1. 嵌合相手:201647シリーズ
MATE WITH:201647 SERIES.

△2 製品番号 MATERIAL NO.

201648 0** *

極数
CIRCUIT SIZE

色
COLOR

NO.	COLOR
0	NATURAL
1	BLACK
2	RED
3	YELLOW
4	BLUE

△₃ 偶数極に適用

APPLY FOR CKT SIZE EQUAL EVEN.

4. 端子テール部及びネイルの平坦度は0.12MAX.とする。
TAIL AND NAIL COPLANARITY TO BE 0.12 MAX.

4	3.00	17.85	22.50	25.65	28.60	201648016*	16
3	8.25	17.85	21.00	24.15	27.10	201648015*	15
3	7.50	17.85	19.50	22.65	25.60	201648014*	14
3	6.75	12.00	18.00	21.15	24.10	201648013*	13
3	6.00	12.00	16.50	19.65	22.60	201648012*	12
2	5.25	12.00	15.00	18.15	21.10	201648011*	11
2	4.50	12.00	13.50	16.65	19.60	201648010*	10
2	3.75	8.50	12.00	15.15	18.10	201648009*	9
2	3.00	8.50	10.50	13.65	16.60	201648008*	8
1	-	8.50	9.00	12.15	15.10	201648007*	7
1	-	5.55	7.50	10.65	13.60	201648006*	6
1	-	5.55	6.00	9.15	12.10	201648005*	5
1	-	5.55	4.50	9.00	12.10	201648004*	4
1	-	4.20	3.00	7.50	10.60	201648003*	3
1	-	2.90	1.50	6.00	9.10	201648002*	2
NAIL QTY	E	D	C	B	A	オーダー番号 ORDER NO.	極数 CKT NO.

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN #515183			molex SPOT-ON 1.5 SINGLE PLUG ASSY PRODUCT CUSTOMER DRAWING						
mm		3:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL ± 3.0 °													
4 PLACES ± 0.2													
3 PLACES ± 0.2		EC NO: 826030			DOCUMENT NUMBER 2016480001			DOC TYPE		DOC PART		REVISION	
2 PLACES ± 0.2		DRWN: PRANAA 2025/06/19						PSD		000		B	
1 PLACE ± 0.2		CHK'D: GGA 2025/07/01											
0 PLACES ± 0.2		APPR: GGA 2025/07/01											
INITIAL REVISION:			2017/02/09										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE		201648		2016480***		GENERAL		1 OF 4	

部品 PART	材質 MATERIAL	
ハウジング HOUSING	ポリアミド(PA), ガラス充填, UL94V-0, 色 : 注記参照 POLYAMIDE(PA), GLASS FILLED, UL94V-0, COLOR: SEE NOTE	
ターミナル TERMINAL	黄銅 BRASS	
	錫めっき (リフロート処理), 1.0μm以上 TIN PLATED (HEAT TREATED MATTE TIN), 1.0μm MIN.	前めっき PRE-PLATED
	ニッケルめっき(下地), 0.5μm以上 NICKEL (UNDER-PLATED), 0.5μm MIN.	
ネイル NAIL	黄銅 BRASS	
	無光沢錫めっき, 1.0μm以上 MATTE TIN, 1.0μm MIN.	
	ニッケルめっき(下地), 1.0μm以上 NICKEL (UNDER-PLATED), 1.0μm MIN.	

BLUE	YELLOW	RED	BLACK	NATURAL (BEIGE)	HOUSING COLOR
-	-	-	2016480161	-	16
-	-	-	-	-	15
-	-	-	2016480141	-	14
-	-	-	-	-	13
-	-	-	2016480121	-	12
-	-	-	-	-	11
-	-	-	2016480101	-	10
-	-	-	-	-	9
-	-	-	2016480081	2016480080	8
-	-	-	-	-	7
-	-	-	2016480061	-	6
-	-	-	-	2016480050	5
-	-	2016480042	-	2016480040	4
2016480034	-	-	-	2016480030	3
2016480024	-	2016480022	-	2016480020	2

エンボステープ梱包 EMBOSSED TAPE PKG		極数 CKT NO.
△2	オーダー番号 ORDER NO.	

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS mm		SCALE 2:1		CURRENT REV DESC: REMOVED OBSOLETE PART NUMBERS AS PER PCN #515183				molex		
GENERAL TOLERANCES (UNLESS SPECIFIED)										
ANGULAR TOL ± 3.0 °		EC NO: 826030 DRWN: PRANAA 2025/06/19 CHK'D: GGA 2025/07/01 APPR: GGA 2025/07/01				SPOT-ON 1.5 SINGLE PLUG ASSY				
4 PLACES ± 0.2										
3 PLACES ± 0.2										
2 PLACES ± 0.2										
1 PLACE ± 0.2		INITIAL REVISION: DRWN: MIKEDA01 2017/02/09 APPR: TKANEKO 2017/02/15				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
0 PLACES ± 0.2						2016480001		PSD	000	B1
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION 		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
				A3-SIZE	201648	2016480***		GENERAL		3 OF 4

