








製品レイアウト
PRODUCT LAYOUT

△4 嵌合相手 : 501939 シリーズ
MATE WITH : 501939 SERIES




推奨基板レイアウト(全極数適用) : 実装面側
(参考 : 基板厚 1.0mm, メタルマスク厚さ 0.12mm, マスク開口率100%)

POLARIZED RECOMMENDED PCB LAYOUT(APPLY TO ALL CIRCUIT) : COMPONENT SIDE
(REFERENCE: PCB THICKNESS 1.0mm, STENCIL THICKNESS 0.12mm, APERTURE RATIO 100%)



:パターン禁止エリア
RESTRICTED AREA
NO PCB COMPONENTS ALLOWED




嵌合図
MATED CONNECTORS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: EC NO: 635683 DRWN: MIKEDA01 2020/04/10 CHK'D: SAKIYAMA 2020/05/13 APPR: KOMURAKAMI 2020/05/14 INITIAL REVISION: DRWN: AISHIKAWA 2019/04/01 APPR: KOMURAKAMI 2019/04/03				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)								PICO-CLASP 1.0 W/B SINGLE ROW VT SMT OUTER LOCK GOLD PLATING 0.38 MICRO-METER							
ANGULAR TOL		± 3.0 °						PRODUCT CUSTOMER DRAWING							
4 PLACES		± 0.2													
3 PLACES		± 0.2													
2 PLACES		± 0.2													
1 PLACE		± 0.2						DOCUMENT NUMBER 2035600000-SD		DOC TYPE PSD		DOC PART 000		REVISION B	
0 PLACES		± 0.2													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 203560		MATERIAL NUMBER SEE SHEET 5		CUSTOMER GENERAL		SHEET NUMBER 2 OF 5	



DOCUMENT STATUS	P1	RELEASE DATE	2020/05/14	10:49:36
-----------------	----	--------------	------------	----------

FORMAT: master-b-prod-A3
REVISION: 14
DATE: 2018/01/18



NOTES

9. 梱包数量:1100個/リール
NUMBER OF CONNECTORS : 1100 PIECES/REEL
10. リードテープ長さ
LEAD TAPE LENGTH
11. トップテープの剥離強度はIEC60286-3に準拠。
TOP TAPE PEELING FORCE IS DEFINED BY IEC60286-3.
12. 梱包仕様書 : 2035609200 PS 200
PACKAGE SPECIFICATION:
13. 発注番号 : SHEET 5 参照
ORDER No. : PLEASE REFER TO SHEET 5 FOR PRODUCT LIST.





203560

** * *

極数 CIRCUIT SIZE	ハウジングカラー HOUSING COLOR	製品識別番号 IDENTIFICATION NUMBER
	0:NATURAL(BEIGE)	3:EMBOSSED PACKAGE

番号 NO.	部品 PART	材質 MATERIAL
5	リール REEL	ポリスチレン(PS) <リサイクル材を含む> POLYSTYRENE(PS) <RECYCLE MATERIAL CONTAINED>
DOCUMENT STATUS	P1	RELEASE DATE 2020/05/14 10:49:36

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex PICO-CLASP 1.0 W/B SINGLE ROW VT SMT OUTER LOCK GOLD PLATING 0.38 MICRO-METER								
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 635683 DRWN: MIKEDA012020/04/10 CHK'D: SAKIYAMA2020/05/13 APPR: KOMURAKAMI2020/05/14 INITIAL REVISION: DRWN: AISHIKAWA2019/04/01 APPR: KOMURAKAMI2019/04/03											
ANGULAR TOL ± 3.0 °															
4 PLACES		± 0.2													
3 PLACES		± 0.2													
2 PLACES		± 0.2													
1 PLACE		± 0.2		PRODUCT CUSTOMER DRAWING											
0 PLACES		± 0.2													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
						A3-SIZE		203560		2035600000-SD		PSD	000	B	
										MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
										SEE SHEET 5		GENERAL		3 OF 5	



番号 NO.	部品 PART	材質 MATERIAL
⑥	キャリアテープ CARRIER TAPE	ポリプロピレン(PP)、その他 POLYPROPYLENE(PP), etc
⑦	トップテープ TOP TAPE	ポリエチレン(PE)、その他 POLYETHYLENE(PE), etc

DOCUMENT STATUS	P1	RELEASE DATE	2020/05/14	10:49:36
-----------------	----	--------------	------------	----------

8.3	5
7.3	4
6.3	3
D	極数 CIRCUIT SIZE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex										
mm	NTS																
GENERAL TOLERANCES (UNLESS SPECIFIED)				PICO-CLASP 1.0 W/B SINGLE ROW VT SMT OUTER LOCK GOLD PLATING 0.38 MICRO-METER													
ANGULAR TOL ± 3.0 °																	
4 PLACES		± 0.2		EC NO: 635683		2020/04/10											
3 PLACES		± 0.2		DRWN: MIKEDA01													
2 PLACES		± 0.2		CHK'D: SAKIYAMA													
1 PLACE		± 0.2		APPR: KOMURAKAMI		2020/05/14											
0 PLACES		± 0.2		INITIAL REVISION:		PRODUCT CUSTOMER DRAWING											
				DRWN: AISHIKAWA						DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
				APPR: KOMURAKAMI						2035600000-SD		PSD		000		B	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
						A3-SIZE		203560		SEE SHEET 5		GENERAL		4 OF 5			

