



F



基板パターンレイアウト(参考)
RECCOMENDED PCB PATTERN LAYOUT (REF.)
(参考 : メタルマスク厚さ 0.10mm, マスク開口率100%)
(REFERENCE: METAL MASK THICKNESS 0.10MM, APERTURE RATIO 100%)



パターン非推奨エリア
パターンを引き回す際は、製品機能に影響がないことをご確認ください。
PATTERN IS NOT RECCOMENDED ON THE HATCHED AREA.
PLEASE CHECK NOT TO HAVE PROBLEM FOR PRODUCT FUNCTION
WHEN SETTING PATTERN ON THE HATCHED AREA.

C

B

A

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 3.0 °															
4 PLACES		± 0.2						EC NO: 742719				CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING			
3 PLACES		± 0.2		DRWN: MIKEDA01 2023/06/23											
2 PLACES		± 0.2		CHK'D: SAKIYAMA 2023/06/23											
1 PLACE		± 0.2		APPR: AIDA 2023/06/23				PRODUCT CUSTOMER DRAWING							
0 PLACES		± 0.2		INITIAL REVISION:				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
DRWN: MIKEDA01 2019/10/01		APPR: KOMURAKAMI 2019/11/20		2132270000-SD				PSD		000		D			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		213227		SEE CHART		GENERAL		2 OF 6	

F



E

D







C

B

A



嵌合図
MATED CONNECTORS





8-10極
8-10 CKT


12-18極
12-18 CKT


20-28極
20-28 CKT

30-34極
30-34 CKT



極数別ハウジング形状
HOUSING SHAPE OF EACH CKTS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex		
mm		NTS							
GENERAL TOLERANCES (UNLESS SPECIFIED)				CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING					
ANGULAR TOL ± 3.0°									
4 PLACES		± 0.2		EC NO: 742719			PRODUCT CUSTOMER DRAWING		
3 PLACES		± 0.2		DRWN: MIKEDA01 2023/06/23					
2 PLACES		± 0.2		CHK'D: SAKIYAMA 2023/06/23					
1 PLACE		± 0.2		APPR: AIDA 2023/06/23			DOCUMENT NUMBER 2132270000-SD		
0 PLACES		± 0.2		INITIAL REVISION:					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: MIKEDA01 2019/10/01			DOC TYPE PSD		
				APPR: KOMURAKAMI 2019/11/20					
				THIRD ANGLE PROJECTION			SERIES 213227		
			DRAWING A3-SIZE			MATERIAL NUMBER SEE CHART			
									CUSTOMER GENERAL
						SHEET NUMBER 3 OF 6			



NOTE

5. 梱包数量 : 450個 / リール
NUMBER OF CONNECTORS : 450 PIECES/REEL
6. リードテープ長さ
LEAD TAPE LENGTH
7. トップテープの剥離強度はJIS C0806-3に準拠
TOP TAPE PEELING OFF FORCE IS DIFINED BY JIS C0806-3
8. 本製品は乾燥剤入り、ハイバリア梱包である
THIS PRODUCT IS DELIVERED IN HIGH BARRIER PACKAGE WITH DESICCANT.

番号 No.	部品 PART	材質 MATERIAL
④	エンボステープ EMBOSSSED TAPE	ポリスチレン(PS) POLYSTYLENE
⑤	トップテープ TOP TAPE	ポリエチレン、ポリエチレンテレフタレート POLYETHYLENE (PE), POLYETHYLENE TELEPHTHALATE(PET)
⑥	リール REEL	ポリスチレン (リサイクル材を含む) POLYSTYLENE (CONTAINED RECYCLED MATERIAL)

DOCUMENT STATUS	P1	RELEASE DATE	2023/06/23	10:36:44
-----------------	----	--------------	------------	----------

49.4	45.4	20.2	40.4	44±0.3	34
					32
					30
					28
					26
					24
					22
					20
37.4	33.4	14.2	28.4	32±0.3	18
					16
					14
29.4	25.4	11.5	-	24 ^{+0.3} _{-0.1}	12
					10
J	H	G	F	エンボステープ幅E WIDTH OF TAPE	8
CKT NO.					

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex						
mm		NTS											
GENERAL TOLERANCES (UNLESS SPECIFIED)				CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING PRODUCT CUSTOMER DRAWING									
ANGULAR TOL ± 3.0 °													
4 PLACES		± 0.2											
3 PLACES		± 0.2											
2 PLACES		± 0.2											
1 PLACE		± 0.2		DOCUMENT NUMBER 2132270000-SD DOC TYPE PSD DOC PART 000 REVISION D									
0 PLACES		± 0.2											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				INITIAL REVISION:									
				DRWN: MIKEDA01 2019/10/01 APPR: KOMURAKAMI 2019/11/20									
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE		213227		SEE CHART		GENERAL		4 OF 6	

10	9	8	7	6	5	4	3	2	1																																																																																																																																																			
△4 製品一覧 PRODUCTS LIST																																																																																																																																																												
<table><tr><td>黒</td><td>BLACK</td><td>ナチュラル</td><td>NATURAL</td><td colspan="2">HOUSING COLOR</td><td colspan="4"></td></tr><tr><td>213227</td><td>3411</td><td>213227</td><td>3410</td><td>34</td><td rowspan="14">213227 **1* (GOLD PLATING THICKNESS: 0.1 micro-meters MIN)</td><td colspan="4"></td></tr><tr><td>213227</td><td>3211</td><td>213227</td><td>3210</td><td>32</td><td colspan="4"></td></tr><tr><td>213227</td><td>3011</td><td>213227</td><td>3010</td><td>30</td><td colspan="4"></td></tr><tr><td>213227</td><td>2811</td><td>213227</td><td>2810</td><td>28</td><td colspan="4"></td></tr><tr><td>213227</td><td>2611</td><td>213227</td><td>2610</td><td>26</td><td colspan="4"></td></tr><tr><td>213227</td><td>2411</td><td>213227</td><td>2410</td><td>24</td><td colspan="4"></td></tr><tr><td>213227</td><td>2211</td><td>213227</td><td>2210</td><td>22</td><td colspan="4"></td></tr><tr><td>213227</td><td>2011</td><td>213227</td><td>2010</td><td>20</td><td colspan="4"></td></tr><tr><td>213227</td><td>1811</td><td>213227</td><td>1810</td><td>18</td><td colspan="4"></td></tr><tr><td>213227</td><td>1611</td><td>213227</td><td>1610</td><td>16</td><td colspan="4"></td></tr><tr><td>213227</td><td>1411</td><td>213227</td><td>1410</td><td>14</td><td colspan="4"></td></tr><tr><td>213227</td><td>1211</td><td>213227</td><td>1210</td><td>12</td><td colspan="4"></td></tr><tr><td>213227</td><td>1011</td><td>213227</td><td>1010</td><td>10</td><td colspan="4"></td></tr><tr><td>213227</td><td>0811</td><td>213227</td><td>0810</td><td>8</td><td colspan="4"></td></tr><tr><td colspan="4">オーダー番号 ORDER No</td><td>極数 CKT</td><td colspan="5">MODEL NO</td></tr></table>										黒	BLACK	ナチュラル	NATURAL	HOUSING COLOR						213227	3411	213227	3410	34	213227 **1* (GOLD PLATING THICKNESS: 0.1 micro-meters MIN)					213227	3211	213227	3210	32					213227	3011	213227	3010	30					213227	2811	213227	2810	28					213227	2611	213227	2610	26					213227	2411	213227	2410	24					213227	2211	213227	2210	22					213227	2011	213227	2010	20					213227	1811	213227	1810	18					213227	1611	213227	1610	16					213227	1411	213227	1410	14					213227	1211	213227	1210	12					213227	1011	213227	1010	10					213227	0811	213227	0810	8					オーダー番号 ORDER No				極数 CKT	MODEL NO				
黒	BLACK	ナチュラル	NATURAL	HOUSING COLOR																																																																																																																																																								
213227	3411	213227	3410	34	213227 **1* (GOLD PLATING THICKNESS: 0.1 micro-meters MIN)																																																																																																																																																							
213227	3211	213227	3210	32																																																																																																																																																								
213227	3011	213227	3010	30																																																																																																																																																								
213227	2811	213227	2810	28																																																																																																																																																								
213227	2611	213227	2610	26																																																																																																																																																								
213227	2411	213227	2410	24																																																																																																																																																								
213227	2211	213227	2210	22																																																																																																																																																								
213227	2011	213227	2010	20																																																																																																																																																								
213227	1811	213227	1810	18																																																																																																																																																								
213227	1611	213227	1610	16																																																																																																																																																								
213227	1411	213227	1410	14																																																																																																																																																								
213227	1211	213227	1210	12																																																																																																																																																								
213227	1011	213227	1010	10																																																																																																																																																								
213227	0811	213227	0810	8																																																																																																																																																								
オーダー番号 ORDER No				極数 CKT	MODEL NO																																																																																																																																																							
<table><tr><td>黒</td><td>BLACK</td><td>ナチュラル</td><td>NATURAL</td><td colspan="2">HOUSING COLOR</td><td colspan="4"></td></tr><tr><td>213227</td><td>3431</td><td>213227</td><td>3430</td><td>34</td><td rowspan="14">213227 **3* (GOLD PLATING THICKNESS: 0.38 micro-meters MIN)</td><td colspan="4"></td></tr><tr><td>213227</td><td>3231</td><td>213227</td><td>3230</td><td>32</td><td colspan="4"></td></tr><tr><td>213227</td><td>3031</td><td>213227</td><td>3030</td><td>30</td><td colspan="4"></td></tr><tr><td>213227</td><td>2831</td><td>213227</td><td>2830</td><td>28</td><td colspan="4"></td></tr><tr><td>213227</td><td>2631</td><td>213227</td><td>2630</td><td>26</td><td colspan="4"></td></tr><tr><td>213227</td><td>2431</td><td>213227</td><td>2430</td><td>24</td><td colspan="4"></td></tr><tr><td>213227</td><td>2231</td><td>213227</td><td>2230</td><td>22</td><td colspan="4"></td></tr><tr><td>213227</td><td>2031</td><td>213227</td><td>2030</td><td>20</td><td colspan="4"></td></tr><tr><td>213227</td><td>1831</td><td>213227</td><td>1830</td><td>18</td><td colspan="4"></td></tr><tr><td>213227</td><td>1631</td><td>213227</td><td>1630</td><td>16</td><td colspan="4"></td></tr><tr><td>213227</td><td>1431</td><td>213227</td><td>1430</td><td>14</td><td colspan="4"></td></tr><tr><td>213227</td><td>1231</td><td>213227</td><td>1230</td><td>12</td><td colspan="4"></td></tr><tr><td>213227</td><td>1031</td><td>213227</td><td>1030</td><td>10</td><td colspan="4"></td></tr><tr><td>213227</td><td>0831</td><td>213227</td><td>0830</td><td>8</td><td colspan="4"></td></tr><tr><td colspan="4">オーダー番号 ORDER No</td><td>極数 CKT</td><td colspan="5">MODEL NO</td></tr></table>										黒	BLACK	ナチュラル	NATURAL	HOUSING COLOR						213227	3431	213227	3430	34	213227 **3* (GOLD PLATING THICKNESS: 0.38 micro-meters MIN)					213227	3231	213227	3230	32					213227	3031	213227	3030	30					213227	2831	213227	2830	28					213227	2631	213227	2630	26					213227	2431	213227	2430	24					213227	2231	213227	2230	22					213227	2031	213227	2030	20					213227	1831	213227	1830	18					213227	1631	213227	1630	16					213227	1431	213227	1430	14					213227	1231	213227	1230	12					213227	1031	213227	1030	10					213227	0831	213227	0830	8					オーダー番号 ORDER No				極数 CKT	MODEL NO				
黒	BLACK	ナチュラル	NATURAL	HOUSING COLOR																																																																																																																																																								
213227	3431	213227	3430	34	213227 **3* (GOLD PLATING THICKNESS: 0.38 micro-meters MIN)																																																																																																																																																							
213227	3231	213227	3230	32																																																																																																																																																								
213227	3031	213227	3030	30																																																																																																																																																								
213227	2831	213227	2830	28																																																																																																																																																								
213227	2631	213227	2630	26																																																																																																																																																								
213227	2431	213227	2430	24																																																																																																																																																								
213227	2231	213227	2230	22																																																																																																																																																								
213227	2031	213227	2030	20																																																																																																																																																								
213227	1831	213227	1830	18																																																																																																																																																								
213227	1631	213227	1630	16																																																																																																																																																								
213227	1431	213227	1430	14																																																																																																																																																								
213227	1231	213227	1230	12																																																																																																																																																								
213227	1031	213227	1030	10																																																																																																																																																								
213227	0831	213227	0830	8																																																																																																																																																								
オーダー番号 ORDER No				極数 CKT	MODEL NO																																																																																																																																																							
<table><tr><td>黒</td><td>BLACK</td><td>ナチュラル</td><td>NATURAL</td><td colspan="2">HOUSING COLOR</td><td colspan="4"></td></tr><tr><td>213227</td><td>3471</td><td>213227</td><td>3470</td><td>34</td><td rowspan="14">213227 **7* (GOLD PLATING THICKNESS: 0.76 micro-meters MIN.)</td><td colspan="4"></td></tr><tr><td>213227</td><td>3271</td><td>213227</td><td>3270</td><td>32</td><td colspan="4"></td></tr><tr><td>213227</td><td>3071</td><td>213227</td><td>3070</td><td>30</td><td colspan="4"></td></tr><tr><td>213227</td><td>2871</td><td>213227</td><td>2870</td><td>28</td><td colspan="4"></td></tr><tr><td>213227</td><td>2671</td><td>213227</td><td>2670</td><td>26</td><td colspan="4"></td></tr><tr><td>213227</td><td>2471</td><td>213227</td><td>2470</td><td>24</td><td colspan="4"></td></tr><tr><td>213227</td><td>2271</td><td>213227</td><td>2270</td><td>22</td><td colspan="4"></td></tr><tr><td>213227</td><td>2071</td><td>213227</td><td>2070</td><td>20</td><td colspan="4"></td></tr><tr><td>213227</td><td>1871</td><td>213227</td><td>1870</td><td>18</td><td colspan="4"></td></tr><tr><td>213227</td><td>1671</td><td>213227</td><td>1670</td><td>16</td><td colspan="4"></td></tr><tr><td>213227</td><td>1471</td><td>213227</td><td>1470</td><td>14</td><td colspan="4"></td></tr><tr><td>213227</td><td>1271</td><td>213227</td><td>1270</td><td>12</td><td colspan="4"></td></tr><tr><td>213227</td><td>1071</td><td>213227</td><td>1070</td><td>10</td><td colspan="4"></td></tr><tr><td>213227</td><td>0871</td><td>213227</td><td>0870</td><td>8</td><td colspan="4"></td></tr><tr><td colspan="4">オーダー番号 ORDER No</td><td>極数 CKT</td><td colspan="5">MODEL NO</td></tr></table>										黒	BLACK	ナチュラル	NATURAL	HOUSING COLOR						213227	3471	213227	3470	34	213227 **7* (GOLD PLATING THICKNESS: 0.76 micro-meters MIN.)					213227	3271	213227	3270	32					213227	3071	213227	3070	30					213227	2871	213227	2870	28					213227	2671	213227	2670	26					213227	2471	213227	2470	24					213227	2271	213227	2270	22					213227	2071	213227	2070	20					213227	1871	213227	1870	18					213227	1671	213227	1670	16					213227	1471	213227	1470	14					213227	1271	213227	1270	12					213227	1071	213227	1070	10					213227	0871	213227	0870	8					オーダー番号 ORDER No				極数 CKT	MODEL NO				
黒	BLACK	ナチュラル	NATURAL	HOUSING COLOR																																																																																																																																																								
213227	3471	213227	3470	34	213227 **7* (GOLD PLATING THICKNESS: 0.76 micro-meters MIN.)																																																																																																																																																							
213227	3271	213227	3270	32																																																																																																																																																								
213227	3071	213227	3070	30																																																																																																																																																								
213227	2871	213227	2870	28																																																																																																																																																								
213227	2671	213227	2670	26																																																																																																																																																								
213227	2471	213227	2470	24																																																																																																																																																								
213227	2271	213227	2270	22																																																																																																																																																								
213227	2071	213227	2070	20																																																																																																																																																								
213227	1871	213227	1870	18																																																																																																																																																								
213227	1671	213227	1670	16																																																																																																																																																								
213227	1471	213227	1470	14																																																																																																																																																								
213227	1271	213227	1270	12																																																																																																																																																								
213227	1071	213227	1070	10																																																																																																																																																								
213227	0871	213227	0870	8																																																																																																																																																								
オーダー番号 ORDER No				極数 CKT	MODEL NO																																																																																																																																																							
<table><tr><td colspan="10">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="4" rowspan="2">CURRENT REV DESC:</td><td colspan="4" rowspan="2"> molex </td></tr><tr><td colspan="2">mm</td><td colspan="2">NTS</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="4" rowspan="7">EC NO: 742719 DRWN: MIKEDA01 CHK'D: SAKIYAMA APPR: AIDA 2023/06/23 2023/06/23 2023/06/23 INITIAL REVISION: DRWN: MIKEDA01 APPR: KOMURAKAMI 2019/10/01 2019/11/20</td><td colspan="4">CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING</td></tr><tr><td colspan="2">ANGULAR TOL</td><td>±</td><td>3.0 °</td><td colspan="4">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="2">4 PLACES</td><td>±</td><td>0.2</td><td colspan="4">DOCUMENT NUMBER</td></tr><tr><td colspan="2">3 PLACES</td><td>±</td><td>0.2</td><td colspan="4">2132270000-SD</td></tr><tr><td colspan="2">2 PLACES</td><td>±</td><td>0.2</td><td>DOC TYPE</td><td>DOC PART</td><td colspan="2">REVISION</td></tr><tr><td colspan="2">1 PLACE</td><td>±</td><td>0.2</td><td>PSD</td><td>000</td><td colspan="2">D</td></tr><tr><td colspan="2">0 PLACES</td><td>±</td><td>0.2</td><td colspan="4"></td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td><td>MATERIAL NUMBER</td><td>CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td>A3-SIZE</td><td>213227</td><td>SEE CHART</td><td>GENERAL</td><td>6 OF 6</td></tr><tr><td colspan="4"></td><td colspan="2"></td><td></td><td></td><td></td><td></td><td></td></tr></table>										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex				mm		NTS		GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 742719 DRWN: MIKEDA01 CHK'D: SAKIYAMA APPR: AIDA 2023/06/23 2023/06/23 2023/06/23 INITIAL REVISION: DRWN: MIKEDA01 APPR: KOMURAKAMI 2019/10/01 2019/11/20				CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING				ANGULAR TOL		±	3.0 °	PRODUCT CUSTOMER DRAWING				4 PLACES		±	0.2	DOCUMENT NUMBER				3 PLACES		±	0.2	2132270000-SD				2 PLACES		±	0.2	DOC TYPE	DOC PART	REVISION		1 PLACE		±	0.2	PSD	000	D		0 PLACES		±	0.2					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER							A3-SIZE	213227	SEE CHART	GENERAL	6 OF 6																																							
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																												
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex																																																																																																																																																				
mm		NTS																																																																																																																																																										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 742719 DRWN: MIKEDA01 CHK'D: SAKIYAMA APPR: AIDA 2023/06/23 2023/06/23 2023/06/23 INITIAL REVISION: DRWN: MIKEDA01 APPR: KOMURAKAMI 2019/10/01 2019/11/20				CLIK-MATE 1.5 DUAL ROW SMT VT TYPE GOLD PLATING																																																																																																																																																				
ANGULAR TOL		±	3.0 °					PRODUCT CUSTOMER DRAWING																																																																																																																																																				
4 PLACES		±	0.2					DOCUMENT NUMBER																																																																																																																																																				
3 PLACES		±	0.2					2132270000-SD																																																																																																																																																				
2 PLACES		±	0.2					DOC TYPE	DOC PART	REVISION																																																																																																																																																		
1 PLACE		±	0.2					PSD	000	D																																																																																																																																																		
0 PLACES		±	0.2																																																																																																																																																									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER																																																																																																																																																		
						A3-SIZE	213227	SEE CHART	GENERAL	6 OF 6																																																																																																																																																		
<table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2023/06/23</td><td>10:36:44</td><td colspan="5"></td></tr></table>										DOCUMENT STATUS	P1	RELEASE DATE	2023/06/23	10:36:44																																																																																																																																														
DOCUMENT STATUS	P1	RELEASE DATE	2023/06/23	10:36:44																																																																																																																																																								
<table><tr><td colspan="2">9</td><td colspan="2">8</td><td colspan="2">7</td><td colspan="2">6</td><td colspan="2">5</td><td colspan="2">4</td><td colspan="2">3</td><td colspan="2">2</td><td colspan="2">1</td></tr></table>										9		8		7		6		5		4		3		2		1																																																																																																																																		
9		8		7		6		5		4		3		2		1																																																																																																																																												