

Part Number : 2166580100
Product Description : RAST 2.5 and R-Power Semi-Automatic IDC Machine
Series Number : 207122
Status : Active
Product Category : Crimp Presses and Crimp Hand Tools

Documents and Resources

Tooling Specifications

2166580100-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Not Relevant
China RoHS	Not Relevant
EU ELV	Not Relevant
Low-Halogen Status	Not Relevant
REACH SVHC	Not Contained per D(2025)7771-DC (04 Feb 2026)
EU RoHS	Compliant per EU 2015/863

Compliance Statements
- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest
- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Crimp Presses and Crimp Hand Tools
Series	207122
Description	RAST 2.5 and R-Power Semi-Automatic IDC Machine
Comments	See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	toolingsupport@molex.com
Product Name	RAST 2.5,RAST R-Power
Tool Type	Electric Press
UPC	193264766369
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Applicable Parts

Description	Part Number
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 3 Circuits, All Position Keys, Voided Circuit 1	917160042
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 3 Circuits, Position Key C Removed, Voided Circuit 1	917160043
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Key D Removed	917160502
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys A & D Removed	917160503
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3	917160506
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys B & C Removed	917160530
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys A, C & E Removed	917160549
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2	917160550
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys A, B & D Removed	917160554
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys A, C & E Removed, Black Color	917160555

Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Keys C & D Removed	917161004
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Keys A, B, E & F Removed	917161007
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3	917161008
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, All Position Keys, Voided Circuits 2, 3 & 4	917161009
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Key C Removed, Voided Circuit 2	917161010
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Key D Removed, Voided Circuit 2	917161011
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Key B Removed, Voided Circuit 2	917161012
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Key A Removed, Voided Circuit 2	917161013
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Keys B, C, D & E Removed	917161014
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, All Position Keys, Polarizing Rib Between Circuits 3 & 4, Voided Circuits 2, 3	917161015

& 4, Red Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C, E, F & G Removed	917161503
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys Removed, Polarizing Rib Between Circuits 2 & 3	917161504
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys D & F Removed, Voided Circuits 2 & 5	917161505
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C & F Removed, Voided Circuit 2	917161510
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2, Voided Circuits 3 & 5	917161514
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3, Voided Circuits 2 & 5	917161515
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C & F Removed, Polarizing Rib Between Circuits 3 & 4	917161516
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C & E Removed	917161517
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position	917161518

Keys, Voided Circuits 2 & 4	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys C & E Removed, Voided Circuits 2, 4, 5 & 6	917161521
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Polarizing Rib Between Circuits 4 & 5	917161523
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Voided Circuits 2, 4, 5 & 6	917161524
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Voided Circuits 2 & 6	917161525
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Voided Circuits 2 & 5	917161526
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys A, B, D, F & G Removed, Voided Circuits 2 & 5, Green Color Stripe	917161528
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Key D Removed	917161529
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, All Position Keys, Voided Circuits 1, 2, 3 & 5	917161531
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 6 Circuits, Position Keys D & F Removed, Voided Circuits 1, 2, 3 & 5	917161532
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect,	917161535

Female, 6 Circuits, Position Keys B, D & F Removed, Voided Circuits 4 & 5	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys Removed, Polarizing Rib Between Circuits 2 & 3	917162002
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys, Voided Circuit 2	917162007
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys, Voided Circuit 6	917162008
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys B, C, E & G Removed, Voided Circuit 2, Blue Color Stripe	917162009
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys B, D & F Removed, Voided Circuit 4 & 6, Blue Color Stripe	917162011
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys, Voided Circuit 2, Blue Color Stripe	917162012
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys B, D, E, F & H Removed, Voided Circuit 2, Blue Color Stripe	917162013
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys C, D, E, F & H Removed, Voided Circuit 6, Blue Color Stripe	917162016
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect,	917162017

Female, 7 Circuits, Position Keys C, D, E & F Removed, Voided Circuit 6, Blue Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, All Position Keys, Voided Circuit 2, Black Color Stripe	917162019
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, All Position Keys, Polarizing Rib Between Circuits 3 & 4	917162502
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys C, F, H & I Removed	917162503
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys B, C, D, H & I Removed	917162504
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys C & F Removed	917162506
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys C, F, H & I Removed, Blue Color Stripe	917162507
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, All Position Keys, Blue Color Stripe	917162508
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys A, C, D, E, G & I Removed, Blue Color Stripe	917162509
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, All Position Keys, Black Color Stripe	917162511

2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 8 Circuits, Position Keys C, F, H & I Removed, Black Color Stripe	917162512
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 9 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3	917163004
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 9 Circuits, Position Keys B, C, E, G, I & J Removed, Voided Circuits 2, 5 & 8, Green Color Stripe	917163005
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 9 Circuits, All Position Keys, Voided Circuits 2, 5 & 8, Green Color Stripe	917163006
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 9 Circuits, Position Keys B, C, E, F, G & I Removed, Voided Circuits 2, 5 & 8, Green Color Stripe	917163008
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 10 Circuits, All Position Keys Removed, Polarizing Rib Between Circuits 2 & 3	917163502
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 10 Circuits, All Position Keys, Voided Circuits 2, 5, 7 & 9	917163503
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 12 Circuits, Position Keys B, C, D, E, J, K & I Removed, Voided Circuits 2, 5, 8 & 11, Green Color Stripe	917164502
2.50mm Pitch Appli-Mate RAST	917164503

2.5 IDT Housing, Direct/Indirect, Female, 12 Circuits, All Position Keys, Voided Circuits 2, 5, 8 & 11, Green Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 12 Circuits, Position Keys C, D, E, G, H, I, K, L & M Removed, Voided Circuits 2, 5, 8 & 11, Green Color Stripe	917164505
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 13 Circuits, All Position Keys, Voided Circuits 4, 6, 8, 10 & 12	917165002
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key A Removed	917170003
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key B Removed	917170004
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key C Removed	917170005
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key D Removed	917170006
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B & D Removed	917170007
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & C Removed	917170008
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & D Removed	917170009

5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & B Removed	917170010
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B & C Removed	917170011
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys C & D Removed	917170012
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3	917170017
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2	917170018
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Blue Color Stripe	917170019
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B & C Removed, Green Color Stripe	917170021
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & D Removed, Green Color Stripe	917170022
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Green Color Stripe	917170023
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key D Removed, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	917170024

5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys A & C Removed, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	917170025
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key A Removed, Polarizing Rib Between Circuits 2 & 3	917170026
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Polarizing Rib Between Circuits 2 & 3, Red Color Stripe	917170027
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key A Removed, Red Color Stripe	917170028
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, All Position Keys, Red Color Stripe	917170029
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B, C & D Removed, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	917170030
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key A Removed, Polarizing Rib Between Circuits 2 & 3, Red Color Stripe	917170031
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key B Removed, Red Color Stripe	917170032
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Key D Removed, Yellow Color Stripe	917170033
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female,	917170036

2 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 2 Circuits, Position Keys B & D Removed, Polarizing Rib Between Circuits 1 & 2, Red Color Stripe	917170037
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 3 Circuits, All Position Keys, Polarizing Rib Between Circuits 4 & 5	917171005
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 3 Circuits, All Position Keys, Polarizing Rib Between Circuits 1 & 2	917171007
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 4 Circuits, Position Keys A, B, D, E, & G Removed	917172007
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 5 Circuits, Position Keys B, C, G, H & I Removed, Green Color Stripe	917173002
5.00mm Appli-Mate RAST 2.5 IDT Housing, Direct/Indirect, Female, 7 Circuits, Position Keys A, C, E, G, I, K & M Removed	917175001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 3 Circuits, Position Keys A & D Removed, Polarizing Rib Between 1 & 2	917800001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 3 Circuits, Position Keys A & D Removed, Polarizing Rib Between 2 & 3	917800003
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 3 Circuits,	917800009

Position Keys A, C & D Removed, Polarizing Rib Between 1 & 2, Blue Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 4 Circuits, Position Keys A & E Removed, Polarizing Rib Between 1 & 2	917800501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 4 Circuits, Position Keys A & E Removed	917800502
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 3 Circuits, Position Keys A, B & E Removed, Red Color Stripe	917800503
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 4 Circuits, Position Keys A, D & E Removed, Black Color Stripe	917800504
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 5 Circuits, Position Keys A & F Removed, Polarizing Rib Between 2 & 3	917801001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 5 Circuits, Position Keys A & F Removed, Polarizing Rib Between 1 & 2	917801002
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 2 & 3	917801501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 5 & 6	917801502
2.50mm Pitch Appli-Mate RAST	917801503

2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 2 & 3, Black Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 1 & 2	917801505
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed, Polarizing Rib Between 4 & 5	917801506
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 6 Circuits, Position Keys A & G Removed	917801507
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 7 Circuits, Position Keys A & H Removed, Polarizing Rib Between 1 & 2 and 5 & 6	917802001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 7 Circuits, Position Keys A & H Removed, Polarizing Rib Between 2 & 3, Black Color Stripe	917802003
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 7 Circuits, Position Keys A & H Removed, Polarizing Rib Between 5 & 6	917802004
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 8 Circuits, Position Keys A & I Removed, Polarizing Ribs Between 1 & 2 and 6 & 7	917802501
2.50mm Pitch Appli-Mate RAST	917802504

2.5 IDT Housing, with Side Latches, Female, 8 Circuits, Position Keys A & I Removed, Polarizing Rib Between 2 & 3	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 9 Circuits, Position Keys A & J Removed, Polarizing Ribs Between 1 & 2 and 7 & 8	917803001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 9 Circuits, Position Keys A & J Removed, Polarizing Rib Between 2 & 3, Black Color Stripe	917803008
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 10 Circuits, Position Keys A & K Removed, Polarizing Ribs Between 1 & 2 and 8 & 9	917803501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 10 Circuits, Position Keys A & K Removed, Polarizing Rib Between 9 & 10, Red Color Stripe	917803502
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 11 Circuits, Position Keys A & L Removed, Polarizing Ribs Between 1 & 2 and 9 & 10	917804001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 12 Circuits, Position Keys A & M Removed, Polarizing Ribs Between 1 & 2 and 10 & 11	917804501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 12 Circuits,	917804503

Position Keys A & M Removed, Polarizing Rib Between 2 & 3	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 12 Circuits, Position Keys A & M Removed, Polarizing Rib Between 2 & 3, Voiced Circuits 2, 5, 8 & 10	917804504
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 13 Circuits, Position Keys A & N Removed, Polarizing Ribs Between 1 & 2 and 11 & 12	917805001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 14 Circuits, Position Keys A & O Removed, Polarizing Ribs Between 1 & 2 and 12 & 13	917805501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 15 Circuits, Position Keys A & P Removed, Polarizing Ribs Between 1 & 2 and 13 & 14	917806001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 15 Circuits, Position Keys A & P Removed, Polarizing Ribs Between 1 & 2 and 13 & 14, Voided Circuits 2, 4, 6, 8, 10, 12 & 14	917806426
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 16 Circuits, Position Keys A & Q Removed, Polarizing Ribs Between 1 & 2 and 14 & 15	917806501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 17 Circuits, Position Keys A & R Removed,	917807001

Polarizing Ribs Between 1 & 2 and 15 & 16	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 17 Circuits, Position Keys A & R Removed, Polarizing Ribs Between 3 & 4 and 15 & 16, Voided Circuits 2, 4, 6, 8, 10, 12, 14 and 16	917807002
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 18 Circuits, Position Keys A & S Removed, Polarizing Ribs Between 1 & 2 and 16 & 17	917807501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 19 Circuits, Position Keys A & T Removed, Polarizing Ribs Between 1 & 2 and 17 & 18	917808001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 20 Circuits, Position Keys A & U Removed, Polarizing Ribs Between 1 & 2 and 18 & 19	917808501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A & D Removed, Polarizing Rib Between 1 & 2	917809001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A & D Removed, Polarizing Rib Between 2 & 3	917809002
5.00mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A & D Removed	917809003
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side	917809004

Latches, Female, 2 Circuits, Position Keys A, C & D Removed, Polarizing Rib Between 1 & 2, Red Color Stripe	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, B & D Removed, Polarizing Rib Between 1 & 2, Green Color Stripe	917809005
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, C & D Removed, Polarizing Rib Between 2 & 3, Blue Color Stripe	917809006
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, B & D Removed, Polarizing Rib Between 2 & 3, Black Color Stripe	917809007
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, C & D Removed, Polarizing Rib Between 1 & 2	917809008
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, with Side Latches, Female, 2 Circuits, Position Keys A, B & D Removed, Polarizing Rib Between 1 & 2	917809011
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Blue Color Stripe, Glow-Wire Capable	930370001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Open Endwalls, Glow-Wire	930370014

Capable	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, Beaded Terminal, Locking Pips, All Position Keys, 1 Open and 1 Slotted Endwall, Green Color Stripe, Glow-Wire Capable	930370016
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, Beaded Terminal, Locking Pips, Positions A, B & C Removed, Open Endwalls, Glow-Wire Capable	930370252
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 4 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	930370501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 5 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	930371001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 5 Circuits, Beaded Terminal, Locking Pips, Positions A, D & F Removed, Open Endwalls, Glow-Wire Capable	930371251
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 6 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	930371501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 7 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire	930372001

Capable	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 8 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	930372501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 8 Circuits, Beaded Terminal, Locking Pips, Positions A, B, C, D, E, F, G, H & I Removed, Slotted Endwalls, Polarizing Rib Between Circuits 2 and 3, Glow-Wire Capable	930372502
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 9 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	930373001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 10 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	930373501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 11 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	930374001
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 12 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Slotted Endwalls, Glow-Wire Capable	930374501
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 13 Circuits, Beaded Terminal, Locking Pips, All Position Keys,	930375001

Slotted Endwalls, Glow-Wire Capable	
2.50mm Pitch Appli-Mate RAST 2.5 IDT Housing, Female, 2 Circuits, Beaded Terminal, Locking Pips, All Position Keys, Open Endwalls, Glow-Wire Capable	930379001
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 2 Circuits, with Locking Pips and Slots, Fully Coded	930390001
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 2 Circuits, with Locking Pips and Slots, Fully Coded, Black	930390012
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 3 Circuits, with Locking Pips and Slots, Fully Coded	930391001
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 4 Circuits, with Locking Pips and Slots, Fully Coded	930392001
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 4 Circuits, with Locking Pips and Slots, Fully Coded	930392003
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 5 Circuits, with Locking Pips and Slots, Fully Coded	930393001
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 6 Circuits, with Locking Pips and Slots, Fully Coded	930394001
5.00mm Appli-Mate RAST 2.5 IDT Housing, Female, 7 Circuits, with Locking Pips and Slots, Fully Coded	930395001
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions B & D Removed, Open	930500003

Endwalls, Glow-Wire Capable	
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Position B Removed, Open Endwalls, Glow-Wire Capable	930500005
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Position D Removed, Open Endwalls, Glow-Wire Capable	930500006
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions A & C Removed, Open Endwalls, Glow-Wire Capable	930500007
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions A & B Removed, Open Endwalls, Glow-Wire Capable	930500008
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions C & D Removed, Open Endwalls, Glow-Wire Capable	930500009
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, All Position Keys, Open Endwalls, Polarizing Rib Between Circuits 1 & 2, Glow-Wire Capable	930500016
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 3 Circuits, Positions A, B & C Removed, Open Endwalls, Glow-Wire Capable	930500018
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 4 Circuits, Positions B & C Removed, Open Endwalls, Circuit 2 Voided, Glow-Wire Capable	930500525
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 4 Circuits, All Position Keys, 1 Narrow and 1 Open Endwall, Glow-Wire Capable	930500534
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 4 Circuits, All Position Keys, 1 Closed and 1	930500752

Open Endwall, Glow-Wire Capable	
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 5 Circuits, Positions C, D & E Removed, Open Endwalls, Glow-Wire Capable	930501002
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 5 Circuits, Positions C & D Removed, Open Endwalls, Glow-Wire Capable	930501004
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 5 Circuits, Positions A, D, E & F Removed, Open Endwalls, Circuits 2, 3 & 4 Voided, Glow-Wire Capable	930501031
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits, All Position Keys, Open Endwalls, Circuits 2 & 4 Voided, Glow-Wire Capable	930501502
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits, Positions A, D, E & F Removed, Open Endwalls, Glow-Wire Capable	930501503
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits, Position F Removed, Open Endwalls, Glow-Wire Capable	930501529
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits, Positions D & F Removed, Open Endwalls, Glow-Wire Capable	930501545
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 6 Circuits, Positions C, E & G Removed, Open Endwalls, Glow-Wire Capable	930501546
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 7 Circuits, Positions B, C, F & H Removed, Open Endwalls, Glow-Wire Capable	930502004

2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 7 Circuits, All Position Keys, Open Endwalls, Polarizing Rib Between Circuits 6 & 7, Glow-Wire Capable	930502009
2.50mm Pitch Appli-Mate RAST 2.5 Female Connector, 7 Circuits, Positions B, C, F & H Removed, Open Endwalls, Circuits 2 & 3 Voided, Glow-Wire Capable	930502010