Extract from the online catalog

AI 1,5 -18 BK

Order No.: 3200056

The figure shows the version AI 1,5-8



http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200056

Ferrule, Length: 24 mm, Color: black

Commercial data	
EAN	4017918093709
Pack	100 pcs.
Customs tariff	85369010
Weight/Piece	0.000213 KG
Catalog page information	Page 662 (CL-2009)

Product notes

WEEE/RoHS-compliant since: 03/03/2005

http://www.download.phoenixcontact.com
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	24 mm
Color	black
Material	E-CU
Sleeve length	18 mm
Inner dimension of the insulating collar (d)	3.4 mm


Ferrule diameter	1.8 mm
Insulating collar thickness	0.3 mm
Sleeve wall thickness	0.15 mm

Certificates / Approvals

Certification	CSA, UCSA

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057,USA
Phone (800) 888-7388
Fax (717) 944-1625
http://www.phoenixcon.com

© 2010 Phoenix Contact
Technical modifications reserved;