

E

ENG. NO: A-42375-0002/0036					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABA154		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			OVERALL		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG MATERIAL
2	22-28-4020	A-42375-0002	20	22-28-4200	22-28-4200
3	22-28-4030	A-42375-0003	21	22-28-4210	22-28-4210
4	22-28-4040	A-42375-0004	22	22-28-4220	22-28-4220
5	22-28-4050	A-42375-0005	23	22-28-4230	22-28-4230
6	22-28-4060	A-42375-0006	24	22-28-4240	22-28-4240
7	22-28-4070	A-42375-0007	25	22-28-4250	22-28-4250
8	22-28-4080	A-42375-0008	26	22-28-4260	22-28-4260
9	22-28-4090	A-42375-0009	27	22-28-4270	22-28-4270
10	22-28-4100	A-42375-0010	28	22-28-4280	22-28-4280
11	22-28-4110	A-42375-0011	29	22-28-4290	22-28-4290
12	22-28-4120	A-42375-0012	30	22-28-4300	22-28-4300
13	22-28-4130	A-42375-0013	31	22-28-4310	22-28-4310
14	22-28-4140	A-42375-0014	32	22-28-4320	22-28-4320
15	22-28-4150	A-42375-0015	33	22-28-4330	22-28-4330
16	22-28-4160	A-42375-0016	34	22-28-4340	22-28-4340
17	22-28-4170	A-42375-0017	35	22-28-4350	22-28-4350
18	22-28-4180	A-42375-0018	36	22-28-4360	22-28-4360
19	22-28-4190	A-42375-0019			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

ENG. NO: A-42375-0037/0071					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABB208		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54 Min - 0.218/5.54 Max		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.100 / 2.54		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG MATERIAL
2	22-28-4023	A-42375-0037	20	22-28-4203	A-42375-0055
3	22-28-4033	A-42375-0038	21	22-28-4213	A-42375-0056
4	22-28-4043	A-42375-0039	22	22-28-4223	A-42375-0057
5	22-28-4053	A-42375-0040	23	22-28-4233	A-42375-0058
6	22-28-4063	A-42375-0041	24	22-28-4243	A-42375-0059
7	22-28-4073	A-42375-0042	25	22-28-4253	A-42375-0060
8	22-28-4083	A-42375-0043	26	22-28-4263	A-42375-0061
9	22-28-4093	A-42375-0044	27	22-28-4273	A-42375-0062
10	22-28-4103	A-42375-0045	28	22-28-4283	A-42375-0063
11	22-28-4113	A-42375-0046	29	22-28-4293	A-42375-0064
12	22-28-4123	A-42375-0047	30	22-28-4303	A-42375-0065
13	22-28-4133	A-42375-0048	31	22-28-4313	A-42375-0066
14	22-28-4143	A-42375-0049	32	22-28-4323	A-42375-0067
15	22-28-4153	A-42375-0050	33	22-28-4333	A-42375-0068
16	22-28-4163	A-42375-0051	34	22-28-4343	A-42375-0069
17	22-28-4173	A-42375-0052	35	22-28-4353	A-42375-0070
18	22-28-4183	A-42375-0053	36	22-28-4363	A-42375-0071
19	22-28-4193	A-42375-0054			

E

D

C

B

A

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071				<div style="text-align: center; font-size: 2em; font-weight: bold;">molex</div>			
MM/IN		1:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 689596				<div style="text-align: center;">KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY</div>			
4 PLACES ± ±		MM INCH		DRWN: SHRUTJ 2021/09/14				PRODUCT CUSTOMER DRAWING			
3 PLACES ± ± 0.01											
2 PLACES ± 0.25 ±				CHK'D: SHRUTJ 2021/12/20							
1 PLACE ± 0.38 ±											
0 PLACES ± ±				INITIAL REVISION:				DOCUMENT NUMBER			
ANGULAR TOL ± 0.5 °											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRWN: SCHAFFER 2003/02/11				DOC TYPE			
				APPR: MARGULIS 2003/02/27				DOC PART			
				THIRD ANGLE PROJECTION				REVISION			
				DRAWING				SD-42375-001			
				SERIES				PSD			
				MATERIAL NUMBER				CUSTOMER			
				B-SIZE				SEE CHART			
				42375				GENERAL MARKET			
				SHEET NUMBER				2 OF 35			

E

ENG. NO: A-42375-0212/0246					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AMA154		
PIN LENGTH: L			.505 / 12.83		
MATING LENGTH: M			.295 / 7.49		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			OVERALL		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4022	A-42375-0212	20	22-28-4202	A-42375-0230
3	22-28-4032	A-42375-0213	21	22-28-4212	A-42375-0231
4	22-28-4042	A-42375-0214	22	22-28-4222	A-42375-0232
5	22-28-4052	A-42375-0215	23	22-28-4232	A-42375-0233
6	22-28-4062	A-42375-0216	24	22-28-4242	A-42375-0234
7	22-28-4072	A-42375-0217	25	22-28-4252	A-42375-0235
8	22-28-4082	A-42375-0218	26	22-28-4262	A-42375-0236
9	22-28-4092	A-42375-0219	27	22-28-4272	A-42375-0237
10	22-28-4102	A-42375-0220	28	22-28-4282	A-42375-0238
11	22-28-4112	A-42375-0221	29	22-28-4292	A-42375-0239
12	22-28-4122	A-42375-0222	30	22-28-4302	A-42375-0240
13	22-28-4132	A-42375-0223	31	22-28-4312	A-42375-0241
14	22-28-4142	A-42375-0224	32	22-28-4322	A-42375-0242
15	22-28-4152	A-42375-0225	33	22-28-4332	A-42375-0243
16	22-28-4162	A-42375-0226	34	22-28-4342	A-42375-0244
17	22-28-4172	A-42375-0227	35	22-28-4352	A-42375-0245
18	22-28-4182	A-42375-0228	36	22-28-4362	A-42375-0246
19	22-28-4192	A-42375-0229			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

FORMAT: Eng-lega-master-lb-prod-B
REVISION: D
DATE: 2018/01/18

9

8

7

6

5

4

3

2

1

E

D

C

B

A

ENG. NO: A-42375-0247/0281					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ATB208		
PIN LENGTH: L			.505 / 12.83		
MATING LENGTH: M			.295 / 7.49		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4025	A-42375-0247	20	22-28-4205	A-42375-0265
3	22-28-4035	A-42375-0248	21	22-28-4215	A-42375-0266
4	22-28-4045	A-42375-0249	22	22-28-4225	A-42375-0267
5	22-28-4055	A-42375-0250	23	22-28-4235	A-42375-0268
6	22-28-4065	A-42375-0251	24	22-28-4245	A-42375-0269
7	22-28-4075	A-42375-0252	25	22-28-4255	A-42375-0270
8	22-28-4085	A-42375-0253	26	22-28-4265	A-42375-0271
9	22-28-4095	A-42375-0254	27	22-28-4275	A-42375-0272
10	22-28-4105	A-42375-0255	28	22-28-4285	A-42375-0273
11	22-28-4115	A-42375-0256	29	22-28-4295	A-42375-0274
12	22-28-4125	A-42375-0257	30	22-28-4305	A-42375-0275
13	22-28-4135	A-42375-0258	31	22-28-4315	A-42375-0276
14	22-28-4145	A-42375-0259	32	22-28-4325	A-42375-0277
15	22-28-4155	A-42375-0260	33	22-28-4335	A-42375-0278
16	22-28-4165	A-42375-0261	34	22-28-4345	A-42375-0279
17	22-28-4175	A-42375-0262	35	22-28-4355	A-42375-0280
18	22-28-4185	A-42375-0263	36	22-28-4365	A-42375-0281
19	22-28-4195	A-42375-0264			

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
<div><div><div>MM/IN</div><div>1:1</div></div><div><div>GENERAL TOLERANCES (UNLESS SPECIFIED)</div><div><div>MM</div><div>INCH</div></div></div></div>	CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071		<div>molex</div> <div>KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY</div>									
	EC NO: 689596											
	<div><div>4 PLACES</div><div>±</div><div>±</div></div>	<div><div>2021/09/14</div></div>	PRODUCT CUSTOMER DRAWING									
	<div><div>3 PLACES</div><div>±</div><div>± 0.01</div></div>	<div><div>2021/12/20</div></div>										
	<div><div>2 PLACES</div><div>± 0.25</div><div>±</div></div>	<div><div>2021/12/20</div></div>	DOCUMENT NUMBER SD-42375-001 DOC TYPE PSD DOC PART 001 REVISION V									
<div><div>1 PLACE</div><div>± 0.38</div><div>±</div></div>												
<div><div>0 PLACES</div><div>±</div><div>±</div></div>	INITIAL REVISION: DRWN: SCHAFFER APPR: MARGULIS		2003/02/11 2004/02/27		MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET SHEET NUMBER 5 OF 35							
<div><div>ANGULAR TOL</div><div>± 0.5 °</div></div>	THIRD ANGLE PROJECTION		DRAWING B-SIZE									
<div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div><div></div><div></div></div></div>											

ENG. NO: A-42375-0352/0386					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ADB208		
PIN LENGTH: L			.465 / 11.81		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			.100 / 2.54		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5023	A-42375-0352	20	22-28-5203	A-42375-0370
3	22-28-5033	A-42375-0353	21	22-28-5213	A-42375-0371
4	22-28-5043	A-42375-0354	22	22-28-5223	A-42375-0372
5	22-28-5053	A-42375-0355	23	22-28-5233	A-42375-0373
6	22-28-5063	A-42375-0356	24	22-28-5243	A-42375-0374
7	22-28-5073	A-42375-0357	25	22-28-5253	A-42375-0375
8	22-28-5083	A-42375-0358	26	22-28-5263	A-42375-0376
9	22-28-5093	A-42375-0359	27	22-28-5273	A-42375-0377
10	22-28-5103	A-42375-0360	28	22-28-5283	A-42375-0378
11	22-28-5113	A-42375-0361	29	22-28-5293	A-42375-0379
12	22-28-5123	A-42375-0362	30	22-28-5303	A-42375-0380
13	22-28-5133	A-42375-0363	31	22-28-5313	A-42375-0381
14	22-28-5143	A-42375-0364	32	22-28-5323	A-42375-0382
15	22-28-5153	A-42375-0365	33	22-28-5333	A-42375-0383
16	22-28-5163	A-42375-0366	34	22-28-5343	A-42375-0384
17	22-28-5173	A-42375-0367	35	22-28-5353	A-42375-0385
18	22-28-5183	A-42375-0368	36	22-28-5363	A-42375-0386
19	22-28-5193	A-42375-0369			

ENG. NO: A-42375-0387/0421					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ADB228		
PIN LENGTH: L			.465 / 11.81		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			.100 / 2.54		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5026	A-42375-0387	20	22-28-5206	A-42375-0405
3	22-28-5036	A-42375-0388	21	22-28-5216	A-42375-0406
4	22-28-5046	A-42375-0389	22	22-28-5226	A-42375-0407
5	22-28-5056	A-42375-0390	23	22-28-5236	A-42375-0408
6	22-28-5066	A-42375-0391	24	22-28-5246	A-42375-0409
7	22-28-5076	A-42375-0392	25	22-28-5256	A-42375-0410
8	22-28-5086	A-42375-0393	26	22-28-5266	A-42375-0411
9	22-28-5096	A-42375-0394	27	22-28-5276	A-42375-0412
10	22-28-5106	A-42375-0395	28	22-28-5286	A-42375-0413
11	22-28-5116	A-42375-0396	29	22-28-5296	A-42375-0414
12	22-28-5126	A-42375-0397	30	22-28-5306	A-42375-0415
13	22-28-5136	A-42375-0398	31	22-28-5316	A-42375-0416
14	22-28-5146	A-42375-0399	32	22-28-5326	A-42375-0417
15	22-28-5156	A-42375-0400	33	22-28-5336	A-42375-0418
16	22-28-5166	A-42375-0401	34	22-28-5346	A-42375-0419
17	22-28-5176	A-42375-0402	35	22-28-5356	A-42375-0420
18	22-28-5186	A-42375-0403	36	22-28-5366	A-42375-0421
19	22-28-5196	A-42375-0404			

SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

MM/IN

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

MM

INCH

4 PLACES ±

3 PLACES ±

2 PLACES ±

1 PLACE ±

0 PLACES ±

ANGULAR TOL ± 0.5 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

B-SIZE

SERIES

42375

CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071

EC NO: 689596

DRWN: SHRUTJ 2021/09/14

CHK'D: SHRUTJ 2021/12/20

APPR: ISHWARG 2021/12/20

INITIAL REVISION:

DRWN: SCHAFER 2003/02/11

APPR: MARGULIS 2004/02/27

DOCUMENT NUMBER

SD-42375-001

DOC TYPE

PSD

DOC PART

001

REVISION

V

KK 100 HEADER ASSY
FLAT VERTICAL BREAKAWAY

PRODUCT CUSTOMER DRAWING

MATERIAL NUMBER

SEE CHART

CUSTOMER

GENERAL MARKET

SHEET NUMBER

7 OF 35

DOCUMENT STATUS

P1

RELEASE DATE

2021/12/20 12:18:33

FORMAT: Eng-lega-master-ib-prod-B
REVISION: D
DATE: 2018/01/18

ENG. NO: A-42375-0871/0904					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ATA154		
PIN LENGTH: L			.530 / 13.46		
MATING LENGTH: M			.320 / 8.13		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			OVERALL		
CKTS:			3-36		
KINKS:			NO		
VOIDED CKTS:			2		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	22-30-3204	A-42375-0888
3	22-28-3034	A-42375-0871	21	22-30-3214	A-42375-0889
4	22-28-3044	A-42375-0872	22	22-30-3224	A-42375-0890
5	22-28-3054	A-42375-0873	23	22-30-3234	A-42375-0891
6	22-28-3064	A-42375-08474	24	22-30-3244	A-42375-0892
7	22-28-3074	A-42375-0875	25	22-30-3254	A-42375-0893
8	22-28-3084	A-42375-0876	26	22-30-3264	A-42375-0894
9	22-28-3094	A-42375-0877	27	22-30-3274	A-42375-0895
10	22-30-3104	A-42375-0878	28	22-30-3284	A-42375-0896
11	22-30-3114	A-42375-0879	29	22-30-3294	A-42375-0897
12	22-30-3124	A-42375-0880	30	22-30-3304	A-42375-0898
13	22-30-3134	A-42375-0881	31	22-30-3314	A-42375-0899
14	22-30-3144	A-42375-0882	32	22-30-3324	A-42375-0900
15	22-30-3154	A-42375-0883	33	22-30-3334	A-42375-0901
16	22-30-3164	A-42375-0884	34	22-30-3344	A-42375-0902
17	22-30-3174	A-42375-0885	35	22-30-3354	A-42375-0903
18	22-30-3184	A-42375-0886	36	22-30-3364	A-42375-0904
19	22-30-3194	A-42375-0887			

ENG. NO: A-42375-0973/1001					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABA154		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			OVERALL		
CKTS:			8-36		
KINKS:			NO		
VOIDED CKTS:			3,8		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	42375-0985	A-42375-0985
3			21	42375-0986	A-42375-0986
4			22	42375-0987	A-42375-0987
5			23	42375-0988	A-42375-0988
6			24	42375-0989	A-42375-0989
7			25	42375-0990	A-42375-0990
8	42375-0973	A-42375-0973	26	42375-0991	A-42375-0991
9	42375-0974	A-42375-0974	27	42375-0992	A-42375-0992
10	22-30-3107	A-42375-0975	28	42375-0993	A-42375-0993
11	42375-0976	A-42375-0976	29	42375-0994	A-42375-0994
12	42375-0977	A-42375-0977	30	42375-0995	A-42375-0995
13	42375-0978	A-42375-0978	31	42375-0996	A-42375-0996
14	42375-0979	A-42375-0979	32	42375-0997	A-42375-0997
15	42375-0980	A-42375-0980	33	42375-0998	A-42375-0998
16	42375-0981	A-42375-0981	34	42375-0999	A-42375-0999
17	42375-0982	A-42375-0982	35	42375-1000	A-42375-1000
18	42375-0983	A-42375-0983	36	42375-1001	A-42375-1001
19	42375-0984	A-42375-0984			

SYMBOLS

⌵

=

0

⌴

=

0

⌶

=

0

⌷

=

0

⌵

=

0

⌶

=

0

⌷

=

0

⌸

=

0

■

=

0

⌶

=

0

DIMENSION UNITS

MM/IN

SCALE

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	± 0.01
2 PLACES	± 0.25	±
1 PLACE	± 0.38	±
0 PLACES	±	±
ANGULAR TOL ± 0.5 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071

EC NO: 689596

DRWN: SHRUTJ 2021/09/14

CHK'D: SHRUTJ 2021/12/20

APPR: ISHWARG 2021/12/20

INITIAL REVISION:

DRWN: SCHAFER 2003/02/11

APPR: MARGULIS 2004/02/27

THIRD ANGLE PROJECTION

DRAWING

SERIES

B-SIZE

42375

mo

lex

KK 100 HEADER ASSY

FLAT VERTICAL BREAKAWAY

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-42375-001

DOC TYPE

PSD

DOC PART

001

REVISION

V

MATERIAL NUMBER

CUSTOMER

SHEET NUMBER

SEE CHART

GENERAL MARKET

13 OF 35

DOCUMENT STATUS

P1

RELEASE DATE

2021/12/20

12:18:33

9

8

7

6

5

4

3

2

1

9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																							
E	<table><tr><td colspan="6">ENG. NO: A-42375-3569/3603</td></tr><tr><td colspan="3">HEADER NUMBER:</td><td colspan="3">42312-0036</td></tr><tr><td colspan="3">PIN NUMBER:</td><td colspan="3">42663-ABB208</td></tr><tr><td colspan="3">PIN LENGTH: L</td><td colspan="3">.530 / 13.46</td></tr><tr><td colspan="3">MATING LENGTH: M</td><td colspan="3">.240 / 6.09</td></tr><tr><td colspan="3">GOLD POINT: G</td><td colspan="3">.100 / 2.54</td></tr><tr><td colspan="3">PC TAIL LENGTH: P</td><td colspan="3">.125 / 3.18</td></tr><tr><td colspan="3">TIN: T</td><td colspan="3">.100 / 2.54</td></tr><tr><td colspan="3">CKTS:</td><td colspan="3">4-36</td></tr><tr><td colspan="3">KINKS:</td><td colspan="3">NO</td></tr><tr><td colspan="3">VOIDED CKTS:</td><td colspan="3">5</td></tr><tr><td colspan="3">PACKAGING:</td><td colspan="3">BULK PK-40873-0041</td></tr><tr><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td>2</td><td></td><td></td><td>20</td><td>423753587</td><td>42375-3587</td></tr><tr><td>3</td><td></td><td></td><td>21</td><td>423753588</td><td>42375-3588</td></tr><tr><td>4</td><td></td><td></td><td>22</td><td>423753589</td><td>42375-3589</td></tr><tr><td>5</td><td>423753572</td><td>42375-3572</td><td>23</td><td>423753590</td><td>42375-3590</td></tr><tr><td>6</td><td>423753573</td><td>42375-3573</td><td>24</td><td>423753591</td><td>42375-3591</td></tr><tr><td>7</td><td>423753574</td><td>42375-3574</td><td>25</td><td>423753592</td><td>42375-3592</td></tr><tr><td>8</td><td>423753575</td><td>42375-3575</td><td>26</td><td>423753593</td><td>42375-3593</td></tr><tr><td>9</td><td>423753576</td><td>42375-3576</td><td>27</td><td>423753594</td><td>42375-3594</td></tr><tr><td>10</td><td>423753577</td><td>42375-3577</td><td>28</td><td>423753595</td><td>42375-3595</td></tr><tr><td>11</td><td>423753578</td><td>42375-3578</td><td>29</td><td>423753596</td><td>42375-3596</td></tr><tr><td>12</td><td>423753579</td><td>42375-3579</td><td>30</td><td>423753597</td><td>42375-3597</td></tr><tr><td>13</td><td>423753580</td><td>42375-3580</td><td>31</td><td>423753598</td><td>42375-3598</td></tr><tr><td>14</td><td>423753581</td><td>42375-3581</td><td>32</td><td>423753599</td><td>42375-3599</td></tr><tr><td>15</td><td>423753582</td><td>42375-3582</td><td>33</td><td>423753600</td><td>42375-3600</td></tr><tr><td>16</td><td>423753583</td><td>42375-3583</td><td>34</td><td>423753601</td><td>42375-3601</td></tr><tr><td>17</td><td>423753584</td><td>42375-3584</td><td>35</td><td>423753602</td><td>42375-3602</td></tr><tr><td>18</td><td>423753585</td><td>42375-3585</td><td>36</td><td>423753603</td><td>42375-3603</td></tr><tr><td>19</td><td>423753586</td><td>42375-3586</td><td></td><td></td><td></td></tr></table>								ENG. NO: A-42375-3569/3603						HEADER NUMBER:			42312-0036			PIN NUMBER:			42663-ABB208			PIN LENGTH: L			.530 / 13.46			MATING LENGTH: M			.240 / 6.09			GOLD POINT: G			.100 / 2.54			PC TAIL LENGTH: P			.125 / 3.18			TIN: T			.100 / 2.54			CKTS:			4-36			KINKS:			NO			VOIDED CKTS:			5			PACKAGING:			BULK PK-40873-0041			CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2			20	423753587	42375-3587	3			21	423753588	42375-3588	4			22	423753589	42375-3589	5	423753572	42375-3572	23	423753590	42375-3590	6	423753573	42375-3573	24	423753591	42375-3591	7	423753574	42375-3574	25	423753592	42375-3592	8	423753575	42375-3575	26	423753593	42375-3593	9	423753576	42375-3576	27	423753594	42375-3594	10	423753577	42375-3577	28	423753595	42375-3595	11	423753578	42375-3578	29	423753596	42375-3596	12	423753579	42375-3579	30	423753597	42375-3597	13	423753580	42375-3580	31	423753598	42375-3598	14	423753581	42375-3581	32	423753599	42375-3599	15	423753582	42375-3582	33	423753600	42375-3600	16	423753583	42375-3583	34	423753601	42375-3601	17	423753584	42375-3584	35	423753602	42375-3602	18	423753585	42375-3585	36	423753603	42375-3603	19	423753586	42375-3586				E																																																																																																												
ENG. NO: A-42375-3569/3603																																																																																																																																																																																																																																																																																																															
HEADER NUMBER:			42312-0036																																																																																																																																																																																																																																																																																																												
PIN NUMBER:			42663-ABB208																																																																																																																																																																																																																																																																																																												
PIN LENGTH: L			.530 / 13.46																																																																																																																																																																																																																																																																																																												
MATING LENGTH: M			.240 / 6.09																																																																																																																																																																																																																																																																																																												
GOLD POINT: G			.100 / 2.54																																																																																																																																																																																																																																																																																																												
PC TAIL LENGTH: P			.125 / 3.18																																																																																																																																																																																																																																																																																																												
TIN: T			.100 / 2.54																																																																																																																																																																																																																																																																																																												
CKTS:			4-36																																																																																																																																																																																																																																																																																																												
KINKS:			NO																																																																																																																																																																																																																																																																																																												
VOIDED CKTS:			5																																																																																																																																																																																																																																																																																																												
PACKAGING:			BULK PK-40873-0041																																																																																																																																																																																																																																																																																																												
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																																																																																																																																										
2			20	423753587	42375-3587																																																																																																																																																																																																																																																																																																										
3			21	423753588	42375-3588																																																																																																																																																																																																																																																																																																										
4			22	423753589	42375-3589																																																																																																																																																																																																																																																																																																										
5	423753572	42375-3572	23	423753590	42375-3590																																																																																																																																																																																																																																																																																																										
6	423753573	42375-3573	24	423753591	42375-3591																																																																																																																																																																																																																																																																																																										
7	423753574	42375-3574	25	423753592	42375-3592																																																																																																																																																																																																																																																																																																										
8	423753575	42375-3575	26	423753593	42375-3593																																																																																																																																																																																																																																																																																																										
9	423753576	42375-3576	27	423753594	42375-3594																																																																																																																																																																																																																																																																																																										
10	423753577	42375-3577	28	423753595	42375-3595																																																																																																																																																																																																																																																																																																										
11	423753578	42375-3578	29	423753596	42375-3596																																																																																																																																																																																																																																																																																																										
12	423753579	42375-3579	30	423753597	42375-3597																																																																																																																																																																																																																																																																																																										
13	423753580	42375-3580	31	423753598	42375-3598																																																																																																																																																																																																																																																																																																										
14	423753581	42375-3581	32	423753599	42375-3599																																																																																																																																																																																																																																																																																																										
15	423753582	42375-3582	33	423753600	42375-3600																																																																																																																																																																																																																																																																																																										
16	423753583	42375-3583	34	423753601	42375-3601																																																																																																																																																																																																																																																																																																										
17	423753584	42375-3584	35	423753602	42375-3602																																																																																																																																																																																																																																																																																																										
18	423753585	42375-3585	36	423753603	42375-3603																																																																																																																																																																																																																																																																																																										
19	423753586	42375-3586																																																																																																																																																																																																																																																																																																													
D									D																																																																																																																																																																																																																																																																																																						
C									C																																																																																																																																																																																																																																																																																																						
B									B																																																																																																																																																																																																																																																																																																						
A	<table><tr><td colspan="6">ENG. NO: A-42375-2974/3008</td></tr><tr><td colspan="3">HEADER NUMBER:</td><td colspan="3">42312-0036</td></tr><tr><td colspan="3">PIN NUMBER:</td><td colspan="3">42663-FKB228</td></tr><tr><td colspan="3">PIN LENGTH: L</td><td colspan="3">1.020 / 25.91</td></tr><tr><td colspan="3">MATING LENGTH: M</td><td colspan="3">.805 / 20.45</td></tr><tr><td colspan="3">GOLD POINT: G</td><td colspan="3">.200 / 5.08</td></tr><tr><td colspan="3">PC TAIL LENGTH: P</td><td colspan="3">.125 / 3.18</td></tr><tr><td colspan="3">TIN: T</td><td colspan="3">.200 / 5.08</td></tr><tr><td colspan="3">CKTS:</td><td colspan="3">2-36</td></tr><tr><td colspan="3">KINKS:</td><td colspan="3">NO</td></tr><tr><td colspan="3">VOIDED CKTS:</td><td colspan="3">NONE</td></tr><tr><td colspan="3">PACKAGING:</td><td colspan="3">BULK PK-40873-0043</td></tr><tr><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ITEM NUMBER</td></tr><tr><td>2</td><td></td><td></td><td>20</td><td></td><td></td></tr><tr><td>3</td><td></td><td></td><td>21</td><td></td><td></td></tr><tr><td>4</td><td></td><td></td><td>22</td><td></td><td></td></tr><tr><td>5</td><td>423752977</td><td>42375-2977</td><td>23</td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td>24</td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td>25</td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td>26</td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td>27</td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td>28</td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td>29</td><td></td><td></td></tr><tr><td>12</td><td></td><td></td><td>30</td><td></td><td></td></tr><tr><td>13</td><td></td><td></td><td>31</td><td></td><td></td></tr><tr><td>14</td><td></td><td></td><td>32</td><td></td><td></td></tr><tr><td>15</td><td></td><td></td><td>33</td><td></td><td></td></tr><tr><td>16</td><td></td><td></td><td>34</td><td></td><td></td></tr><tr><td>17</td><td></td><td></td><td>35</td><td></td><td></td></tr><tr><td>18</td><td></td><td></td><td>36</td><td></td><td></td></tr><tr><td>19</td><td></td><td></td><td></td><td></td><td></td></tr></table> <table><tr><td colspan="5">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td rowspan="5">SYMBOLS</td><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td rowspan="5">CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071</td></tr><tr><td colspan="2">MM/IN</td><td colspan="2">1:1</td></tr><tr><td colspan="4">GENERAL TOLERANCES (UNLESS SPECIFIED)</td></tr><tr><td></td><td>MM</td><td colspan="2">INCH</td></tr><tr><td>4 PLACES</td><td>±</td><td></td><td>±</td></tr><tr><td rowspan="3">S</td><td>3 PLACES</td><td>±</td><td></td><td>± 0.01</td><td rowspan="3">EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20</td></tr><tr><td>2 PLACES</td><td>±</td><td>0.25</td><td>±</td></tr><tr><td>1 PLACE</td><td>±</td><td>0.38</td><td>±</td></tr><tr><td rowspan="2">C</td><td>0 PLACES</td><td>±</td><td></td><td>±</td><td rowspan="2">INITIAL REVISION: DRWN: SCHAFFER 2003/02/11 APPR: MARGULIS 2004/02/27</td></tr><tr><td colspan="2">ANGULAR TOL</td><td>±</td><td>0.5 °</td></tr><tr><td rowspan="2">= 0</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>THIRD ANGLE PROJECTION</td><td>DRAWING</td><td>SERIES</td></tr><tr><td colspan="2"></td><td></td><td>B-SIZE</td><td>42375</td></tr><tr><td rowspan="2">= 0</td><td colspan="2"></td><td></td><td></td><td></td></tr></table> <table><tr><td colspan="5">molex</td></tr><tr><td colspan="5">KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY</td></tr><tr><td colspan="5">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="3">DOCUMENT NUMBER</td><td>DOC TYPE</td><td>DOC PART</td></tr><tr><td colspan="3">SD-42375-001</td><td>PSD</td><td>001</td></tr><tr><td colspan="3">MATERIAL NUMBER</td><td>CUSTOMER</td><td>SHEET NUMBER</td></tr><tr><td colspan="3">SEE CHART</td><td>GENERAL MARKET</td><td>25 OF 35</td></tr></table> <table><tr><td>DOCUMENT STATUS</td><td>P1</td><td>RELEASE DATE</td><td>2021/12/20</td><td>12:18:33</td></tr></table>								ENG. NO: A-42375-2974/3008						HEADER NUMBER:			42312-0036			PIN NUMBER:			42663-FKB228			PIN LENGTH: L			1.020 / 25.91			MATING LENGTH: M			.805 / 20.45			GOLD POINT: G			.200 / 5.08			PC TAIL LENGTH: P			.125 / 3.18			TIN: T			.200 / 5.08			CKTS:			2-36			KINKS:			NO			VOIDED CKTS:			NONE			PACKAGING:			BULK PK-40873-0043			CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ITEM NUMBER	2			20			3			21			4			22			5	423752977	42375-2977	23			6			24			7			25			8			26			9			27			10			28			11			29			12			30			13			31			14			32			15			33			16			34			17			35			18			36			19						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071	MM/IN		1:1		GENERAL TOLERANCES (UNLESS SPECIFIED)					MM	INCH		4 PLACES	±		±	S	3 PLACES	±		± 0.01	EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20	2 PLACES	±	0.25	±	1 PLACE	±	0.38	±	C	0 PLACES	±		±	INITIAL REVISION: DRWN: SCHAFFER 2003/02/11 APPR: MARGULIS 2004/02/27	ANGULAR TOL		±	0.5 °	= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES				B-SIZE	42375	= 0						molex					KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY					PRODUCT CUSTOMER DRAWING					DOCUMENT NUMBER			DOC TYPE	DOC PART	SD-42375-001			PSD	001	MATERIAL NUMBER			CUSTOMER	SHEET NUMBER	SEE CHART			GENERAL MARKET	25 OF 35	DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33	A
ENG. NO: A-42375-2974/3008																																																																																																																																																																																																																																																																																																															
HEADER NUMBER:			42312-0036																																																																																																																																																																																																																																																																																																												
PIN NUMBER:			42663-FKB228																																																																																																																																																																																																																																																																																																												
PIN LENGTH: L			1.020 / 25.91																																																																																																																																																																																																																																																																																																												
MATING LENGTH: M			.805 / 20.45																																																																																																																																																																																																																																																																																																												
GOLD POINT: G			.200 / 5.08																																																																																																																																																																																																																																																																																																												
PC TAIL LENGTH: P			.125 / 3.18																																																																																																																																																																																																																																																																																																												
TIN: T			.200 / 5.08																																																																																																																																																																																																																																																																																																												
CKTS:			2-36																																																																																																																																																																																																																																																																																																												
KINKS:			NO																																																																																																																																																																																																																																																																																																												
VOIDED CKTS:			NONE																																																																																																																																																																																																																																																																																																												
PACKAGING:			BULK PK-40873-0043																																																																																																																																																																																																																																																																																																												
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ITEM NUMBER																																																																																																																																																																																																																																																																																																										
2			20																																																																																																																																																																																																																																																																																																												
3			21																																																																																																																																																																																																																																																																																																												
4			22																																																																																																																																																																																																																																																																																																												
5	423752977	42375-2977	23																																																																																																																																																																																																																																																																																																												
6			24																																																																																																																																																																																																																																																																																																												
7			25																																																																																																																																																																																																																																																																																																												
8			26																																																																																																																																																																																																																																																																																																												
9			27																																																																																																																																																																																																																																																																																																												
10			28																																																																																																																																																																																																																																																																																																												
11			29																																																																																																																																																																																																																																																																																																												
12			30																																																																																																																																																																																																																																																																																																												
13			31																																																																																																																																																																																																																																																																																																												
14			32																																																																																																																																																																																																																																																																																																												
15			33																																																																																																																																																																																																																																																																																																												
16			34																																																																																																																																																																																																																																																																																																												
17			35																																																																																																																																																																																																																																																																																																												
18			36																																																																																																																																																																																																																																																																																																												
19																																																																																																																																																																																																																																																																																																															
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																																																																																															
SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071																																																																																																																																																																																																																																																																																																										
	MM/IN		1:1																																																																																																																																																																																																																																																																																																												
	GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																																																																														
		MM	INCH																																																																																																																																																																																																																																																																																																												
	4 PLACES	±		±																																																																																																																																																																																																																																																																																																											
S	3 PLACES	±		± 0.01	EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20																																																																																																																																																																																																																																																																																																										
	2 PLACES	±	0.25	±																																																																																																																																																																																																																																																																																																											
	1 PLACE	±	0.38	±																																																																																																																																																																																																																																																																																																											
C	0 PLACES	±		±	INITIAL REVISION: DRWN: SCHAFFER 2003/02/11 APPR: MARGULIS 2004/02/27																																																																																																																																																																																																																																																																																																										
	ANGULAR TOL		±	0.5 °																																																																																																																																																																																																																																																																																																											
= 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES																																																																																																																																																																																																																																																																																																										
				B-SIZE	42375																																																																																																																																																																																																																																																																																																										
= 0																																																																																																																																																																																																																																																																																																															
	molex																																																																																																																																																																																																																																																																																																														
KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY																																																																																																																																																																																																																																																																																																															
PRODUCT CUSTOMER DRAWING																																																																																																																																																																																																																																																																																																															
DOCUMENT NUMBER			DOC TYPE	DOC PART																																																																																																																																																																																																																																																																																																											
SD-42375-001			PSD	001																																																																																																																																																																																																																																																																																																											
MATERIAL NUMBER			CUSTOMER	SHEET NUMBER																																																																																																																																																																																																																																																																																																											
SEE CHART			GENERAL MARKET	25 OF 35																																																																																																																																																																																																																																																																																																											
DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33																																																																																																																																																																																																																																																																																																											
9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																																																							

ENG. NO: 42375-3659/3693					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AXB208		
PIN LENGTH: L			.540 /13.72		
MATING LENGTH: M			.250 / 6.35		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.200 / 5.08		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	68300-2000	42375-3659	20		42375-3677
3	68300-2001	42375-3660	21		42375-3678
4		42375-3661	22		42375-3679
5	68300-2006	42375-3662	23		42375-3680
6		42375-3663	24		42375-3681
7		42375-3664	25		42375-3682
8		42375-3665	26		42375-3683
9		42375-3666	27		42375-3684
10		42375-3667	28		42375-3685
11		42375-3668	29		42375-3686
12		42375-3669	30		42375-3687
13		42375-3670	31		42375-3688
14		42375-3671	32		42375-3689
15		42375-3672	33		42375-3690
16		42375-3673	34		42375-3691
17		42375-3674	35		42375-3692
18		42375-3675	36		42375-3693
19		42375-3676			

ENG. NO: 42375-3694/3728					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AXB208		
PIN LENGTH: L			.540 /13.72		
MATING LENGTH: M			.250 / 6.35		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.200 / 5.08		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			5		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2		42375-3694	20		42375-3712
3		42375-3695	21		42375-3713
4		42375-3696	22		42375-3714
5		42375-3697	23		42375-3715
6		42375-3698	24		42375-3716
7		42375-3699	25		42375-3717
8	68300-2002	42375-3700	26		42375-3718
9		42375-3701	27		42375-3719
10		42375-3702	28		42375-3720
11		42375-3703	29		42375-3721
12		42375-3704	30		42375-3722
13		42375-3705	31		42375-3723
14		42375-3706	32		42375-3724
15		42375-3707	33		42375-3725
16		42375-3708	34		42375-3726
17		42375-3709	35		42375-3727
18		42375-3710	36		42375-3728
19		42375-3711			

SYMBOLS

⌵

=

0

⌴

=

0

⌶

=

0

⌷

=

0

⌵

=

0

⌶

=

0

⌷

=

0

⌸

=

0

■

=

0

⌶

=

0

DIMENSION UNITS

MM/IN

SCALE

1:1

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	± 0.01
2 PLACES	± 0.25	±
1 PLACE	± 0.38	±
0 PLACES	±	±

ANGULAR TOL

± 0.5 °

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

CURRENT REV DESC: GOLD LENGTH SPEC
CHANGED AS MIN 2.54- MAX 5.54 FOR
A-42375-0037/0071

EC NO: 689596

DRWN: SHRUTJ

2021/09/14

CHK'D: SHRUTJ

2021/12/20

APPR: ISHWARG

2021/12/20

INITIAL REVISION:

DRWN: SCHAFER

2003/02/11

APPR: MARGULIS

2004/02/27

THIRD ANGLE PROJECTION

DRAWING

B-SIZE

SERIES

42375

DOCUMENT NUMBER

SD-42375-001

DOC TYPE

PSD

DOC PART

001

REVISION

V

MATERIAL NUMBER

SEE CHART

CUSTOMER

GENERAL MARKET

SHEET NUMBER

27 OF 35

moLEX

KK 100 HEADER ASSY
FLAT VERTICAL BREAKAWAY

PRODUCT CUSTOMER DRAWING

DOCUMENT STATUS

P1

RELEASE DATE

2021/12/20

12:18:33

ENG. NO: A-42375-4095/4129			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-DEB228	
PIN LENGTH: L		.785 / 19.94	
MATING LENGTH: M		.470 / 11.94	
GOLD POINT: G		.250 / 6.35	
PC TAIL LENGTH: P		.225 / 5.72	
TIN: T		.200 / 5.08	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
2		20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9		27	
10	42375-4103	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18	42375-4111	36	
19			

ENG. NO: A-42375-4130/4161			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ATA154	
PIN LENGTH: L		530/13.46	
MATING LENGTH: M		.320/8.13	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.120/3.05	
TIN: T		OVERALL	
CKTS:		5-36	
KINKS:		SMES-42003	
VOIDED CKTS:		2, 3, 4	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
		20	
		21	
		22	
5	42375-4130	23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-4162/4196			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-BSC228	
PIN LENGTH: L		.630/16.00	
MATING LENGTH: M		.400/10.16	
GOLD POINT: G		.345/8.76	
PC TAIL LENGTH: P		140/3.56	
TIN: T		.100/2.54	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4	42375-4164	22	
5	42375-4165	23	
6		24	
7		25	
8		26	
9		27	
10	42375-4170	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
<div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><div>▽</div><div>= 0</div><</div>											

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

ENG. NO: A-42375-1622			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-AYB208	
PIN LENGTH: L		.545 / 13.84	
MATING LENGTH: M		.320 / 8.13	
GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		.135 / 3.43	
CKTS:		2-36	
KINKS:		SMES-42003	
VOIDED CKTS:		3	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9	42375-1622	27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: A-42375-4199			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ARB228	
PIN LENGTH: L		.520 / 13.21	
MATING LENGTH: M		.230 / 5.84	
GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.200 / 5.08	
TIN: T		.135 / 3.43	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2	42375-4199	20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: A-42375-4200			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ADB208	
PIN LENGTH: L		.465 / 11.81	
MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		.100 / 2.54	
PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		.100 / 2.54	
CKTS:		2-36	
KINKS:		SMES-42003	
VOIDED CKTS:		3, 4	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4		22	
5	42375-4200	23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071 EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20 INITIAL REVISION: DRWN: SCHAFFER 2003/02/11 APPR: MARGULIS 2004/02/27				<div>molex</div> KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				
MM/IN		1:1										
GENERAL TOLERANCES (UNLESS SPECIFIED)												
	MM	INCH										
±		±										
±		±	0.01									
4 PLACES		±		±								
3 PLACES		±		±	0.01							
2 PLACES		±	0.25	±								
1 PLACE		±	0.38	±								
0 PLACES		±		±								
ANGULAR TOL		± 0.5 °						DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
								SD-42375-001		PSD	001	V
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
				B-SIZE		42375		SEE CHART		GENERAL MARKET		33 OF 35

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

