

E

ENG. NO: A-42375-0212/0246					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AMA154		
PIN LENGTH: L			.505 / 12.83		
MATING LENGTH: M			.295 / 7.49		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			OVERALL		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4022	A-42375-0212	20	22-28-4202	A-42375-0230
3	22-28-4032	A-42375-0213	21	22-28-4212	A-42375-0231
4	22-28-4042	A-42375-0214	22	22-28-4222	A-42375-0232
5	22-28-4052	A-42375-0215	23	22-28-4232	A-42375-0233
6	22-28-4062	A-42375-0216	24	22-28-4242	A-42375-0234
7	22-28-4072	A-42375-0217	25	22-28-4252	A-42375-0235
8	22-28-4082	A-42375-0218	26	22-28-4262	A-42375-0236
9	22-28-4092	A-42375-0219	27	22-28-4272	A-42375-0237
10	22-28-4102	A-42375-0220	28	22-28-4282	A-42375-0238
11	22-28-4112	A-42375-0221	29	22-28-4292	A-42375-0239
12	22-28-4122	A-42375-0222	30	22-28-4302	A-42375-0240
13	22-28-4132	A-42375-0223	31	22-28-4312	A-42375-0241
14	22-28-4142	A-42375-0224	32	22-28-4322	A-42375-0242
15	22-28-4152	A-42375-0225	33	22-28-4332	A-42375-0243
16	22-28-4162	A-42375-0226	34	22-28-4342	A-42375-0244
17	22-28-4172	A-42375-0227	35	22-28-4352	A-42375-0245
18	22-28-4182	A-42375-0228	36	22-28-4362	A-42375-0246
19	22-28-4192	A-42375-0229			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

FORMAT: Eng-lega-master-lb-prod-B
REVISION: D
DATE: 2018/01/18

9

8

7

6

5

4

3

2

1

E

D

C

B

A

ENG. NO: A-42375-0247/0281					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ATB208		
PIN LENGTH: L			.505 / 12.83		
MATING LENGTH: M			.295 / 7.49		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4025	A-42375-0247	20	22-28-4205	A-42375-0265
3	22-28-4035	A-42375-0248	21	22-28-4215	A-42375-0266
4	22-28-4045	A-42375-0249	22	22-28-4225	A-42375-0267
5	22-28-4055	A-42375-0250	23	22-28-4235	A-42375-0268
6	22-28-4065	A-42375-0251	24	22-28-4245	A-42375-0269
7	22-28-4075	A-42375-0252	25	22-28-4255	A-42375-0270
8	22-28-4085	A-42375-0253	26	22-28-4265	A-42375-0271
9	22-28-4095	A-42375-0254	27	22-28-4275	A-42375-0272
10	22-28-4105	A-42375-0255	28	22-28-4285	A-42375-0273
11	22-28-4115	A-42375-0256	29	22-28-4295	A-42375-0274
12	22-28-4125	A-42375-0257	30	22-28-4305	A-42375-0275
13	22-28-4135	A-42375-0258	31	22-28-4315	A-42375-0276
14	22-28-4145	A-42375-0259	32	22-28-4325	A-42375-0277
15	22-28-4155	A-42375-0260	33	22-28-4335	A-42375-0278
16	22-28-4165	A-42375-0261	34	22-28-4345	A-42375-0279
17	22-28-4175	A-42375-0262	35	22-28-4355	A-42375-0280
18	22-28-4185	A-42375-0263	36	22-28-4365	A-42375-0281
19	22-28-4195	A-42375-0264			

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																												
<div><div><div>MM=0</div><div>IN=0</div><div>FR=0</div><div>S=0</div><div>T=0</div><div>V=0</div><div>X=0</div><div>A=0</div><div>D=0</div></div></div>	DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071					<div>molex</div>																			
	MM/IN		1:1																										
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 689596					KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY																			
		MM	INCH																										
	4 PLACES ±		±	DRWN: SHRUTJ2021/09/14																									
	3 PLACES ±		± 0.01																										
	2 PLACES ±		± 0.25 ±	CHK'D: SHRUTJ2021/12/20																									
	1 PLACE ±		± 0.38 ±																										
	INITIAL REVISION:				2003/02/11					DOCUMENT NUMBER					DOC TYPE					DOC PART					REVISION				
	DRWN: SCHAFFER																												
APPR: MARGULIS				2004/02/27					SD-42375-001					PSD					001					V					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER					CUSTOMER					SHEET NUMBER									
						B-SIZE		42375		SEE CHART					GENERAL MARKET					5 OF 35									

9

8

7

6

5

4

3

2

1

E

ENG. NO: A-42375-0282/0316					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AMB228		
PIN LENGTH: L			.505 / 12.83		
MATING LENGTH: M			.295 / 7.49		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-4028	A-42375-0282	20	22-28-4208	A-42375-0300
3	22-28-4038	A-42375-0283	21	22-28-4218	A-42375-0301
4	22-28-4048	A-42375-0284	22	22-28-4228	A-42375-0302
5	22-28-4058	A-42375-0285	23	22-28-4238	A-42375-0303
6	22-28-4068	A-42375-0286	24	22-28-4248	A-42375-0304
7	22-28-4078	A-42375-0287	25	22-28-4258	A-42375-0305
8	22-28-4088	A-42375-0288	26	22-28-4268	A-42375-0306
9	22-28-4098	A-42375-0289	27	22-28-4278	A-42375-0307
10	22-28-4108	A-42375-0290	28	22-28-4288	A-42375-0308
11	22-28-4118	A-42375-0291	29	22-28-4298	A-42375-0309
12	22-28-4128	A-42375-0292	30	22-28-4308	A-42375-0310
13	22-28-4138	A-42375-0293	31	22-28-4318	A-42375-0311
14	22-28-4148	A-42375-0294	32	22-28-4328	A-42375-0312
15	22-28-4158	A-42375-0295	33	22-28-4338	A-42375-0313
16	22-28-4168	A-42375-0296	34	22-28-4348	A-42375-0314
17	22-28-4178	A-42375-0297	35	22-28-4358	A-42375-0315
18	22-28-4188	A-42375-0298	36	22-28-4368	A-42375-0316
19	22-28-4198	A-42375-0299			

D

C

B

A

ENG. NO: A-42375-0317/0351					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ADA154		
PIN LENGTH: L			.465 / 11.81		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			OVERALL		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5020	A-42375-0317	20	22-28-5200	A-42375-0335
3	22-28-5030	A-42375-0318	21	22-28-5201	A-42375-0336
4	22-28-5040	A-42375-0319	22	22-28-5202	A-42375-0337
5	22-28-5050	A-42375-0320	23	22-28-5203	A-42375-0338
6	22-28-5060	A-42375-0321	24	22-28-5204	A-42375-0339
7	22-28-5070	A-42375-0322	25	22-28-5205	A-42375-0340
8	22-28-5080	A-42375-0323	26	22-28-5206	A-42375-0341
9	22-28-5090	A-42375-0324	27	22-28-5207	A-42375-0342
10	22-28-5100	A-42375-0325	28	22-28-5208	A-42375-0343
11	22-28-5110	A-42375-0326	29	22-28-5209	A-42375-0344
12	22-28-5120	A-42375-0327	30	22-28-5300	A-42375-0345
13	22-28-5130	A-42375-0328	31	22-28-5310	A-42375-0346
14	22-28-5140	A-42375-0329	32	22-28-5320	A-42375-0347
15	22-28-5150	A-42375-0330	33	22-28-5330	A-42375-0348
16	22-28-5160	A-42375-0331	34	22-28-5340	A-42375-0349
17	22-28-5170	A-42375-0332	35	22-28-5350	A-42375-0350
18	22-28-5180	A-42375-0333	36	22-28-5360	A-42375-0351
19	22-28-5190	A-42375-0334			


E

D

C

B

A

SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071			<div style="text-align: center;">  </div>				
MM/IN		1:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 689596			<div style="text-align: center;"> KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY </div>				
MM		INCH		DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20			<div style="text-align: center;"> PRODUCT CUSTOMER DRAWING </div>				
4 PLACES ±		±		INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27			<div style="display: flex; justify-content: space-between;"> <div>DOCUMENT NUMBER</div> <div>DOC TYPE</div> <div>DOC PART</div> <div>REVISION</div> </div> <div style="text-align: center; font-size: 24pt;">SD-42375-001</div> <div style="display: flex; justify-content: space-between;"> <div>PSD</div> <div>001</div> <div>V</div> </div>				
3 PLACES ±		± 0.01									
2 PLACES ± 0.25		±									
1 PLACE ± 0.38		±									
0 PLACES ±		±									
ANGULAR TOL ± 0.5 °				THIRD ANGLE PROJECTION 			<div style="display: flex; justify-content: space-between;"> <div>MATERIAL NUMBER</div> <div>CUSTOMER</div> <div>SHEET NUMBER</div> </div> <div style="display: flex; justify-content: space-between;"> <div>SEE CHART</div> <div>GENERAL MARKET</div> <div>6 OF 35</div> </div>				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				B-SIZE 42375							

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

FORMAT: Eng-lega-master-tb-prod-B
REVISION: D
DATE: 2018/01/18

ENG. NO: A-42375-0352/0386					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ADB208		
PIN LENGTH: L			.465 / 11.81		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			.100 / 2.54		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5023	A-42375-0352	20	22-28-5203	A-42375-0370
3	22-28-5033	A-42375-0353	21	22-28-5213	A-42375-0371
4	22-28-5043	A-42375-0354	22	22-28-5223	A-42375-0372
5	22-28-5053	A-42375-0355	23	22-28-5233	A-42375-0373
6	22-28-5063	A-42375-0356	24	22-28-5243	A-42375-0374
7	22-28-5073	A-42375-0357	25	22-28-5253	A-42375-0375
8	22-28-5083	A-42375-0358	26	22-28-5263	A-42375-0376
9	22-28-5093	A-42375-0359	27	22-28-5273	A-42375-0377
10	22-28-5103	A-42375-0360	28	22-28-5283	A-42375-0378
11	22-28-5113	A-42375-0361	29	22-28-5293	A-42375-0379
12	22-28-5123	A-42375-0362	30	22-28-5303	A-42375-0380
13	22-28-5133	A-42375-0363	31	22-28-5313	A-42375-0381
14	22-28-5143	A-42375-0364	32	22-28-5323	A-42375-0382
15	22-28-5153	A-42375-0365	33	22-28-5333	A-42375-0383
16	22-28-5163	A-42375-0366	34	22-28-5343	A-42375-0384
17	22-28-5173	A-42375-0367	35	22-28-5353	A-42375-0385
18	22-28-5183	A-42375-0368	36	22-28-5363	A-42375-0386
19	22-28-5193	A-42375-0369			

ENG. NO: A-42375-0387/0421					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ADB228		
PIN LENGTH: L			.465 / 11.81		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			.100 / 2.54		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5026	A-42375-0387	20	22-28-5206	A-42375-0405
3	22-28-5036	A-42375-0388	21	22-28-5216	A-42375-0406
4	22-28-5046	A-42375-0389	22	22-28-5226	A-42375-0407
5	22-28-5056	A-42375-0390	23	22-28-5236	A-42375-0408
6	22-28-5066	A-42375-0391	24	22-28-5246	A-42375-0409
7	22-28-5076	A-42375-0392	25	22-28-5256	A-42375-0410
8	22-28-5086	A-42375-0393	26	22-28-5266	A-42375-0411
9	22-28-5096	A-42375-0394	27	22-28-5276	A-42375-0412
10	22-28-5106	A-42375-0395	28	22-28-5286	A-42375-0413
11	22-28-5116	A-42375-0396	29	22-28-5296	A-42375-0414
12	22-28-5126	A-42375-0397	30	22-28-5306	A-42375-0415
13	22-28-5136	A-42375-0398	31	22-28-5316	A-42375-0416
14	22-28-5146	A-42375-0399	32	22-28-5326	A-42375-0417
15	22-28-5156	A-42375-0400	33	22-28-5336	A-42375-0418
16	22-28-5166	A-42375-0401	34	22-28-5346	A-42375-0419
17	22-28-5176	A-42375-0402	35	22-28-5356	A-42375-0420
18	22-28-5186	A-42375-0403	36	22-28-5366	A-42375-0421
19	22-28-5196	A-42375-0404			

SYMBOLS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS

SCALE

MM/IN

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

MM

INCH

4 PLACES ±

3 PLACES ±

2 PLACES ±

1 PLACE ±

0 PLACES ±

ANGULAR TOL ± 0.5 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIRD ANGLE PROJECTION

DRAWING

SERIES

B-SIZE

42375

CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071

EC NO: 689596

DRWN: SHRUTJ 2021/09/14

CHK'D: SHRUTJ 2021/12/20

APPR: ISHWARG 2021/12/20

INITIAL REVISION:

DRWN: SCHAFFER 2003/02/11

APPR: MARGULIS 2004/02/27

DOCUMENT NUMBER

DOC TYPE

DOC PART

REVISION

SD-42375-001

PSD

001

V

SEE CHART

GENERAL MARKET

SHEET NUMBER

7 OF 35

DOCUMENT STATUS

P1

RELEASE DATE

2021/12/20 12:18:33

9

8

7

6

5

4

3

2

1

E

ENG. NO: A-42375-0667/0699					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABB208		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.100 / 2.54		
CKTS:			4-36		
KINKS:			NO		
VOIDED CKTS:			4		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	42375-0683	A-42375-0683
3			21	42375-0684	A-42375-0684
4	42375-0667	A-42375-0667	22	42375-0685	A-42375-0685
5	42375-0668	A-42375-0668	23	42375-0686	A-42375-0686
6	22-30-3060	A-42375-0669	24	42375-0687	A-42375-0687
7	42375-0670	A-42375-0670	25	42375-0688	A-42375-0688
8	42375-0671	A-42375-0671	26	42375-0689	A-42375-0689
9	42375-0672	A-42375-0672	27	42375-0690	A-42375-0690
10	42375-0673	A-42375-0673	28	42375-0691	A-42375-0691
11	42375-0674	A-42375-0674	29	42375-0692	A-42375-0692
12	22-30-3120	A-42375-0675	30	42375-0693	A-42375-0693
13	42375-0676	A-42375-0676	31	42375-0694	A-42375-0694
14	42375-0677	A-42375-0677	32	42375-0695	A-42375-0695
15	42375-0678	A-42375-0678	33	42375-0696	A-42375-0696
16	42375-0679	A-42375-0679	34	42375-0697	A-42375-0697
17	42375-0680	A-42375-0680	35	42375-0698	A-42375-0698
18	42375-0681	A-42375-0681	36	42375-0699	A-42375-0699
19	42375-0682	A-42375-0682			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

ENG. NO: A-42375-0700/0732					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ADB208		
PIN LENGTH: L			.465 /11.81		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			.100 / 2.54		
CKTS:			4-36		
KINKS:			SMES-42003		
VOIDED CKTS:			4		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	42375-0716	A-42375-0716
3			21	42375-0717	A-42375-0717
4	42375-0700	A-42375-0700	22	42375-0718	A-42375-0718
5	42375-0701	A-42375-0701	23	42375-0719	A-42375-0719
6	22-30-3061	A-42375-0702	24	42375-0720	A-42375-0720
7	42375-0703	A-42375-0703	25	42375-0721	A-42375-0721
8	42375-0704	A-42375-0704	26	42375-0722	A-42375-0722
9	42375-0705	A-42375-0705	27	42375-0723	A-42375-0723
10	42375-0706	A-42375-0706	28	42375-0724	A-42375-0724
11	42375-0707	A-42375-0707	29	42375-0725	A-42375-0725
12	42375-0708	A-42375-0708	30	42375-0726	A-42375-0726
13	42375-0709	A-42375-0709	31	42375-0727	A-42375-0727
14	42375-0710	A-42375-0710	32	42375-0728	A-42375-0728
15	42375-0711	A-42375-0711	33	42375-0729	A-42375-0729
16	42375-0712	A-42375-0712	34	42375-0730	A-42375-0730
17	42375-0713	A-42375-0713	35	42375-0731	A-42375-0731
18	42375-0714	A-42375-0714	36	42375-0732	A-42375-0732
19	42375-0715	A-42375-0715			

E

D

C

B

A

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071			<div>molex</div>							
MM/IN		1:1												
GENERAL TOLERANCES (UNLESS SPECIFIED)														
MM		INCH												
<div>A</div> = 0					EC NO: 689596			KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY						
<div>E</div> = 0	4 PLACES ±		±		DRWN: SHRUTJ 2021/09/14									
<div>F</div> = 0	3 PLACES ±		± 0.01		CHK'D: SHRUTJ 2021/12/20									
<div>F</div> = 0	2 PLACES ±		0.25 ±		APPR: ISHWARG 2021/12/20			PRODUCT CUSTOMER DRAWING						
<div>S</div> = 0	1 PLACE ±		0.38 ±		INITIAL REVISION:									
<div>T</div> = 0	0 PLACES ±		±		DRWN: SCHAFFER 2003/02/11			DOCUMENT NUMBER		DOC TYPE		DOC PART	REVISION	
<div>C</div> = 0	ANGULAR TOL ±		0.5 °		APPR: MARGULIS 2004/02/27			SD-42375-001		PSD		001	V	
<div>G</div> = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
<div>H</div> = 0							B-SIZE	42375	SEE CHART		GENERAL MARKET		11 OF 35	
<div>I</div> = 0														
<div>J</div> = 0														
<div>K</div> = 0														

ENG. NO: A-42375-0871/0904					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ATA154		
PIN LENGTH: L			.530 / 13.46		
MATING LENGTH: M			.320 / 8.13		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			OVERALL		
CKTS:			3-36		
KINKS:			NO		
VOIDED CKTS:			2		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	22-30-3204	A-42375-0888
3	22-28-3034	A-42375-0871	21	22-30-3214	A-42375-0889
4	22-28-3044	A-42375-0872	22	22-30-3224	A-42375-0890
5	22-28-3054	A-42375-0873	23	22-30-3234	A-42375-0891
6	22-28-3064	A-42375-08474	24	22-30-3244	A-42375-0892
7	22-28-3074	A-42375-0875	25	22-30-3254	A-42375-0893
8	22-28-3084	A-42375-0876	26	22-30-3264	A-42375-0894
9	22-28-3094	A-42375-0877	27	22-30-3274	A-42375-0895
10	22-30-3104	A-42375-0878	28	22-30-3284	A-42375-0896
11	22-30-3114	A-42375-0879	29	22-30-3294	A-42375-0897
12	22-30-3124	A-42375-0880	30	22-30-3304	A-42375-0898
13	22-30-3134	A-42375-0881	31	22-30-3314	A-42375-0899
14	22-30-3144	A-42375-0882	32	22-30-3324	A-42375-0900
15	22-30-3154	A-42375-0883	33	22-30-3334	A-42375-0901
16	22-30-3164	A-42375-0884	34	22-30-3344	A-42375-0902
17	22-30-3174	A-42375-0885	35	22-30-3354	A-42375-0903
18	22-30-3184	A-42375-0886	36	22-30-3364	A-42375-0904
19	22-30-3194	A-42375-0887			

ENG. NO: A-42375-0973/1001					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABA154		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			OVERALL		
CKTS:			8-36		
KINKS:			NO		
VOIDED CKTS:			3,8		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	42375-0985	A-42375-0985
3			21	42375-0986	A-42375-0986
4			22	42375-0987	A-42375-0987
5			23	42375-0988	A-42375-0988
6			24	42375-0989	A-42375-0989
7			25	42375-0990	A-42375-0990
8	42375-0973	A-42375-0973	26	42375-0991	A-42375-0991
9	42375-0974	A-42375-0974	27	42375-0992	A-42375-0992
10	22-30-3107	A-42375-0975	28	42375-0993	A-42375-0993
11	42375-0976	A-42375-0976	29	42375-0994	A-42375-0994
12	42375-0977	A-42375-0977	30	42375-0995	A-42375-0995
13	42375-0978	A-42375-0978	31	42375-0996	A-42375-0996
14	42375-0979	A-42375-0979	32	42375-0997	A-42375-0997
15	42375-0980	A-42375-0980	33	42375-0998	A-42375-0998
16	42375-0981	A-42375-0981	34	42375-0999	A-42375-0999
17	42375-0982	A-42375-0982	35	42375-1000	A-42375-1000
18	42375-0983	A-42375-0983	36	42375-1001	A-42375-1001
19	42375-0984	A-42375-0984			

SYMBOLS

≡

= 0

≡

= 0

≡

= 0

≡

= 0

▼

= 0

▽

= 0

⊠

= 0

■

= 0

▽

= 0

DIMENSION UNITS

MM/IN

SCALE

1:1

GENERAL TOLERANCES
(UNLESS SPECIFIED)

	MM	INCH
4 PLACES	±	±
3 PLACES	±	± 0.01
2 PLACES	± 0.25	±
1 PLACE	± 0.38	±
0 PLACES	±	±
ANGULAR TOL ± 0.5 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

CURRENT REV DESC: GOLD LENGTH SPEC
CHANGED AS MIN 2.54- MAX 5.54 FOR
A-42375-0037/0071

EC NO: 689596

DRWN: SHRUTJ 2021/09/14

CHK'D: SHRUTJ 2021/12/20

APPR: ISHWARG 2021/12/20

INITIAL REVISION:

DRWN: SCHAFER 2003/02/11

APPR: MARGULIS 2004/02/27

THIRD ANGLE PROJECTION

DRAWING

B-SIZE

SERIES

42375

DOCUMENT NUMBER

SD-42375-001

DOC TYPE

PSD

DOC PART

001

REVISION

V

MATERIAL NUMBER

SEE CHART

CUSTOMER

GENERAL MARKET

SHEET NUMBER

13 OF 35

moLEX

KK 100 HEADER ASSY
FLAT VERTICAL BREAKAWAY

PRODUCT CUSTOMER DRAWING

DOCUMENT STATUS

P1

RELEASE DATE

2021/12/20 12:18:33

9

8

7

6

5

4

3

2

1

9

8

7

6

5

4

3

2

1

E

ENG. NO: A-42375-3569/3603					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABB208		
PIN LENGTH: L			.530 / 13.46		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.100 / 2.54		
CKTS:			4-36		
KINKS:			NO		
VOIDED CKTS:			5		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	423753587	42375-3587
3			21	423753588	42375-3588
4			22	423753589	42375-3589
5	423753572	42375-3572	23	423753590	42375-3590
6	423753573	42375-3573	24	423753591	42375-3591
7	423753574	42375-3574	25	423753592	42375-3592
8	423753575	42375-3575	26	423753593	42375-3593
9	423753576	42375-3576	27	423753594	42375-3594
10	423753577	42375-3577	28	423753595	42375-3595
11	423753578	42375-3578	29	423753596	42375-3596
12	423753579	42375-3579	30	423753597	42375-3597
13	423753580	42375-3580	31	423753598	42375-3598
14	423753581	42375-3581	32	423753599	42375-3599
15	423753582	42375-3582	33	423753600	42375-3600
16	423753583	42375-3583	34	423753601	42375-3601
17	423753584	42375-3584	35	423753602	42375-3602
18	423753585	42375-3585	36	423753603	42375-3603
19	423753586	42375-3586			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

ENG. NO: A-42375-2974/3008					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-FKB228		
PIN LENGTH: L			1.020 / 25.91		
MATING LENGTH: M			.805 / 20.45		
GOLD POINT: G			.200 / 5.08		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.200 / 5.08		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0043		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ITEM NUMBER
2			20		
3			21		
4			22		
5	423752977	42375-2977	23		
6			24		
7			25		
8			26		
9			27		
10			28		
11			29		
12			30		
13			31		
14			32		
15			33		
16			34		
17			35		
18			36		
19					

E

D

C

B

A

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071			<div>molex</div>				
MM/IN		1:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 689596			KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				
4 PLACES ±		±		DRWN: SHRUTJ 2021/09/14			PRODUCT CUSTOMER DRAWING				
3 PLACES ±		± 0.01		CHK'D: SHRUTJ 2021/12/20							
2 PLACES ±		0.25 ±		APPR: ISHWARG 2021/12/20			DOCUMENT NUMBER SD-42375-001				
1 PLACE ±		0.38 ±		INITIAL REVISION:							DOC TYPE PSD
0 PLACES ±				DRWN: SCHAFAER 2003/02/11			REVISION V				
ANGULAR TOL ± 0.5 °				APPR: MARGULIS 2004/02/27							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING B-SIZE		SERIES 42375		MATERIAL NUMBER SEE CHART		CUSTOMER GENERAL MARKET	
										SHEET NUMBER 25 OF 35	

FORMAT: Eng-lega-master-tb-prod-B
REVISION: D
DATE: 2018/01/18

9

8

7

6

5

4

3

2

1

ENG. NO: 42375-3659/3693					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AXB208		
PIN LENGTH: L			.540 / 13.72		
MATING LENGTH: M			.250 / 6.35		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.200 / 5.08		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	68300-2000	42375-3659	20		42375-3677
3	68300-2001	42375-3660	21		42375-3678
4		42375-3661	22		42375-3679
5	68300-2006	42375-3662	23		42375-3680
6		42375-3663	24		42375-3681
7		42375-3664	25		42375-3682
8		42375-3665	26		42375-3683
9		42375-3666	27		42375-3684
10		42375-3667	28		42375-3685
11		42375-3668	29		42375-3686
12		42375-3669	30		42375-3687
13		42375-3670	31		42375-3688
14		42375-3671	32		42375-3689
15		42375-3672	33		42375-3690
16		42375-3673	34		42375-3691
17		42375-3674	35		42375-3692
18		42375-3675	36		42375-3693
19		42375-3676			

ENG. NO: 42375-3694/3728					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AXB208		
PIN LENGTH: L			.540 / 13.72		
MATING LENGTH: M			.250 / 6.35		
GOLD POINT: G			.140 / 3.56		
PC TAIL LENGTH: P			.200 / 5.08		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			5		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2		42375-3694	20		42375-3712
3		42375-3695	21		42375-3713
4		42375-3696	22		42375-3714
5		42375-3697	23		42375-3715
6		42375-3698	24		42375-3716
7		42375-3699	25		42375-3717
8	68300-2002	42375-3700	26		42375-3718
9		42375-3701	27		42375-3719
10		42375-3702	28		42375-3720
11		42375-3703	29		42375-3721
12		42375-3704	30		42375-3722
13		42375-3705	31		42375-3723
14		42375-3706	32		42375-3724
15		42375-3707	33		42375-3725
16		42375-3708	34		42375-3726
17		42375-3709	35		42375-3727
18		42375-3710	36		42375-3728
19		42375-3711			

9

8

7

6

5

4

3

2

1

DOCUMENT STATUS		P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	--	----	--------------	------------	----------

9

8

7

6

5

4

3

2

1

SYMBOLS

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

=

0

▽

ENG. NO: A-42375-4095/4129			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-DEB228	
PIN LENGTH: L		.785 / 19.94	
MATING LENGTH: M		.470 / 11.94	
GOLD POINT: G		.250 / 6.35	
PC TAIL LENGTH: P		.225 / 5.72	
TIN: T		.200 / 5.08	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
2		20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9		27	
10	42375-4103	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18	42375-4111	36	
19			

ENG. NO: A-42375-4130/4161			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ATA154	
PIN LENGTH: L		530/13.46	
MATING LENGTH: M		.320/8.13	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.120/3.05	
TIN: T		OVERALL	
CKTS:		5-36	
KINKS:		SMES-42003	
VOIDED CKTS:		2, 3, 4	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
		20	
		21	
		22	
5	42375-4130	23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-4162/4196			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-BSC228	
PIN LENGTH: L		.630/16.00	
MATING LENGTH: M		.400/10.16	
GOLD POINT: G		.345/8.76	
PC TAIL LENGTH: P		140/3.56	
TIN: T		.100/2.54	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4	42375-4164	22	
5	42375-4165	23	
6		24	
7		25	
8		26	
9		27	
10	42375-4170	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																											
 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071																							
	MM/IN		1:1																									
 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)												KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY															
									 = 0																			
MM		INCH		PRODUCT CUSTOMER DRAWING																								
 = 0	4 PLACES ±		±						DOCUMENT NUMBER SD-42375-001								DOC TYPE PSD		DOC PART 001		REVISION V							
	3 PLACES ±		± 0.01																									
 = 0	2 PLACES ±		0.25 ±					INITIAL REVISION: DRWN: SCHAFFER 2003/02/11 APPR: MARGULIS 2004/02/27																				
	1 PLACE ±		0.38 ±																									
 = 0	0 PLACES ±		±										MATERIAL NUMBER SEE CHART										CUSTOMER GENERAL MARKET				SHEET NUMBER 32 OF 35	
	ANGULAR TOL		± 0.5 °																									
 = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING B-SIZE					SERIES 42375																

ENG. NO: A-42375-1622			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-AYB208	
PIN LENGTH: L		.545 / 13.84	
MATING LENGTH: M		.320 / 8.13	
GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		.135 / 3.43	
CKTS:		2-36	
KINKS:		SMES-42003	
VOIDED CKTS:		3	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9	42375-1622	27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: A-42375-4199			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ARB228	
PIN LENGTH: L		.520 / 13.21	
MATING LENGTH: M		.230 / 5.84	
GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.200 / 5.08	
TIN: T		.135 / 3.43	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2	42375-4199	20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: A-42375-4200			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ADB208	
PIN LENGTH: L		.465 / 11.81	
MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		.100 / 2.54	
PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		.100 / 2.54	
CKTS:		2-36	
KINKS:		SMES-42003	
VOIDED CKTS:		3, 4	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4		22	
5	42375-4200	23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
<div>MM/IN</div>	<div>1:1</div>	CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071	<div>molex</div>												
<div>GENERAL TOLERANCES (UNLESS SPECIFIED)</div>	<div>MM</div>	<div>INCH</div>	EC NO: 689596	DRWN: SHRUTJ	2021/09/14	CHK'D: SHRUTJ	2021/12/20	APPR: ISHWARG	2021/12/20	KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY					
<div>4 PLACES</div>	<div>±</div>	<div>±</div>	INITIAL REVISION:	DRWN: SCHAFFER	2003/02/11	APPR: MARGULIS	2004/02/27	DOCUMENT NUMBER	SD-42375-001	DOC TYPE	PSD	DOC PART	001	REVISION	V
<div>3 PLACES</div>	<div>±</div>	<div>± 0.01</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>2 PLACES</div>	<div>± 0.25</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>1 PLACE</div>	<div>± 0.38</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>	<div>42375</div>	<div>SEE CHART</div>	<div>GENERAL MARKET</div>	<div>33 OF 35</div>				
<div>ANGULAR TOL</div>	<div>0.5 °</div>	<div>±</div>	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	B-SIZE	SERIES	42375	MATERIAL NUMBER	SEE CHART	CUSTOMER	GENERAL MARKET	SHEET NUMBER	33 OF 35	
<div>0 PLACES</div>	<div>±</div>	<div>±</div>	ANGULAR TOL	0.5 °	<div>THIRD ANGLE PROJECTION</div>	<div>DRAWING</div>	<div>B-SIZE</div>								

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

