

E	<table><tr><td colspan="6">ENG. NO: A-42375-0212/0246</td></tr><tr><td colspan="3">HEADER NUMBER:</td><td colspan="3">42312-0036</td></tr><tr><td colspan="3">PIN NUMBER:</td><td colspan="3">42663-AMA154</td></tr><tr><td colspan="3">PIN LENGTH: L</td><td colspan="3">.505 / 12.83</td></tr><tr><td colspan="3">MATING LENGTH: M</td><td colspan="3">.295 / 7.49</td></tr><tr><td colspan="3">GOLD POINT: G</td><td colspan="3">N/A</td></tr><tr><td colspan="3">PC TAIL LENGTH: P</td><td colspan="3">.120 / 3.05</td></tr><tr><td colspan="3">TIN: T</td><td colspan="3">OVERALL</td></tr><tr><td colspan="3">CKTS:</td><td colspan="3">2-36</td></tr><tr><td colspan="3">KINKS:</td><td colspan="3">NO</td></tr><tr><td colspan="3">VOIDED CKTS:</td><td colspan="3">NONE</td></tr><tr><td colspan="3">PACKAGING:</td><td colspan="3">BULK PK-40873-0041</td></tr><tr><td colspan="2">CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td colspan="2">2</td><td>22-28-4022</td><td>A-42375-0212</td><td>20</td><td>22-28-4202</td><td>A-42375-0230</td></tr><tr><td colspan="2">3</td><td>22-28-4032</td><td>A-42375-0213</td><td>21</td><td>22-28-4212</td><td>A-42375-0231</td></tr><tr><td colspan="2">4</td><td>22-28-4042</td><td>A-42375-0214</td><td>22</td><td>22-28-4222</td><td>A-42375-0232</td></tr><tr><td colspan="2">5</td><td>22-28-4052</td><td>A-42375-0215</td><td>23</td><td>22-28-4232</td><td>A-42375-0233</td></tr><tr><td colspan="2">6</td><td>22-28-4062</td><td>A-42375-0216</td><td>24</td><td>22-28-4242</td><td>A-42375-0234</td></tr><tr><td colspan="2">7</td><td>22-28-4072</td><td>A-42375-0217</td><td>25</td><td>22-28-4252</td><td>A-42375-0235</td></tr><tr><td colspan="2">8</td><td>22-28-4082</td><td>A-42375-0218</td><td>26</td><td>22-28-4262</td><td>A-42375-0236</td></tr><tr><td colspan="2">9</td><td>22-28-4092</td><td>A-42375-0219</td><td>27</td><td>22-28-4272</td><td>A-42375-0237</td></tr><tr><td colspan="2">10</td><td>22-28-4102</td><td>A-42375-0220</td><td>28</td><td>22-28-4282</td><td>A-42375-0238</td></tr><tr><td colspan="2">11</td><td>22-28-4112</td><td>A-42375-0221</td><td>29</td><td>22-28-4292</td><td>A-42375-0239</td></tr><tr><td colspan="2">12</td><td>22-28-4122</td><td>A-42375-0222</td><td>30</td><td>22-28-4302</td><td>A-42375-0240</td></tr><tr><td colspan="2">13</td><td>22-28-4132</td><td>A-42375-0223</td><td>31</td><td>22-28-4312</td><td>A-42375-0241</td></tr><tr><td colspan="2">14</td><td>22-28-4142</td><td>A-42375-0224</td><td>32</td><td>22-28-4322</td><td>A-42375-0242</td></tr><tr><td colspan="2">15</td><td>22-28-4152</td><td>A-42375-0225</td><td>33</td><td>22-28-4332</td><td>A-42375-0243</td></tr><tr><td colspan="2">16</td><td>22-28-4162</td><td>A-42375-0226</td><td>34</td><td>22-28-4342</td><td>A-42375-0244</td></tr><tr><td colspan="2">17</td><td>22-28-4172</td><td>A-42375-0227</td><td>35</td><td>22-28-4352</td><td>A-42375-0245</td></tr><tr><td colspan="2">18</td><td>22-28-4182</td><td>A-42375-0228</td><td>36</td><td>22-28-4362</td><td>A-42375-0246</td></tr><tr><td colspan="2">19</td><td>22-28-4192</td><td>A-42375-0229</td><td></td><td></td><td></td></tr></table>																		ENG. NO: A-42375-0212/0246						HEADER NUMBER:			42312-0036			PIN NUMBER:			42663-AMA154			PIN LENGTH: L			.505 / 12.83			MATING LENGTH: M			.295 / 7.49			GOLD POINT: G			N/A			PC TAIL LENGTH: P			.120 / 3.05			TIN: T			OVERALL			CKTS:			2-36			KINKS:			NO			VOIDED CKTS:			NONE			PACKAGING:			BULK PK-40873-0041			CKTS		MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2		22-28-4022	A-42375-0212	20	22-28-4202	A-42375-0230	3		22-28-4032	A-42375-0213	21	22-28-4212	A-42375-0231	4		22-28-4042	A-42375-0214	22	22-28-4222	A-42375-0232	5		22-28-4052	A-42375-0215	23	22-28-4232	A-42375-0233	6		22-28-4062	A-42375-0216	24	22-28-4242	A-42375-0234	7		22-28-4072	A-42375-0217	25	22-28-4252	A-42375-0235	8		22-28-4082	A-42375-0218	26	22-28-4262	A-42375-0236	9		22-28-4092	A-42375-0219	27	22-28-4272	A-42375-0237	10		22-28-4102	A-42375-0220	28	22-28-4282	A-42375-0238	11		22-28-4112	A-42375-0221	29	22-28-4292	A-42375-0239	12		22-28-4122	A-42375-0222	30	22-28-4302	A-42375-0240	13		22-28-4132	A-42375-0223	31	22-28-4312	A-42375-0241	14		22-28-4142	A-42375-0224	32	22-28-4322	A-42375-0242	15		22-28-4152	A-42375-0225	33	22-28-4332	A-42375-0243	16		22-28-4162	A-42375-0226	34	22-28-4342	A-42375-0244	17		22-28-4172	A-42375-0227	35	22-28-4352	A-42375-0245	18		22-28-4182	A-42375-0228	36	22-28-4362	A-42375-0246	19		22-28-4192	A-42375-0229				E									
	ENG. NO: A-42375-0212/0246																																																																																																																																																																																																																																								
HEADER NUMBER:			42312-0036																																																																																																																																																																																																																																						
PIN NUMBER:			42663-AMA154																																																																																																																																																																																																																																						
PIN LENGTH: L			.505 / 12.83																																																																																																																																																																																																																																						
MATING LENGTH: M			.295 / 7.49																																																																																																																																																																																																																																						
GOLD POINT: G			N/A																																																																																																																																																																																																																																						
PC TAIL LENGTH: P			.120 / 3.05																																																																																																																																																																																																																																						
TIN: T			OVERALL																																																																																																																																																																																																																																						
CKTS:			2-36																																																																																																																																																																																																																																						
KINKS:			NO																																																																																																																																																																																																																																						
VOIDED CKTS:			NONE																																																																																																																																																																																																																																						
PACKAGING:			BULK PK-40873-0041																																																																																																																																																																																																																																						
CKTS		MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																																																																			
2		22-28-4022	A-42375-0212	20	22-28-4202	A-42375-0230																																																																																																																																																																																																																																			
3		22-28-4032	A-42375-0213	21	22-28-4212	A-42375-0231																																																																																																																																																																																																																																			
4		22-28-4042	A-42375-0214	22	22-28-4222	A-42375-0232																																																																																																																																																																																																																																			
5		22-28-4052	A-42375-0215	23	22-28-4232	A-42375-0233																																																																																																																																																																																																																																			
6		22-28-4062	A-42375-0216	24	22-28-4242	A-42375-0234																																																																																																																																																																																																																																			
7		22-28-4072	A-42375-0217	25	22-28-4252	A-42375-0235																																																																																																																																																																																																																																			
8		22-28-4082	A-42375-0218	26	22-28-4262	A-42375-0236																																																																																																																																																																																																																																			
9		22-28-4092	A-42375-0219	27	22-28-4272	A-42375-0237																																																																																																																																																																																																																																			
10		22-28-4102	A-42375-0220	28	22-28-4282	A-42375-0238																																																																																																																																																																																																																																			
11		22-28-4112	A-42375-0221	29	22-28-4292	A-42375-0239																																																																																																																																																																																																																																			
12		22-28-4122	A-42375-0222	30	22-28-4302	A-42375-0240																																																																																																																																																																																																																																			
13		22-28-4132	A-42375-0223	31	22-28-4312	A-42375-0241																																																																																																																																																																																																																																			
14		22-28-4142	A-42375-0224	32	22-28-4322	A-42375-0242																																																																																																																																																																																																																																			
15		22-28-4152	A-42375-0225	33	22-28-4332	A-42375-0243																																																																																																																																																																																																																																			
16		22-28-4162	A-42375-0226	34	22-28-4342	A-42375-0244																																																																																																																																																																																																																																			
17		22-28-4172	A-42375-0227	35	22-28-4352	A-42375-0245																																																																																																																																																																																																																																			
18		22-28-4182	A-42375-0228	36	22-28-4362	A-42375-0246																																																																																																																																																																																																																																			
19		22-28-4192	A-42375-0229																																																																																																																																																																																																																																						
D																	D																																																																																																																																																																																																																								
C	<table><tr><td colspan="6">ENG. NO: A-42375-0247/0281</td></tr><tr><td colspan="3">HEADER NUMBER:</td><td colspan="3">42312-0036</td></tr><tr><td colspan="3">PIN NUMBER:</td><td colspan="3">42663-ATB208</td></tr><tr><td colspan="3">PIN LENGTH: L</td><td colspan="3">.505 / 12.83</td></tr><tr><td colspan="3">MATING LENGTH: M</td><td colspan="3">.295 / 7.49</td></tr><tr><td colspan="3">GOLD POINT: G</td><td colspan="3">.140 / 3.56</td></tr><tr><td colspan="3">PC TAIL LENGTH: P</td><td colspan="3">.120 / 3.05</td></tr><tr><td colspan="3">TIN: T</td><td colspan="3">.135 / 3.43</td></tr><tr><td colspan="3">CKTS:</td><td colspan="3">2-36</td></tr><tr><td colspan="3">KINKS:</td><td colspan="3">NO</td></tr><tr><td colspan="3">VOIDED CKTS:</td><td colspan="3">NONE</td></tr><tr><td colspan="3">PACKAGING:</td><td colspan="3">BULK PK-40873-0041</td></tr><tr><td colspan="2">CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td><td>CKTS</td><td>MATERIAL NUMBER</td><td>ENG NUMBER</td></tr><tr><td colspan="2">2</td><td>22-28-4025</td><td>A-42375-0247</td><td>20</td><td>22-28-4205</td><td>A-42375-0265</td></tr><tr><td colspan="2">3</td><td>22-28-4035</td><td>A-42375-0248</td><td>21</td><td>22-28-4215</td><td>A-42375-0266</td></tr><tr><td colspan="2">4</td><td>22-28-4045</td><td>A-42375-0249</td><td>22</td><td>22-28-4225</td><td>A-42375-0267</td></tr><tr><td colspan="2">5</td><td>22-28-4055</td><td>A-42375-0250</td><td>23</td><td>22-28-4235</td><td>A-42375-0268</td></tr><tr><td colspan="2">6</td><td>22-28-4065</td><td>A-42375-0251</td><td>24</td><td>22-28-4245</td><td>A-42375-0269</td></tr><tr><td colspan="2">7</td><td>22-28-4075</td><td>A-42375-0252</td><td>25</td><td>22-28-4255</td><td>A-42375-0270</td></tr><tr><td colspan="2">8</td><td>22-28-4085</td><td>A-42375-0253</td><td>26</td><td>22-28-4265</td><td>A-42375-0271</td></tr><tr><td colspan="2">9</td><td>22-28-4095</td><td>A-42375-0254</td><td>27</td><td>22-28-4275</td><td>A-42375-0272</td></tr><tr><td colspan="2">10</td><td>22-28-4105</td><td>A-42375-0255</td><td>28</td><td>22-28-4285</td><td>A-42375-0273</td></tr><tr><td colspan="2">11</td><td>22-28-4115</td><td>A-42375-0256</td><td>29</td><td>22-28-4295</td><td>A-42375-0274</td></tr><tr><td colspan="2">12</td><td>22-28-4125</td><td>A-42375-0257</td><td>30</td><td>22-28-4305</td><td>A-42375-0275</td></tr><tr><td colspan="2">13</td><td>22-28-4135</td><td>A-42375-0258</td><td>31</td><td>22-28-4315</td><td>A-42375-0276</td></tr><tr><td colspan="2">14</td><td>22-28-4145</td><td>A-42375-0259</td><td>32</td><td>22-28-4325</td><td>A-42375-0277</td></tr><tr><td colspan="2">15</td><td>22-28-4155</td><td>A-42375-0260</td><td>33</td><td>22-28-4335</td><td>A-42375-0278</td></tr><tr><td colspan="2">16</td><td>22-28-4165</td><td>A-42375-0261</td><td>34</td><td>22-28-4345</td><td>A-42375-0279</td></tr><tr><td colspan="2">17</td><td>22-28-4175</td><td>A-42375-0262</td><td>35</td><td>22-28-4355</td><td>A-42375-0280</td></tr><tr><td colspan="2">18</td><td>22-28-4185</td><td>A-42375-0263</td><td>36</td><td>22-28-4365</td><td>A-42375-0281</td></tr><tr><td colspan="2">19</td><td>22-28-4195</td><td>A-42375-0264</td><td></td><td></td><td></td></tr></table>																		ENG. NO: A-42375-0247/0281						HEADER NUMBER:			42312-0036			PIN NUMBER:			42663-ATB208			PIN LENGTH: L			.505 / 12.83			MATING LENGTH: M			.295 / 7.49			GOLD POINT: G			.140 / 3.56			PC TAIL LENGTH: P			.120 / 3.05			TIN: T			.135 / 3.43			CKTS:			2-36			KINKS:			NO			VOIDED CKTS:			NONE			PACKAGING:			BULK PK-40873-0041			CKTS		MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	2		22-28-4025	A-42375-0247	20	22-28-4205	A-42375-0265	3		22-28-4035	A-42375-0248	21	22-28-4215	A-42375-0266	4		22-28-4045	A-42375-0249	22	22-28-4225	A-42375-0267	5		22-28-4055	A-42375-0250	23	22-28-4235	A-42375-0268	6		22-28-4065	A-42375-0251	24	22-28-4245	A-42375-0269	7		22-28-4075	A-42375-0252	25	22-28-4255	A-42375-0270	8		22-28-4085	A-42375-0253	26	22-28-4265	A-42375-0271	9		22-28-4095	A-42375-0254	27	22-28-4275	A-42375-0272	10		22-28-4105	A-42375-0255	28	22-28-4285	A-42375-0273	11		22-28-4115	A-42375-0256	29	22-28-4295	A-42375-0274	12		22-28-4125	A-42375-0257	30	22-28-4305	A-42375-0275	13		22-28-4135	A-42375-0258	31	22-28-4315	A-42375-0276	14		22-28-4145	A-42375-0259	32	22-28-4325	A-42375-0277	15		22-28-4155	A-42375-0260	33	22-28-4335	A-42375-0278	16		22-28-4165	A-42375-0261	34	22-28-4345	A-42375-0279	17		22-28-4175	A-42375-0262	35	22-28-4355	A-42375-0280	18		22-28-4185	A-42375-0263	36	22-28-4365	A-42375-0281	19		22-28-4195	A-42375-0264				C									
	ENG. NO: A-42375-0247/0281																																																																																																																																																																																																																																								
HEADER NUMBER:			42312-0036																																																																																																																																																																																																																																						
PIN NUMBER:			42663-ATB208																																																																																																																																																																																																																																						
PIN LENGTH: L			.505 / 12.83																																																																																																																																																																																																																																						
MATING LENGTH: M			.295 / 7.49																																																																																																																																																																																																																																						
GOLD POINT: G			.140 / 3.56																																																																																																																																																																																																																																						
PC TAIL LENGTH: P			.120 / 3.05																																																																																																																																																																																																																																						
TIN: T			.135 / 3.43																																																																																																																																																																																																																																						
CKTS:			2-36																																																																																																																																																																																																																																						
KINKS:			NO																																																																																																																																																																																																																																						
VOIDED CKTS:			NONE																																																																																																																																																																																																																																						
PACKAGING:			BULK PK-40873-0041																																																																																																																																																																																																																																						
CKTS		MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER																																																																																																																																																																																																																																			
2		22-28-4025	A-42375-0247	20	22-28-4205	A-42375-0265																																																																																																																																																																																																																																			
3		22-28-4035	A-42375-0248	21	22-28-4215	A-42375-0266																																																																																																																																																																																																																																			
4		22-28-4045	A-42375-0249	22	22-28-4225	A-42375-0267																																																																																																																																																																																																																																			
5		22-28-4055	A-42375-0250	23	22-28-4235	A-42375-0268																																																																																																																																																																																																																																			
6		22-28-4065	A-42375-0251	24	22-28-4245	A-42375-0269																																																																																																																																																																																																																																			
7		22-28-4075	A-42375-0252	25	22-28-4255	A-42375-0270																																																																																																																																																																																																																																			
8		22-28-4085	A-42375-0253	26	22-28-4265	A-42375-0271																																																																																																																																																																																																																																			
9		22-28-4095	A-42375-0254	27	22-28-4275	A-42375-0272																																																																																																																																																																																																																																			
10		22-28-4105	A-42375-0255	28	22-28-4285	A-42375-0273																																																																																																																																																																																																																																			
11		22-28-4115	A-42375-0256	29	22-28-4295	A-42375-0274																																																																																																																																																																																																																																			
12		22-28-4125	A-42375-0257	30	22-28-4305	A-42375-0275																																																																																																																																																																																																																																			
13		22-28-4135	A-42375-0258	31	22-28-4315	A-42375-0276																																																																																																																																																																																																																																			
14		22-28-4145	A-42375-0259	32	22-28-4325	A-42375-0277																																																																																																																																																																																																																																			
15		22-28-4155	A-42375-0260	33	22-28-4335	A-42375-0278																																																																																																																																																																																																																																			
16		22-28-4165	A-42375-0261	34	22-28-4345	A-42375-0279																																																																																																																																																																																																																																			
17		22-28-4175	A-42375-0262	35	22-28-4355	A-42375-0280																																																																																																																																																																																																																																			
18		22-28-4185	A-42375-0263	36	22-28-4365	A-42375-0281																																																																																																																																																																																																																																			
19		22-28-4195	A-42375-0264																																																																																																																																																																																																																																						
B																	B																																																																																																																																																																																																																								
A	<table><tr><td colspan="2">SYMBOLS</td><td colspan="16">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="2">= 0</td><td colspan="2">DIMENSION UNITS</td><td colspan="2">SCALE</td><td colspan="10" rowspan="2">CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071</td><td colspan="6" rowspan="2"><div>molex</div><div>KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY</div></td></tr><tr><td colspan="2">= 0</td><td colspan="2">MM/IN</td><td colspan="2">1:1</td></tr><tr><td colspan="2">= 0</td><td colspan="6">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="10" rowspan="2">EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20</td><td colspan="6" rowspan="2">PRODUCT CUSTOMER DRAWING</td></tr><tr><td colspan="2">= 0</td><td colspan="6"></td></tr><tr><td colspan="2">= 0</td><td colspan="2">4 PLACES ±</td><td colspan="2">MM</td><td colspan="2">INCH</td><td colspan="10" rowspan="2">INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27</td><td colspan="2">DOCUMENT NUMBER</td><td colspan="2">DOC TYPE</td><td colspan="2">DOC PART</td><td colspan="2">REVISION</td></tr><tr><td colspan="2">= 0</td><td colspan="2">3 PLACES ±</td><td colspan="2"></td><td colspan="2">0.01</td><td colspan="2">SD-42375-001</td><td colspan="2">PSD</td><td colspan="2">001</td><td colspan="2">V</td></tr><tr><td colspan="2">= 0</td><td colspan="2">2 PLACES ±</td><td colspan="2">0.25</td><td colspan="2"></td><td colspan="10" rowspan="2">MATERIAL NUMBER SEE CHART</td><td colspan="4" rowspan="2">CUSTOMER GENERAL MARKET</td><td colspan="2" rowspan="2">SHEET NUMBER 5 OF 35</td></tr><tr><td colspan="2">= 0</td><td colspan="2">1 PLACE ±</td><td colspan="2">0.38</td><td colspan="2"></td></tr><tr><td colspan="2">= 0</td><td colspan="2">0 PLACES ±</td><td colspan="2"></td><td colspan="2"></td><td colspan="10" rowspan="2">THIRD ANGLE PROJECTION</td><td colspan="2" rowspan="2">DRAWING B-SIZE</td><td colspan="2" rowspan="2">SERIES 42375</td></tr><tr><td colspan="2">= 0</td><td colspan="2">ANGULAR TOL ±</td><td colspan="2">0.5 °</td><td colspan="2"></td></tr><tr><td colspan="2">= 0</td><td colspan="6">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="10" rowspan="2"></td><td colspan="2" rowspan="2"></td><td colspan="2" rowspan="2"></td><td colspan="2" rowspan="2"></td></tr><tr><td colspan="2">= 0</td><td colspan="6"></td></tr></table>																		SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																= 0		DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071										<div>molex</div> <div>KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY</div>						= 0		MM/IN		1:1		= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)						EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20										PRODUCT CUSTOMER DRAWING						= 0								= 0		4 PLACES ±		MM		INCH		INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27										DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION		= 0		3 PLACES ±				0.01		SD-42375-001		PSD		001		V		= 0		2 PLACES ±		0.25				MATERIAL NUMBER SEE CHART										CUSTOMER GENERAL MARKET				SHEET NUMBER 5 OF 35		= 0		1 PLACE ±		0.38				= 0		0 PLACES ±						THIRD ANGLE PROJECTION										DRAWING B-SIZE		SERIES 42375		= 0		ANGULAR TOL ±		0.5 °				= 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																						= 0								A
	SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																																																																																																																																																						
= 0		DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071										<div>molex</div> <div>KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY</div>																																																																																																																																																																																																																									
= 0		MM/IN		1:1																																																																																																																																																																																																																																					
= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)						EC NO: 689596 DRWN: SHRUTJ 2021/09/14 CHK'D: SHRUTJ 2021/12/20 APPR: ISHWARG 2021/12/20										PRODUCT CUSTOMER DRAWING																																																																																																																																																																																																																							
= 0																																																																																																																																																																																																																																									
= 0		4 PLACES ±		MM		INCH		INITIAL REVISION: DRWN: SCHAFER 2003/02/11 APPR: MARGULIS 2004/02/27										DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION																																																																																																																																																																																																																	
= 0		3 PLACES ±				0.01												SD-42375-001		PSD		001		V																																																																																																																																																																																																																	
= 0		2 PLACES ±		0.25				MATERIAL NUMBER SEE CHART										CUSTOMER GENERAL MARKET				SHEET NUMBER 5 OF 35																																																																																																																																																																																																																			
= 0		1 PLACE ±		0.38																																																																																																																																																																																																																																					
= 0		0 PLACES ±						THIRD ANGLE PROJECTION										DRAWING B-SIZE		SERIES 42375																																																																																																																																																																																																																					
= 0		ANGULAR TOL ±		0.5 °																																																																																																																																																																																																																																					
= 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																																																																																																																																																																																							
= 0																																																																																																																																																																																																																																									
<table><tr><td colspan="2">DOCUMENT STATUS</td><td>P1</td><td colspan="2">RELEASE DATE</td><td>2021/12/20</td><td colspan="2">12:18:33</td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td><td colspan="2"></td></tr><tr><td colspan="2">9</td><td colspan="2">8</td><td colspan="2">7</td><td colspan="2">6</td><td colspan="2">5</td><td colspan="2">4</td><td colspan="2">3</td><td colspan="2">2</td><td colspan="2">1</td></tr></table>																		DOCUMENT STATUS		P1	RELEASE DATE		2021/12/20	12:18:33												9		8		7		6		5		4		3		2		1																																																																																																																																																																																					
DOCUMENT STATUS		P1	RELEASE DATE		2021/12/20	12:18:33																																																																																																																																																																																																																																			
9		8		7		6		5		4		3		2		1																																																																																																																																																																																																																									

E

ENG. NO: A-42375-0492/0526					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-AYB228		
PIN LENGTH: L			.545 / 13.84		
MATING LENGTH: M			.320 / 8.13		
GOLD POINT: G			140 / 3.56		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			.135 / 3.43		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5027	A-42375-0492	20	22-28-5207	A-42375-0510
3	22-28-5037	A-42375-0493	21	22-28-5217	A-42375-0511
4	22-28-5047	A-42375-0494	22	22-28-5227	A-42375-0512
5	22-28-5057	A-42375-0495	23	22-28-5237	A-42375-0513
6	22-28-5067	A-42375-0496	24	22-28-5247	A-42375-0514
7	22-28-5077	A-42375-0497	25	22-28-5257	A-42375-0515
8	22-28-5087	A-42375-0498	26	22-28-5267	A-42375-0516
9	22-28-5097	A-42375-0499	27	22-28-5277	A-42375-0517
10	22-28-5107	A-42375-0500	28	22-28-5287	A-42375-0518
11	22-28-5117	A-42375-0501	29	22-28-5297	A-42375-0519
12	22-28-5127	A-42375-0502	30	22-28-5307	A-42375-0520
13	22-28-5137	A-42375-0503	31	22-28-5317	A-42375-0521
14	22-28-5147	A-42375-0504	32	22-28-5327	A-42375-0522
15	22-28-5157	A-42375-0505	33	22-28-5337	A-42375-0523
16	22-28-5167	A-42375-0506	34	22-28-5347	A-42375-0524
17	22-28-5177	A-42375-0507	35	22-28-5357	A-42375-0525
18	22-28-5187	A-42375-0508	36	22-28-5367	A-42375-0526
19	22-28-5197	A-42375-0509			

D

C

B

A

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

ENG. NO: A-42375-0527/0561					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ARA154		
PIN LENGTH: L			.520 / 13.21		
MATING LENGTH: M			.295 / 7.49		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.135 / 3.43		
TIN: T			OVERALL		
CKTS:			2-36		
KINKS:			SMES-42003		
VOIDED CKTS:			NONE		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	22-28-5022	A-42375-0527	20	22-28-5202	A-42375-0545
3	22-28-5032	A-42375-0528	21	22-28-5212	A-42375-0546
4	22-28-5042	A-42375-0529	22	22-28-5222	A-42375-0547
5	22-28-5052	A-42375-0530	23	22-28-5232	A-42375-0548
6	22-28-5062	A-42375-0531	24	22-28-5242	A-42375-0549
7	22-28-5072	A-42375-0532	25	22-28-5252	A-42375-0550
8	22-28-5082	A-42375-0533	26	22-28-5262	A-42375-0551
9	22-28-5092	A-42375-0534	27	22-28-5272	A-42375-0552
10	22-28-5102	A-42375-0435	28	22-28-5282	A-42375-0553
11	22-28-5112	A-42375-0536	29	22-28-5292	A-42375-0554
12	22-28-5122	A-42375-0537	30	22-28-5302	A-42375-0555
13	22-28-5132	A-42375-0538	31	22-28-5312	A-42375-0556
14	22-28-5142	A-42375-0539	32	22-28-5322	A-42375-0557
15	22-28-5152	A-42375-0540	33	22-28-5332	A-42375-0558
16	22-28-5162	A-42375-0541	34	22-28-5342	A-42375-0559
17	22-28-5172	A-42375-0542	35	22-28-5352	A-42375-0560
18	22-28-5182	A-42375-0543	36	22-28-5362	A-42375-0561
19	22-28-5192	A-42375-0544			

E

D

C

B

A

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071			<div>molex</div>						
MM/IN		1:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 689596			KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY						
4 PLACES		±	±	DRWN: SHRUTJ 2021/09/14			PRODUCT CUSTOMER DRAWING						
3 PLACES		±	± 0.01	CHK'D: SHRUTJ 2021/12/20									
2 PLACES		± 0.25	±	APPR: ISHWARG 2021/12/20			DOCUMENT NUMBER <div>SD-42375-001</div>						
1 PLACE		± 0.38	±	INITIAL REVISION: DRWN: SCHAFAER 2003/02/11 APPR: MARGULIS 2004/02/27							DOC TYPE PSD		DOC PART 001
0 PLACES		±	±										
ANGULAR TOL		±	0.5 °										
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				B-SIZE		42375		SEE CHART		GENERAL MARKET		9 OF 35	

ENG. NO: A-42375-0871/0904					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ATA154		
PIN LENGTH: L			.530 / 13.46		
MATING LENGTH: M			.320 / 8.13		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.120 / 3.05		
TIN: T			OVERALL		
CKTS:			3-36		
KINKS:			NO		
VOIDED CKTS:			2		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	22-30-3204	A-42375-0888
3	22-28-3034	A-42375-0871	21	22-30-3214	A-42375-0889
4	22-28-3044	A-42375-0872	22	22-30-3224	A-42375-0890
5	22-28-3054	A-42375-0873	23	22-30-3234	A-42375-0891
6	22-28-3064	A-42375-08474	24	22-30-3244	A-42375-0892
7	22-28-3074	A-42375-0875	25	22-30-3254	A-42375-0893
8	22-28-3084	A-42375-0876	26	22-30-3264	A-42375-0894
9	22-28-3094	A-42375-0877	27	22-30-3274	A-42375-0895
10	22-30-3104	A-42375-0878	28	22-30-3284	A-42375-0896
11	22-30-3114	A-42375-0879	29	22-30-3294	A-42375-0897
12	22-30-3124	A-42375-0880	30	22-30-3304	A-42375-0898
13	22-30-3134	A-42375-0881	31	22-30-3314	A-42375-0899
14	22-30-3144	A-42375-0882	32	22-30-3324	A-42375-0900
15	22-30-3154	A-42375-0883	33	22-30-3334	A-42375-0901
16	22-30-3164	A-42375-0884	34	22-30-3344	A-42375-0902
17	22-30-3174	A-42375-0885	35	22-30-3354	A-42375-0903
18	22-30-3184	A-42375-0886	36	22-30-3364	A-42375-0904
19	22-30-3194	A-42375-0887			

ENG. NO: A-42375-0973/1001					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABA154		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			N/A		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			OVERALL		
CKTS:			8-36		
KINKS:			NO		
VOIDED CKTS:			3,8		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2			20	42375-0985	A-42375-0985
3			21	42375-0986	A-42375-0986
4			22	42375-0987	A-42375-0987
5			23	42375-0988	A-42375-0988
6			24	42375-0989	A-42375-0989
7			25	42375-0990	A-42375-0990
8	42375-0973	A-42375-0973	26	42375-0991	A-42375-0991
9	42375-0974	A-42375-0974	27	42375-0992	A-42375-0992
10	22-30-3107	A-42375-0975	28	42375-0993	A-42375-0993
11	42375-0976	A-42375-0976	29	42375-0994	A-42375-0994
12	42375-0977	A-42375-0977	30	42375-0995	A-42375-0995
13	42375-0978	A-42375-0978	31	42375-0996	A-42375-0996
14	42375-0979	A-42375-0979	32	42375-0997	A-42375-0997
15	42375-0980	A-42375-0980	33	42375-0998	A-42375-0998
16	42375-0981	A-42375-0981	34	42375-0999	A-42375-0999
17	42375-0982	A-42375-0982	35	42375-1000	A-42375-1000
18	42375-0983	A-42375-0983	36	42375-1001	A-42375-1001
19	42375-0984	A-42375-0984			

SYMBOLS

⌵

=

0

⌴

=

0

⌶

=

0

⌷

=

0

⌵

=

0

⌶

=

0

⌷

=

0

⌸

=

0

■

=

0

⌶

=

0

DIMENSION UNITS

MM/IN

SCALE

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

MM

INCH

4 PLACES

±

±

3 PLACES

±

±

2 PLACES

±

0.25

±

1 PLACE

±

0.38

±

0 PLACES

±

±

ANGULAR TOL

±

0.5 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071

EC NO: 689596

DRWN: SHRUTJ

2021/09/14

CHK'D: SHRUTJ

2021/12/20

APPR: ISHWARG

2021/12/20

INITIAL REVISION:

DRWN: SCHAFER

2003/02/11

APPR: MARGULIS

2004/02/27

THIRD ANGLE PROJECTION

DRAWING

B-SIZE

SERIES

42375

DOCUMENT NUMBER

SD-42375-001

DOC TYPE

PSD

DOC PART

001

REVISION

V

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

SD-42375-001

DOC TYPE

PSD

DOC PART

001

REVISION

V

MATERIAL NUMBER

SEE CHART

CUSTOMER

GENERAL MARKET

SHEET NUMBER

13 OF 35

DOCUMENT STATUS

P1

RELEASE DATE

2021/12/20

12:18:33

FORMAT: Eng-lega-master-ib-prod-B

REVISION: D

DATE: 2018/01/18

9

8

7

6

5

4

3

2

1

9

8

7

6

5

4

3

2

1

E

ENG. NO: A-42375-1105/1139					
HEADER NUMBER:			42312-0036		
PIN NUMBER:			42663-ABB208		
PIN LENGTH: L			.455 / 11.56		
MATING LENGTH: M			.240 / 6.09		
GOLD POINT: G			.100 / 2.54		
PC TAIL LENGTH: P			.125 / 3.18		
TIN: T			.100 / 2.54		
CKTS:			2-36		
KINKS:			NO		
VOIDED CKTS:			4		
PACKAGING:			BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
2	42375-1105	A-42375-1105	20	42375-1123	A-42375-1123
3	42375-1106	A-42375-1106	21	42375-1124	A-42375-1124
4	42375-1107	A-42375-1107	22	42375-1125	A-42375-1125
5	42375-1108	A-42375-1108	23	42375-1126	A-42375-1126
6	42375-1109	A-42375-1109	24	42375-1127	A-42375-1127
7	42375-1110	A-42375-1110	25	42375-1128	A-42375-1128
8	42375-1111	A-42375-1111	26	42375-1129	A-42375-1129
9	42375-1112	A-42375-1112	27	42375-1130	A-42375-1130
10	42375-1113	A-42375-1113	28	42375-1131	A-42375-1131
11	42375-1114	A-42375-1114	29	42375-1132	A-42375-1132
12	42375-1115	A-42375-1115	30	42375-1133	A-42375-1133
13	42375-1116	A-42375-1116	31	42375-1134	A-42375-1134
14	42375-1117	A-42375-1117	32	42375-1135	A-42375-1135
15	42375-1118	A-42375-1118	33	42375-1136	A-42375-1136
16	42375-1119	A-42375-1119	34	42375-1137	A-42375-1137
17	42375-1120	A-42375-1120	35	42375-1138	A-42375-1138
18	42375-1121	A-42375-1121	36	42375-1139	A-42375-1139
19	42375-1122	A-42375-1122			

D

C

B

A

ENG. NO: 42375-1244/1278			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ABA154	
PIN LENGTH: L		.455 / 11.56	
MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.125 / 3.18	
TIN: T		OVERALL	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		2	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	MATERIAL NUMBER
2	42375-1244	20	42375-1262
3	42375-1245	21	42375-1263
4	42375-1246	22	42375-1264
5	42375-1247	23	42375-1265
6	42375-1248	24	42375-1266
7	42375-1249	25	42375-1267
8	42375-1250	26	42375-1268
9	42375-1251	27	42375-1269
10	42375-1252	28	42375-1270
11	42375-1253	29	42375-1271
12	42375-1254	30	42375-1272
13	42375-1255	31	42375-1273
14	42375-125 6	32	42375-1274
15	42375-1257	33	42375-1275
16	42375-1258	34	42375-1276
17	42375-1259	35	42375-1277
18	42375-1260	36	42375-1278
19	42375-1261		

E

D

C

B

A

[illegible]

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20 12:18:33
-----------------	----	--------------	---------------------

9

8

7

6

5

4

3

2

1

FORMAT: Eng-lega-master-tb-prod-B
REVISION: D
DATE: 2018/01/18

REVISION: D
DATE: 2018/01/18

REVISION: D
DATE: 2018/01/18

[illegible]

ENG. NO: A-42375-4095/4129			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-DEB228	
PIN LENGTH: L		.785 / 19.94	
MATING LENGTH: M		.470 / 11.94	
GOLD POINT: G		.250 / 6.35	
PC TAIL LENGTH: P		.225 / 5.72	
TIN: T		.200 / 5.08	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
2		20	
3		21	
4		22	
5		23	
6		24	
7		25	
8		26	
9		27	
10	42375-4103	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18	42375-4111	36	
19			

ENG. NO: A-42375-4130/4161			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ATA154	
PIN LENGTH: L		530/13.46	
MATING LENGTH: M		.320/8.13	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.120/3.05	
TIN: T		OVERALL	
CKTS:		5-36	
KINKS:		SMES-42003	
VOIDED CKTS:		2, 3, 4	
PACKAGING:		BULK	PK-40873-0041
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
		20	
		21	
		22	
5	42375-4130	23	
6		24	
7		25	
8		26	
9		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-4162/4196			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-BSC228	
PIN LENGTH: L		.630/16.00	
MATING LENGTH: M		.400/10.16	
GOLD POINT: G		.345/8.76	
PC TAIL LENGTH: P		140/3.56	
TIN: T		.100/2.54	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
2		20	
3		21	
4	42375-4164	22	
5	42375-4165	23	
6		24	
7		25	
8		26	
9		27	
10	42375-4170	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																			
<div><div><div>MM/IN</div><div>1:1</div></div><div><div>GENERAL TOLERANCES (UNLESS SPECIFIED)</div><div><div>MM</div><div>INCH</div></div></div><div><div>4 PLACES</div><div>±</div><div>±</div></div><div><div>3 PLACES</div><div>±</div><div>± 0.01</div></div><div><div>2 PLACES</div><div>± 0.25</div><div>±</div></div><div><div>1 PLACE</div><div>± 0.38</div><div>±</div></div><div><div>0 PLACES</div><div>±</div><div>±</div></div><div><div>ANGULAR TOL</div><div>± 0.5°</div></div><div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div></div>	<div><div>CURRENT REV DESC: GOLD LENGTH SPEC CHANGED AS MIN 2.54- MAX 5.54 FOR A-42375-0037/0071</div><div><div>EC NO: 689596</div><div>DRWN: SHRUTJ2021/09/14</div><div>CHK'D: SHRUTJ2021/12/20</div><div>APPR: ISHWARG2021/12/20</div></div><div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div></div>	<div><div>molex</div><div><div>KK 100 HEADER ASSY</div><div>FLAT VERTICAL BREAKAWAY</div></div></div>	<div><div>PRODUCT CUSTOMER DRAWING</div><div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div><div><div>DRAWING</div><div>B-SIZE</div></div><div><div>SERIES</div><div>42375</div></div><div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div><div><div>CUSTOMER</div><div>GENERAL MARKET</div></div><div><div>SHEET NUMBER</div><div>32 OF 35</div></div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																																
					<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																												
									<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																								
													<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																				
																	<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																
																					<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>												
																									<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>								
																													<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>				
																																	<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>
<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																																	
				<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																													
								<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																									
												<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																					
																<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																	
																				<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>													
																								<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>									
																												<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>					
																																<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>	
																																				<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>
<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																																	
				<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																													
								<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																									
												<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																					
																<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																	
																				<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>													
																								<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>									
																												<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>					
																																<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>	
																																				<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>
<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																																	
				<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></div>	<div><div>INITIAL REVISION:</div><div><div>DRWN: SCHAFFER2003/02/11</div><div>APPR: MARGULIS2004/02/27</div></div></div>	<div><div>DOCUMENT NUMBER</div><div>SD-42375-001</div></div> <div><div>DRAWING</div><div>B-SIZE</div></div> <div><div>SERIES</div><div>42375</div></div> <div><div>MATERIAL NUMBER</div><div>SEE CHART</div></div> <div><div>CUSTOMER</div><div>GENERAL MARKET</div></div> <div><div>SHEET NUMBER</div><div>32 OF 35</div></div>	<div><div>DOC TYPE</div><div>PSD</div></div> <div><div>DOC PART</div><div>001</div></div> <div><div>REVISION</div><div>V</div></div>																													
								<div><div>0 PLACES</div><div>±</div><div>±</div></div> <div><div>ANGULAR TOL</div><div>± 0.5°</div></div> <div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div></</div>																												

DOCUMENT STATUS	P1	RELEASE DATE	2021/12/20	12:18:33
-----------------	----	--------------	------------	----------

9	8	7	6	5	4	3	2	1
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								
<div></div>								