










TYPICAL PC TERMINAL HOLE LAYOUT
DETAIL A
SCALE 5:1

SEE NOTE 2

CIRCUIT 2
TYP

CIRCUIT 1
TYP

10.29 ±0.08
SEE NOTE 1

8.89 ±0.08

6.35 ±0.08

3.68 OR 4.57
SEE NOTE 1

Ø1.57 ±0.05 TYP
SEE NOTE 1

2X 2.72 ±0.08
SEE NOTE 1

107.95 ±0.10

93.98 ±0.10

80.01 ±0.10

66.04 ±0.10

52.07 ±0.10

38.10 ±0.10

24.13 ±0.10

10.16 ±0.10

13.97 ±0.05 TYP
SEE NOTE 1

12.70 ±0.05
SEE NOTE 1

54.61 REF

8.89 ±0.05 TYP

1.27 ±0.05 TYP

8 PORT ASSEMBLY ONLY Ø3.25 ±0.05 TYP

Ø0.89 ±0.05 TYP


SEE NOTE 2

SEE DETAIL A

DIM E

PCB LAYOUT : COMPONENT SIDE
RECOMMENDED PCB THICKNESS : 1.57

NUMBER OF PORTS	DIM E	DIM F
2	25.40	31.88
4	53.34	59.82
6	81.28	87.86
8	109.22	115.70



- NOTES:
- DIMENSIONS REFER TO SHIELDED ASSEMBLIES ONLY
 - SHIELD PCB GROUND TAB HOLES SPECIFIED NOT PRESENT FOR 441500033 USAGE

QUALITY SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
	= 0	MIGRATED & REDRAWN EC NO: 167139 DRWN: AFENG02 CHK'D: AFENG02 REV APPR: KLANG	2017/10/23 2017/11/10 2017/11/10	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE							
	= 0					mm		2:1							
	= 0			ANGULAR TOL ± 0.5 °				DRWN BY		DATE		CATEGORY 5 MODULAR JACK ASSEMBLIES, GANGED			
	= 0			4 PLACES		±		AFENG02		2017/04/25					
	= 0			3 PLACES		±		CHK'D BY		DATE		PRODUCT CUSTOMER DRAWING			
	= 0			2 PLACES		± 0.25		LKATARZIENE		2017/04/26					
	= 0			1 PLACE		±		APPR BY		DATE		SERIES 44150 MATERIAL NUMBER SEE CHART CUSTOMER GENERAL MARKET			
	= 0			0 PLACES		±		KLANG		2017/04/26					
	= 0			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING SIZE		THIRD ANGLE PROJECTION		DOCUMENT NUMBER SD-44150-002 DOC TYPE PSD DOC PART 001 SHEET NUMBER 3 OF 3			
	= 0			E		REV		A3		