Shenzhen XinLisheng Hardware Electronics Co., Ltd.

2G 3G 4G LTE full band FPC Internal Antenna	
Item NO.	xls-1111
Frequency range	700-2700Mhz
Gain	8dBi internal antenna
VSWR	≤1.8
Polarization	Vertical
Input impedance	50Ω
Power	30w
Size	53*24mm
Cable length	100mm or customized length
Cable type	1.13 coaxial cable
Connector	IPEX or Stripped etc
Mounting	3M sticker
Operation Temperature	- 40 °C ~ + 80 °C
Storage Temperature	- 40 °C ~ + 80 °C
Application	4g lte 3g Wifi 2.4g modules
Cable and connector can be customized,RG178 1.13 with Ipex or Mhf4, MMCX,SMA etc	



XINLISHENG



Lte 4G PFC antenna
Wide band 700-2700Mhz
High gain:8dBi

XinLisheng

Powerful Factory
Support customization

XINLISHENG



XinLisheng

Powerful Factory
Support customization

XINLISHENG



Powerful Factory

Support customization

XINLISHENG

LTE /4G FPC PCB Antenna Series:

Fre:698-2700Mhz / Gain:5-10dBi



Connector:Strip/Ipex/Mhf4 or customized

cable:3/4/5/10/12/15/20cm etc

Powerful Factory

Support customization