






番号 NO.	部品 PART	材質 MATERIAL
①	ハウジング HOUSING	ポリアミド(PA) UL94V-0 色 : SEE CHART POLYAMIDE(PA) UL94V-0 COLOR : SEE CHART
②、③	ターミナル A, B TERMINAL A, B	銅合金 COPPER ALLOY
		錫めっき : 1.0 micro-meter MIN MATTE TIN PLATING(TAIL AREA)
		ニッケルめっき(下地) : 1.0 micro-meter MIN NICKEL (UNDER PLATING)
④	ネイル NAIL	黄銅 BRASS
		錫めっき : 1.0 micro-meter MIN MATTE TIN PLATING
		ニッケルめっき(下地) : 1.0 micro-meter MIN NICKEL (UNDER PLATING)

NOTE

1. 端子テール部およびネイルの平坦度: 0.1mm MAX.
TAIL AND NAIL COPLANARITY TO BE 0.1mm MAX.
- ② (極数/2) = 偶数 に適用
APPLY FOR (CIRCUIT SIZE/2) = EVEN.
- ③ 適用製品及び各種仕様書はSHEET 4を参照のこと
REFER TO SHEET 4 ABOUT APPLICABLE PRODUCTS
AND VARIOUS SPECIFICATIONS.



④ オーダー番号(製品番号): SHEET 6の製品一覧を参照のこと
ORDER No (PRODUCT No) : REFER TO SHEET 6 FOR PRODUCT LIST.

503148 * * 7 *


シリーズ番号 極数 色
SERIES NO CIRCUIT SIZE COLOR

CIRCUIT	NO	COLOR
08~26	0	ナチュラル NATURAL (ベージュ) (BEIGE)
	1	黒 BLACK


⑤ トレードマーク : Mプラス 2文字の製造工場を示す
アルファベットにて表示。
但し、"J"はJAPANを、"L"はMALAYSIAを示す。
(例 : MXJ, MXL)
金型番号 : アルファベット2文字にて表示。
(例 : 1A, 12A, 1B, 12B)

22.0	±0.25	18.0	23.8	26
20.5		16.5	22.3	24
19.0		15.0	20.8	22
17.5		13.5	19.3	20
16.0		12.0	17.8	18
14.5		10.5	16.3	16
13.0		9.0	14.8	14
11.5	(±0.2)	7.5	13.3	12
10.0		6.0	11.8	10
8.5		4.5	10.3	8
C		B	A	極数 CIRCUIT NO


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: RELEASED		molex	
DIMENSION UNITS mm	SCALE NTS				
GENERAL TOLERANCES (UNLESS SPECIFIED)				CLIK-MATE 1.5 DUAL ROW SMT R/A TYPE REC ASSY TIN PLATING	
ANGULAR TOL ± 3.0 °				PRODUCT CUSTOMER DRAWING	
4 PLACES ± 0.2	EC NO: 645962	2020/09/15		DOCUMENT NUMBER	
3 PLACES ± 0.2	DRWN: HHUSSIN	2020/09/25		DOC TYPE	
2 PLACES ± 0.2	CHK'D: SAKIYAMA	2020/09/28		DOC PART	
1 PLACE ± 0.25	APPR: KOMURAKAMI			REVISION	
0 PLACES ± 0.3	INITIAL REVISION:			5031480001-SD	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER
			A3-SIZE	503148	SEE CHART
					CUSTOMER
					GENERAL
					SHEET NUMBER
					1 OF 6







極数別ハウジング形状および吸着エリア
HOUSING SHAPE AND VACUUM AREA AT EACH CKTS




5.6	5.2	26
		24
	3.2	22
		20
		18
	2.5	16
		14
	2.3	12
2.75	3.6	10
		8
E	D	極数 CIRCUIT NO

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
DIMENSION UNITS		SCALE		CURRENT REV DESC: RELEASED			molex			
mm		NTS								
GENERAL TOLERANCES (UNLESS SPECIFIED)										
ANGULAR TOL		± 3.0 °		EC NO: 645962			CLIK-MATE 1.5 DUAL ROW SMT R/A TYPE REC ASSY TIN PLATING			
4 PLACES		± 0.2		DRWN: HHUSSIN 2020/09/15						
3 PLACES		± 0.2		CHK'D: SAKIYAMA 2020/09/25						
2 PLACES		± 0.2		APPR: KOMURAKAMI 2020/09/28			PRODUCT CUSTOMER DRAWING			
1 PLACE		± 0.25		INITIAL REVISION:						
0 PLACES		± 0.3		DRWN: HHUSSIN 2020/09/15			DOCUMENT NUMBER			
APPR: KOMURAKAMI 2020/09/28				5031480001-SD			DOC TYPE		DOC PART	REVISION
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER
				A3-SIZE		503148	SEE CHART		GENERAL	
									SHEET NUMBER	
									3 OF 6	




49.4	45.4	20.2	40.4	44±0.3	26
					24
					22
					20
					18
37.4	33.4	14.2	28.4	32±0.3	16
					14
					12
29.4	25.4	11.5	-	24 ^{+0.3} _{-0.1}	10
					8
K	J	H	G	エンボステープ幅F WIDTH OF TAPE	極数 CIRCUIT NO

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: RELEASED				molex							
mm		NTS													
GENERAL TOLERANCES (UNLESS SPECIFIED)				CLIK-MATE 1.5 DUAL ROW SMT R/A TYPE REC ASSY TIN PLATING											
ANGULAR TOL ± 3.0°															
4 PLACES		± 0.2		EC NO: 645962				PRODUCT CUSTOMER DRAWING							
3 PLACES		± 0.2		DRWN: HHUSSIN 2020/09/15											
2 PLACES		± 0.2		CHK'D: SAKIYAMA 2020/09/25											
1 PLACE		± 0.25		APPR: KOMURAKAMI 2020/09/28				DOCUMENT NUMBER		DOC TYPE		DOC PART		REVISION	
0 PLACES		± 0.3		INITIAL REVISION:				5031480001-SD		PSD		000		A	
DRWN: HHUSSIN 2020/09/15				APPR: KOMURAKAMI 2020/09/28				MATERIAL NUMBER		CUSTOMER				SHEET NUMBER	
APPR: KOMURAKAMI				THIRD ANGLE PROJECTION		DRAWING		SERIES		SEE CHART		GENERAL		4 OF 6	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS						A3-SIZE		503148							

NOTE

7. 梱包数量 : 550個 / リール
NUMBER OF CONNECTORS : 550 PIECES/REEL
8. リードテープ長さ
LEAD TAPE LENGTH



9. トップテープの剥離強度はJIS C0806-3に準拠
TOP TAPE PEELING OFF FORCE IS DEFINED BY JIS C0806-3
10. 本製品は乾燥剤入り、ハイバリア梱包である。
THIS PRODUCT IS DELIVERED IN HIGH BARRIER PACKAGE WITH DESICCANT.

A	番号 No.	部品 PART	材質 MATERIAL
	④	エンボステープ EMBOSSSED TAPE	ポリスチレン(PS) POLYSTYLENE
	⑤	トップテープ TOP TAPE	ポリエチレン、ポリエチレンテレフタレート POLYETHYLENE (PE), POLYETHYLENE TELEPHTHALATE (PET)
	⑥	リール REEL	ポリスチレン (リサイクル材を含む) POLYSTYLENE (CONTAINED RECYCLED MATERIAL)

4

製品一覧

PRODUCTS LIST

黒 BLACK	ナチュラル(ベージュ) NATURAL(BEIGE)	HOUSING COLOR
503148 2671	503148 2670	26
503148 2471	503148 2470	24
503148 2271	503148 2270	22
503148 2071	503148 2070	20
503148 1871	503148 1870	18
503148 1671	503148 1670	16
503148 1471	503148 1470	14
503148 1271	503148 1270	12
503148 1071	503148 1070	10
503148 0871	503148 0870	8
オーダー番号 ORDER No		極数 CIRCUIT NO

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: RELEASED			molex				
mm		NTS									
GENERAL TOLERANCES (UNLESS SPECIFIED)											
ANGULAR TOL		± 3.0 °					EC NO: 645962				
4 PLACES		± 0.2		DRWN: HHUSSIN			2020/09/15				
3 PLACES		± 0.2		CHK'D: SAKIYAMA			2020/09/25				
2 PLACES		± 0.2		APPR: KOMURAKAMI			2020/09/28				
1 PLACE		± 0.25		INITIAL REVISION:			DOCUMENT NUMBER				
0 PLACES		± 0.3		DRWN: HHUSSIN			2020/09/15				
				APPR: KOMURAKAMI			2020/09/28				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
						A3-SIZE	503148	SEE CHART		GENERAL	6 OF 6