




NOTES

- 1. 製品詳細寸法については図面SD-54363-050を参照下さい。
DETAIL DIMENSION, SEE SD-54363-050.
- 2. 梱包数量 : 2500個 / リール
NUMBER OF CONNECTORS : 2500PCS/REEL
- 3. リードテープ長さ
LEAD TAPE LENGTH

4. 材料

MATERIAL


キャリアテープ : ポリプロピレン (PP)
CARRIER TAPE : POLYPROPYLENE (PP)
トップテープ : PET , PE , PEF
TOP TAPE : PET , PE , PEF
リール : ポリスチレン
REEL : POLYSTYREN


- 5. カバーテープの剥離強度については、IEC60286-3に準拠
COVER TAPE PEEL FORCE IS DEFINED BY IEC60286-3.

DOCUMENT STATUS	P1	RELEASE DATE	2020/11/30	03:37:41
-----------------	----	--------------	------------	----------


FORMAT: master-b-prod-A3
REVISION: J
DATE: 2020/11/14

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: REVISED				molex	
MM		---							
GENERAL TOLERANCES (UNLESS SPECIFIED)				ANGULAR TOL		±		30°	
				4 PLACES		±		0.2	
				3 PLACES		±		0.25	
				2 PLACES		±		0.3	
				1 PLACE		±			
0 PLACES				±					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				EC NO: 642297		2020/09/16			
				DRWN: SUDAYGUNAGI		2020/11/30			
				CHK'D: HSHIMOYAMA		2020/11/30			
				APPR: SHOSHIKAWA		2020/11/30			
INITIAL REVISION:				DRWN: Y . AOYAGI		2006/11/08			
				APPR: N . UK I TA		2006/11/08			
		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
				A3-SIZE		54363		SEE CHART	
								CUSTOMER	
								GENERAL	
								SHEET NUMBER	
								1 OF 2	







半田付け部詳細図
DETAIL FOR SOLDERING AREA



嵌合断面図 (参考)
MATED DRAWING (REF.)



推奨基板寸法
RECOMMENDED PCB PATTERN LAYOUT
(SCALE 5:1)

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	CURRENT REV DESC: REVISED			molex 0.5 MM PITCH B-TO-B CONN. HEIGHT = 2 RECEPTACLE			
		MM	10:1							
0.25 ^{UNDER}	±0.03	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 642297 DRWN: SUDAYGUNAGI 2020/09/17 CHK'D: HSHIMOYAMA 2020/11/30 APPR: SHOSHIKAWA 2020/11/30			PRODUCT CUSTOMER DRAWING			
0.25 ^{OVER} 0.5 ^{UNDER}	±0.05									
0.5 ^{OVER} 1.0 ^{UNDER}	±0.1	ANGULAR TOL ± 30 °	INITIAL REVISION: DRWN: Y . AOYAGI 2006/11/08 APPR: N . UK I TA 2006/11/08			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
1.0 ^{OVER} 10 ^{UNDER}	±0.2	4 PLACES ± 0.2				SD-54363-050		PSD	001	D
10 ^{OVER} 30 ^{UNDER}	±0.25	3 PLACES ± 0.25	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
30 ^{OVER}	±0.3	2 PLACES ± 0.3				SEE SHEET 1		GENERAL		2 OF 2
ANGULAR±3°		1 PLACE ±	THIRD ANGLE PROJECTION		DRAWING	SERIES				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		0 PLACES ±			A3-SIZE	54363				
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								