



PCB LAYOUT - COMPONENT VIEW



TECHNICAL CHARACTERISTICS

MATERIAL
INSULATOR: PA6T
FLAMMABILITY RATING: UL94-V0
COLOR: BLACK
CONTACT MATERIAL: COPPER ALLOY
CONTACT TYPE: STAMPED
CONTACT PLATING: GOLD
QUALITY CLASS: 3 AS PER CECC 75 301-802
PITCH: 2.54MM

ENVIRONMENTAL
OPERATING TEMPERATURE: -40 UP TO 105°C
COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL
CURRENT RATING: 3A
WORKING VOLTAGE: 250V AC
INSULATOR RESISTANCE: >1000 MOHM
DIELECTRIC WITHSTANDING VOLTAGE: 500V AC/MN
CONTACT RESISTANCE: 20 mOHM MAX

STANDARD
CERTIFIED: E323964

SOLDERING
JEDEC LEAD FREE WAVE SOLDERING PROCESS

PACKAGING
BAG

DIMENSION
A = 2.54 x (NB PINS - 1)
B = 2.54 x NB PINS

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15	 WÜRTH ELEKTRONIK	
J	31-JUL-15	PACKAGING	AK	APPROVAL: GMo	UNIT: MM	DESCRIPTION: 2.54MM PIN HEADER	SIZE A4
I	16-JUN-15	PCN PA6T	AK		SCALE:		
H	22-MAR-12	TKP	GG		SHEET: 1/3		
REV	DATE	FILE	BY		DRAW: PEARL		
						WERI PART NO: 613 0xx 111 21	

1				2				3				4				5				A																																																																																																																																																																													
<table> <tr> <th>Pin</th><th>Pcs/Bag</th><th>Pcs/Inner Carton</th><th>Pcs/Carton</th> <th>Pin</th><th>Pcs/Bag</th><th>Pcs/Inner Carton</th><th>Pcs/Carton</th> </tr> <tr><td>01P</td><td>1000</td><td>19000</td><td>38000</td><td>22P</td><td>500</td><td>7000</td><td>14000</td></tr> <tr><td>02P</td><td>1000</td><td>19000</td><td>38000</td><td>23P</td><td>500</td><td>7000</td><td>14000</td></tr> <tr><td>03P</td><td>1000</td><td>19000</td><td>38000</td><td>24P</td><td>250</td><td>7000</td><td>14000</td></tr> <tr><td>04P</td><td>1000</td><td>7000</td><td>14000</td><td>25P</td><td>250</td><td>7000</td><td>14000</td></tr> <tr><td>05P</td><td>1000</td><td>7000</td><td>14000</td><td>26P</td><td>250</td><td>7000</td><td>14000</td></tr> <tr><td>06P</td><td>1000</td><td>7000</td><td>14000</td><td>27P</td><td>250</td><td>7000</td><td>14000</td></tr> <tr><td>07P</td><td>1000</td><td>7000</td><td>14000</td><td>28P</td><td>250</td><td>7000</td><td>14000</td></tr> <tr><td>08P</td><td>1000</td><td>7000</td><td>14000</td><td>29P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>09P</td><td>1000</td><td>4500</td><td>9000</td><td>30P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>10P</td><td>1000</td><td>4500</td><td>9000</td><td>31P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>11P</td><td>1000</td><td>4500</td><td>9000</td><td>32P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>12P</td><td>1000</td><td>4500</td><td>9000</td><td>33P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>13P</td><td>1000</td><td>4500</td><td>9000</td><td>34P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>14P</td><td>500</td><td>4500</td><td>9000</td><td>35P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>15P</td><td>500</td><td>4500</td><td>9000</td><td>36P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>16P</td><td>500</td><td>7000</td><td>14000</td><td>37P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>17P</td><td>500</td><td>7000</td><td>14000</td><td>38P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>18P</td><td>500</td><td>7000</td><td>14000</td><td>39P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>19P</td><td>500</td><td>7000</td><td>14000</td><td>40P</td><td>200</td><td>7000</td><td>14000</td></tr> <tr><td>20P</td><td>500</td><td>7000</td><td>14000</td><td></td><td></td><td></td><td></td></tr> <tr><td>21P</td><td>500</td><td>7000</td><td>14000</td><td></td><td></td><td></td><td></td></tr> </table> PE BAG Inner Carton Carton																Pin	Pcs/Bag	Pcs/Inner Carton	Pcs/Carton		Pin	Pcs/Bag	Pcs/Inner Carton	Pcs/Carton	01P	1000	19000	38000	22P	500	7000	14000	02P	1000	19000	38000	23P	500	7000	14000	03P	1000	19000	38000	24P	250	7000	14000	04P	1000	7000	14000	25P	250	7000	14000	05P	1000	7000	14000	26P	250	7000	14000	06P	1000	7000	14000	27P	250	7000	14000	07P	1000	7000	14000	28P	250	7000	14000	08P	1000	7000	14000	29P	200	7000	14000	09P	1000	4500	9000	30P	200	7000	14000	10P	1000	4500	9000	31P	200	7000	14000	11P	1000	4500	9000	32P	200	7000	14000	12P	1000	4500	9000	33P	200	7000	14000	13P	1000	4500	9000	34P	200	7000	14000	14P	500	4500	9000	35P	200	7000	14000	15P	500	4500	9000	36P	200	7000	14000	16P	500	7000	14000	37P	200	7000	14000	17P	500	7000	14000	38P	200	7000	14000	18P	500	7000	14000	39P	200	7000	14000	19P	500	7000	14000	40P	200	7000	14000	20P	500	7000	14000					21P	500	7000	14000					B
																Pin	Pcs/Bag	Pcs/Inner Carton	Pcs/Carton		Pin	Pcs/Bag	Pcs/Inner Carton	Pcs/Carton																																																																																																																																																																									
01P	1000	19000	38000	22P	500	7000	14000																																																																																																																																																																																										
02P	1000	19000	38000	23P	500	7000	14000																																																																																																																																																																																										
03P	1000	19000	38000	24P	250	7000	14000																																																																																																																																																																																										
04P	1000	7000	14000	25P	250	7000	14000																																																																																																																																																																																										
05P	1000	7000	14000	26P	250	7000	14000																																																																																																																																																																																										
06P	1000	7000	14000	27P	250	7000	14000																																																																																																																																																																																										
07P	1000	7000	14000	28P	250	7000	14000																																																																																																																																																																																										
08P	1000	7000	14000	29P	200	7000	14000																																																																																																																																																																																										
09P	1000	4500	9000	30P	200	7000	14000																																																																																																																																																																																										
10P	1000	4500	9000	31P	200	7000	14000																																																																																																																																																																																										
11P	1000	4500	9000	32P	200	7000	14000																																																																																																																																																																																										
12P	1000	4500	9000	33P	200	7000	14000																																																																																																																																																																																										
13P	1000	4500	9000	34P	200	7000	14000																																																																																																																																																																																										
14P	500	4500	9000	35P	200	7000	14000																																																																																																																																																																																										
15P	500	4500	9000	36P	200	7000	14000																																																																																																																																																																																										
16P	500	7000	14000	37P	200	7000	14000																																																																																																																																																																																										
17P	500	7000	14000	38P	200	7000	14000																																																																																																																																																																																										
18P	500	7000	14000	39P	200	7000	14000																																																																																																																																																																																										
19P	500	7000	14000	40P	200	7000	14000																																																																																																																																																																																										
20P	500	7000	14000																																																																																																																																																																																														
21P	500	7000	14000																																																																																																																																																																																														
C																																																																																																																																																																																																	
	<table> <tr> <th colspan="4">RoHS Compliant</th> </tr> <tr><td>G</td><td></td><td></td><td></td></tr> <tr><td>F</td><td></td><td></td><td></td></tr> <tr><td>E</td><td></td><td></td><td></td></tr> <tr><td>D</td><td></td><td></td><td></td></tr> <tr><td>C</td><td></td><td></td><td></td></tr> <tr><td>B</td><td></td><td></td><td></td></tr> <tr><td>A</td><td></td><td>PDF</td><td></td></tr> <tr> <td>REV</td> <td>DATE</td> <td>FILE</td> <td>BY</td> </tr> </table> <table> <tr> <td>PROJECTION:</td> <td rowspan="5"> </td> </tr> <tr> <td>APPROVAL: GMo</td> </tr> </table> <table> <tr> <td>GENERAL TOLERANCE</td> </tr> <tr> <td>.X = +/- 0.2</td> </tr> <tr> <td>.XX = +/- 0.15</td> </tr> <tr> <td>UNIT: MM</td> </tr> <tr> <td>SCALE:</td> </tr> <tr> <td>SHEET: 2/3</td> </tr> <tr> <td>DRAW: PEARL</td> </tr> </table> <table> <tr> <td colspan="2"> </td> </tr> <tr> <td>DESCRIPTION: 2.54MM PIN HEADER</td> <td rowspan="3"> SIZE A4 </td> </tr> <tr> <td>WERI PART NO: 613 0xx 111 21</td> </tr> </table>																RoHS Compliant				G				F				E				D				C				B				A		PDF		REV	DATE	FILE	BY	PROJECTION:		APPROVAL: GMo	GENERAL TOLERANCE	.X = +/- 0.2	.XX = +/- 0.15	UNIT: MM	SCALE:	SHEET: 2/3	DRAW: PEARL			DESCRIPTION: 2.54MM PIN HEADER	SIZE A4	WERI PART NO: 613 0xx 111 21	D																																																																																																																													
RoHS Compliant																																																																																																																																																																																																	
G																																																																																																																																																																																																	
F																																																																																																																																																																																																	
E																																																																																																																																																																																																	
D																																																																																																																																																																																																	
C																																																																																																																																																																																																	
B																																																																																																																																																																																																	
A		PDF																																																																																																																																																																																															
REV	DATE	FILE	BY																																																																																																																																																																																														
PROJECTION:																																																																																																																																																																																																	
APPROVAL: GMo																																																																																																																																																																																																	
GENERAL TOLERANCE																																																																																																																																																																																																	
.X = +/- 0.2																																																																																																																																																																																																	
.XX = +/- 0.15																																																																																																																																																																																																	
UNIT: MM																																																																																																																																																																																																	
SCALE:																																																																																																																																																																																																	
SHEET: 2/3																																																																																																																																																																																																	
DRAW: PEARL																																																																																																																																																																																																	
DESCRIPTION: 2.54MM PIN HEADER	SIZE A4																																																																																																																																																																																																
WERI PART NO: 613 0xx 111 21																																																																																																																																																																																																	

[illegible]