

	10	9		8		7		6		5	4	3	2	1																														
	MATERIAL NO	OPTIONAL SUB ASSY	PLT REF	DIM M	DIM G	CKT SIZE	VOID CKT #	KINKED PIN	PICK & PLACE CAP	CUT PIN CKT NO.																																		
F	68301-1007	42375-0010	154	.240 6.10	.433 10.99	10	NONE	NONE	YES	-					F																													
	68301-1109	42375-0115	154	.320 8.13	-	10	NONE	NONE	-	-																																		
	68301-1159 	42375-0116	154	.320 8.13	.513 13.02	11	NONE	NONE	YES	-																																		
	68301-1063	-	154	.240 6.10	-	12	NONE	NONE	-	-																																		
	68301-1111	42375-0117	154	.320 8.13	-	12	NONE	NONE	-	-																																		
	68301-1157	NONE	208	.605 15.37	-	12	NONE	NONE	-	-																																		
E	68301-1065	42375-0014	154	.240 6.10	-	14	NONE	NONE	-	-					E																													
	68301-1129	42375-0154	208	.320 8.13	-	14	NONE	NONE	-	-																																		
	68301-1113	42375-0121	154	.320 8.13	-	14	NONE	NONE	-	-																																		
	68301-1066	42375-0015	154	.240 6.10	-	15	NONE	NONE	-	-																																		
	68301-1067	42375-0016	154	.240 6.10	-	16	NONE	NONE	-	-																																		
	68301-1115	42375-0121	154	.320 8.13	-	16	NONE	NONE	-	-																																		
D	68301-1069	42375-0018	154	.240 6.10	-	18	NONE	NONE	-	-					D																													
	68301-1117	42375-0123	154	.320 8.13	-	18	NONE	NONE	-	-																																		
	68301-1119	42375-0125	154	.320 8.13	-	20	NONE	NONE	-	-																																		
	68301-1071	42375-0020	154	.240 6.10	-	20	NONE	NONE	-	-																																		
	68301-1072	42375-0021	154	.240 6.10	-	21	NONE	NONE	-	-																																		
	68301-1123	42375-0129	154	.320 8.13	-	24	NONE	NONE	-	-																																		
C															C																													
B															B																													
A															A																													
ADD T&R P/N 68301-0400 EC NO: S2009-0634 DRWN:SKANG CHKD:ATSEE APPR:MLONG M6 2009/04/01 2009/04/06 2009/04/14 DESCRIPTION REV QUALITY SYMBOLS =0 =0 GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .005</td></tr><tr><td>2 PLACES</td><td>± 0.13</td><td>± .010</td></tr><tr><td>1 PLACE</td><td>± 0.25</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ±1/2°</td></tr></table> DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE IN/MM <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>SAMIAC</td><td>2000/10/28</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>SAMIEC</td><td>2000/10/28</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>EDGLEY</td><td>2000/10/28</td></tr></table> MATERIAL NO. SEE TABLE SCALE NTS DESIGN UNITS INCH THIRD ANGLE PROJECTION  TITLE CUSTOM HEADER .100/(2.54) CENTERLINE VERTICAL/SMT SINGLE ROW  MOLEX INCORPORATED DOCUMENT NO. SD-68301-001 SHEET NO. 2 OF 5 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± .005	2 PLACES	± 0.13	± .010	1 PLACE	± 0.25	± ---	ANGULAR ±1/2°			DRAWN BY	DATE	SAMIAC	2000/10/28	CHECKED BY	DATE	SAMIEC	2000/10/28	APPROVED BY	DATE	EDGLEY	2000/10/28
	mm	INCH																																										
4 PLACES	± ---	± ---																																										
3 PLACES	± ---	± .005																																										
2 PLACES	± 0.13	± .010																																										
1 PLACE	± 0.25	± ---																																										
ANGULAR ±1/2°																																												
DRAWN BY	DATE																																											
SAMIAC	2000/10/28																																											
CHECKED BY	DATE																																											
SAMIEC	2000/10/28																																											
APPROVED BY	DATE																																											
EDGLEY	2000/10/28																																											

fb_frame_A3_P_AM_T

Rev. E 2006/04/15



	9	8	7	6	5	4	3	2	1
--	---	---	---	---	---	---	---	---	---

	10		9		8		7		6		5		4		3		2		1		
	MATERIAL NO.	OPTIONAL SUB ASSY	PLT REF	DIM M	DIM G	CKT SIZE	VOID CKT #	KINKED PIN	PICK & PLACE CAP	CUT PIN CKT NO.											
F	68301-1054	42375-0002	154	.240 6.10	-	2	NONE	NONE	-	-											
	68301-1055	42375-0037	208	.240 6.10	-	2	NONE	NONE	-	-											
	68301-1056	42375-0072	228	.240 6.10	-	2	NONE	NONE	-	-											
	68301-1051	42375-0107	154	.320 8.13	-	2	NONE	NONE	-	-											
	68301-1009	42375-0038	208	.240 6.10	-	3	NONE	NONE	-	-											
	68301-1014	42375-0003	154	.240 6.10	-	3	NONE	NONE	-	-											
E	68301-1020	42375-0073	228	.240 6.10	-	3	NONE	NONE	-	-											
	68301-1031	42375-0108	154	.320 8.13	-	3	NONE	NONE	-	-											
	68301-1037	42375-0143	208	.320 8.13	-	3	NONE	NONE	-	-											
	68301-1010	42375-0039	208	.240 6.10	-	4	NONE	NONE	-	-											
	68301-1015	42375-0004	154	.240 6.10	-	4	NONE	NONE	-	-											
	68301-1021	42375-0074	228	.240 6.10	-	4	NONE	NONE	-	-											
D	68301-1032	42375-0109	154	.320 8.13	-	4	NONE	NONE	-	-											
	68301-0400	-	228	.320 8.13	.513 13.02	4	NONE	NONE	YES	-											
	68301-1038	42375-0144	208	.320 8.13	-	4	NONE	NONE	-	-											
	68301-1006	42375-0040	208	.240 6.10	-	5	NONE	NONE	-	-											
	68301-1016	42375-0005	154	.240 6.10	-	5	NONE	NONE	-	-											
	68301-1033	42375-0110	154	.320 8.13	-	5	NONE	NONE	-	-											
C	68301-1039	42375-0145	208	.320 8.13	-	5	NONE	NONE	-	-											
B																					
A																					

	10		9		8		7		6		5		4		3		2		1																																																								
	ASSEMBLY IN TUBE	ASSEMBLY IN T&R WITH CAP	OPTIONAL SUB ASSY	PLT REF	DIM M	DIM G	CKT SIZE	VOID CKT #	KINKED PIN	PICK & PLACE CAP	CUT PIN CKT NO.																																																																
F	68301-1011	-	42375-0041	208	.240 6.10	-	6	NONE	NONE	-	-																																																																
	68301-1017	-	42375-0006	154	.240 6.10	-	6	NONE	NONE	-	-																																																																
	68301-1034	68301-1160	42375-0111	154	.320 8.13	.513 13.02	6	NONE	NONE	YES	-																																																																
	68301-1040	-	42375-0146	208	.320 8.13	-	6	NONE	NONE	-	-																																																																
	68301-1023	-	42375-0076	228	.240 6.10	-	6	NONE	NONE	-	-																																																																
	68301-1012	-	42375-0042	208	.240 6.10	-	7	NONE	NONE	-	-																																																																
E	68301-1018	-	42375-0007	154	.240 6.10	-	7	NONE	NONE	-	-																																																																
	68301-1035	-	42375-0112	154	.320 8.13	-	7	NONE	NONE	-	-																																																																
	68301-1041	-	42375-0147	208	.320 8.13	-	7	NONE	NONE	-	-																																																																
	68301-1013	-	42375-0043	208	.240 6.10	-	8	NONE	NONE	-	-																																																																
	68301-1029	-	-	228	.240 6.10	-	8	NONE	NONE	-	-																																																																
	68301-1019	-	42375-0008	154	.240 6.10	-	8	NONE	NONE	-	-																																																																
D	68301-1028	-	-	228	.505 12.83	-	8	NONE	NONE	-	-																																																																
	68301-1036	-	42375-0113	154	.320 8.13	-	8	NONE	NONE	-	-																																																																
	68301-1042	-	42375-0148	208	.320 8.13	-	8	NONE	NONE	-	-																																																																
	68301-0800	-	-	208	.605 15.37	-	8	NONE	NONE	-	-																																																																
	68301-1076	-	42375-0044	208	.240 6.10	-	9	NONE	NONE	-	-																																																																
	68301-1060	-	-	154	.240 6.10	-	9	NONE	NONE	-	-																																																																
C																																																																											
B																																																																											
A																																																																											
												<table><tr><td rowspan="6">ADD T&R P/N 68301-0400 EC NO: S2009-0634 DRWN:SKANG 2009/04/01 CHKD:ATSEE 2009/04/06 APPR:MLONG 2009/04/14 REV</td><td rowspan="6">QUALITY SYMBOLS ▽=0 ▽C=0</td><td rowspan="6">GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .005</td></tr><tr><td>2 PLACES</td><td>± 0.13</td><td>± .010</td></tr><tr><td>1 PLACE</td><td>± 0.25</td><td>± ---</td></tr></table></td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE NTS</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2">DRAWN BY SAMIAC</td><td colspan="2">DATE 2000/10/28</td><td colspan="4" rowspan="2">CUSTOM HEADER .100/(2.54) CENTERLINE VERTICAL/SMT SINGLE ROW</td></tr><tr><td colspan="2">CHECKED BY SAMIAC</td><td colspan="2">DATE 2000/10/28</td></tr><tr><td colspan="2">APPROVED BY EDGLEY</td><td colspan="2">DATE 2000/10/28</td><td colspan="4" rowspan="2">MOLEX INCORPORATED</td></tr><tr><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td></tr><tr><td colspan="2">SIZE A3</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td><td colspan="2">SHEET NO. 4 OF 5</td></tr></table>								ADD T&R P/N 68301-0400 EC NO: S2009-0634 DRWN:SKANG 2009/04/01 CHKD:ATSEE 2009/04/06 APPR:MLONG 2009/04/14 REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .005</td></tr><tr><td>2 PLACES</td><td>± 0.13</td><td>± .010</td></tr><tr><td>1 PLACE</td><td>± 0.25</td><td>± ---</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± .005	2 PLACES	± 0.13	± .010	1 PLACE	± 0.25	± ---	DIMENSION STYLE IN/MM		SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		DRAWN BY SAMIAC		DATE 2000/10/28		CUSTOM HEADER .100/(2.54) CENTERLINE VERTICAL/SMT SINGLE ROW				CHECKED BY SAMIAC		DATE 2000/10/28		APPROVED BY EDGLEY		DATE 2000/10/28		MOLEX INCORPORATED				MATERIAL NO.		DOCUMENT NO.		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				SHEET NO. 4 OF 5	
ADD T&R P/N 68301-0400 EC NO: S2009-0634 DRWN:SKANG 2009/04/01 CHKD:ATSEE 2009/04/06 APPR:MLONG 2009/04/14 REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .005</td></tr><tr><td>2 PLACES</td><td>± 0.13</td><td>± .010</td></tr><tr><td>1 PLACE</td><td>± 0.25</td><td>± ---</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± .005	2 PLACES	± 0.13	± .010	1 PLACE	± 0.25	± ---	DIMENSION STYLE IN/MM					SCALE NTS	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																		
				mm	INCH																																																																						
			4 PLACES	± ---	± ---																																																																						
			3 PLACES	± ---	± .005																																																																						
			2 PLACES	± 0.13	± .010																																																																						
			1 PLACE	± 0.25	± ---																																																																						
DRAWN BY SAMIAC		DATE 2000/10/28		CUSTOM HEADER .100/(2.54) CENTERLINE VERTICAL/SMT SINGLE ROW																																																																							
CHECKED BY SAMIAC		DATE 2000/10/28																																																																									
APPROVED BY EDGLEY		DATE 2000/10/28		MOLEX INCORPORATED																																																																							
MATERIAL NO.		DOCUMENT NO.																																																																									
SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				SHEET NO. 4 OF 5																																																																					
fb_frame_A3_P_AM_T Rev. E 2006/04/15												9	8	7	6	5	4	3	2	1																																																							

CKT SIZE	QTY/ REEL	Ao	Ko	F	So	W	TYPE
4	TBD	4.85	13.40	11.50	-	24.00	B
6	230	4.85	13.40	14.20	28.40	32.00	A
10	230	4.90	11.30	20.20	40.40	44.00	A


EMBOSSED TYPE A



SECTION Z-Z

NOTES:

1. LEADER AND TRAILER TAPE




2. PEELING OFF FORCE OF THE TOP TAPE: 60gf MAX. (PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



- THE TAPE IS TREATED FOR ANTI ESD
- PACKAGING STANDARD AS PER EIA-481.
- ABOVE PACKAGING ILLUSTRATION IS FOR 6CKT ONLY.

EMBOSSED TYPE B



CUSTOMER PULL
OUT DIRECTION

ADD T&R P/N 68301-0400 EC NO: S2009-0634 DRWN:SKANG CHKD:ATSEE APPR:MLONG M6	QUALITY SYMBOLS ▽=0 ▽C=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION				
				IN/MM		NTS	INCH					
				mm	INCH	DRAWN BY		DATE		TITLE		
				4 PLACES	± ---	± ---	SAMIAC		2000/10/28		CUSTOM HEADER .100/(2.54) CENTERLINE VERTICAL/SMT SINGLE ROW MOLEX INCORPORATED	
				3 PLACES	± ---	± .005	CHECKED BY		DATE			
				2 PLACES	± 0.13	± .010	SAMIEC		2000/10/28			
				1 PLACE	± 0.25	± ---	APPROVED BY		DATE			
				ANGULAR ±1/2°		EDGLEY		2000/10/28				
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
						SEE TABLE		SD-68301-001		5 OF 5		
SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										