


MATERIALS AND FINISHES

BODY BRASS
PLATED GOLD

CENTER CONTACT BERYLLIUM COPPER
PLATED GOLD


INSULATOR TEFLON


KAPTON
COLOR AMBER




PS-89675-1920	ELECTRO/MECH PERFORM.
SPECIFICATION	DESCRIPTION

73415-2065	73415-2061 WITH TAPE & REEL WITHOUT KAPTON
73415-2064	73415-2061. ONE PER BAG
73415-2063	73415-2061 WITH TAPE & REEL/KAPTON
73415-2062	73415-2060 WITH TAPE & REEL/KAPTON
73415-2061	PER COMMERICAL REQUIREMENTS, PACKING TRAY
73415-2060	PER MILITARY REQUIREMENTS, PACKING TRAY
PART NO.	PLATING



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	DIMENSION UNITS		SCALE		CURRENT REV DESC: EWR # 15708-A : ADDED PACKAGING SPEC FOR -2060 & -2061 PART NO		molex				
	MM/INCH		NTS								
	$\frac{F}{A} = 0$						GENERAL TOLERANCES (UNLESS SPECIFIED)				
$\frac{F}{E} = 0$											
$\frac{F}{D} = 0$											
DIVISIONAL SYMBOLS	ANGULAR TOL ± 2.0°				EC NO: 740907		MMCX JACK, VERTICAL PCB/SMT 50 OHMS MMCX-J/PCB				
	4 PLACES		±		DRWN: JSU18 2023/03/02						
	3 PLACES		±		CHK'D: YCHENG 2023/03/16						
	2 PLACES		±		APPR: YCHENG 2023/03/16		PRODUCT CUSTOMER DRAWING				
	1 PLACE		±		INITIAL REVISION:						
	0 PLACES		±		DRWN: TFLAHERTY 2006/02/09		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
					APPR: JWIENER 2006/02/09		SD-73415-206		PSD	001	B2
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER	
				C-SIZE	73415		GENERAL MARKET		1 OF 5		



FUNCTIONAL SYMBOLS $\frac{F}{A} = 0$ $\frac{F}{C} = 0$ $\frac{F}{P} = 0$ DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
	DIMENSION UNITS	SCALE	CURRENT REV DESC: EWR # 15708-A : ADDED PACKAGING SPEC FOR -2060 & -2061 PART NO							
	MM/INCH	NTS	GENERAL TOLERANCES (UNLESS SPECIFIED)							
	ANGULAR TOL	± 2.0°	EC NO: 740907							
DIVISIONAL SYMBOLS	4 PLACES	±	DRWN: JSU18 2023/03/02							
	3 PLACES	±	CHK'D: YCHENG 2023/03/16							
	2 PLACES	±	APPR: YCHENG 2023/03/16							
	1 PLACE	±	INITIAL REVISION:							
DIVISIONAL SYMBOLS	0 PLACES	±	DRWN: TFLAHERTY 2006/02/09							
	0 PLACES	±	APPR: JWIENER 2006/02/09							
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		DOCUMENT NUMBER	
					C-SIZE		73415		SD-73415-206	
DOCUMENT STATUS		P1	RELEASE DATE		2023/03/16		04:28:02		CUSTOMER	
									GENERAL MARKET	
									SHEET NUMBER	
									2 OF 5	

molex

MMCX JACK, VERTICAL
PCB/SMT 50 OHMS MMCX-J/PCB



PRODUCT CUSTOMER DRAWING

SD-73415-206

PSD 001 B2

DOCUMENT STATUS P1 RELEASE DATE 2023/03/16 04:28:02

NOTE:
13" REEL SIZE FOR 1600 PIECES




FUNCTIONAL SYMBOLS F A = 0 F C = 0

F


P

DIVISIONAL SYMBOLS





FUNCTIONAL SYMBOLS DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
	DIMENSION UNITS	SCALE	CURRENT REV DESC: EWR # 15708-A : ADDED PACKAGING SPEC FOR -2060 & -2061 PART NO							
	MM/INCH	NTS								
	GENERAL TOLERANCES (UNLESS SPECIFIED)									
	ANGULAR TOL ± 2.0 °									
4 PLACES		±	EC NO: 740907		2023/03/02					
3 PLACES		±	DRWN: JSU18		2023/03/16					
2 PLACES		±	CHK'D: YCHENG		2023/03/16					
1 PLACE		±	APPR: YCHENG		2023/03/16					
0 PLACES		±	INITIAL REVISION:							
			DRWN: TFLAHERTY		2006/02/09					
			APPR: JWIENER		2006/02/09					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
					C-SIZE	73415			GENERAL MARKET	4 OF 5


DOCUMENT STATUS	P1	RELEASE DATE	2023/03/16	04:28:02
-----------------	----	--------------	------------	----------




PART NO : 73415-2060
PART NO : 73415-2061



80 SET PER TRAY
P/N: 89707-0190



1600 SET PER INNER CARTON BOX
P/N: 96707-0001



3200 SET PER OUTER CARTON BOX
P/N: 96708-0005

FUNCTIONAL SYMBOLS F A = 0 F C = 0 F P = 0 DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
	DIMENSION UNITS	SCALE	CURRENT REV DESC: EWR # 15708-A : ADDED PACKAGING SPEC FOR -2060 & -2061 PART NO							
	MM/INCH	NTS								
	GENERAL TOLERANCES (UNLESS SPECIFIED)									
	ANGULAR TOL ± 2.0 °									
	4 PLACES	±	EC NO: 740907							
	3 PLACES	±	DRWN: JSU18 2023/03/02							
	2 PLACES	±	CHK'D: YCHENG 2023/03/16							
	1 PLACE	±	APPR: YCHENG 2023/03/16							
	0 PLACES	±	INITIAL REVISION: DRWN: TFLAHERTY 2006/02/09							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	
			C-SIZE	73415	SD-73415-206		PSD	001	B2	
					MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
							GENERAL MARKET		5 OF 5	

DOCUMENT STATUS	P1	RELEASE DATE	2023/03/16	04:28:02
-----------------	----	--------------	------------	----------