




BOTTOM VIEW






SPRING FINGER GASKET WITH
TWO POINTS OF CONTACT.
COMPLIES WITH (SFP) MSA
BOARD AND BEZEL LOCATIONS.



TABS USED TO MOUNT
LIGHT PIPE COVER

ONE PIECE DESIGN
SECURLY FASTENED



NOTES:

1. PRESS FIT LEGS, 0.120 INCHES LONG.
   1.57 [0.062] MINIMUM PCB THICKNESS.

2. THIS CAGE IS FOR SINGLE SIDED USE ONLY.

3. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:

   747260001 - LIGHT PIPE FROM BACK TO TOP
   (REFER TO DOCUMENT SD-74726-001)

   747260002 - LIGHT PIPE FROM SIDE TO TOP
   (REFER TO DOCUMENT SD-74726-002)

4. MATERIAL: COPPER ALLOY
   PLATING: PRE-PLATED WITH NICKEL

5. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN
   ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2002/95/EC).

ENTER DESCRIPTION			
EC NO: USY2006-0052	2005/09/13		
DRWN:KSIMONSON	2005/09/13		
CHKD:BRUSSELL	2005/09/14		
APPR:BRUSSELL			
DESCRIPTION	REV		
	A		

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)


	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR	± 1 °	


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	MM/IN
SCALE	5:1
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
DRAWN BY	KSIMONSO
DATE	2005/09/12
CHECKED BY	BRUSSELL
DATE	2005/09/12
APPROVED BY	BRUSSELL
DATE	2005/09/12
TITLE	SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI
	MOLEX INCORPORATED
MATERIAL NO.	747370016
DOCUMENT NO.	SD-74737-0016
SHEET NO.	1 OF 3
SIZE	D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2 PADS AND VIAS ARE CHASSIS GROUND.
3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
4. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.








DETAIL1
SCALE 10:1

ENTER DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
EC NO: USY2006-0052 2005/09/13	▼=0		mm / INCH	MM/IN	8:1	METRIC	
DRWN:KSIMONSO 2005/09/13	▽=0	4 PLACES	± --- / ± ---	DRAWN BY KSIMONSO DATE 2005/09/12	TITLE: SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI		
CHKD:BRUSSELL 2005/09/14		3 PLACES	± --- / ± .005	CHECKED BY BRUSSELL DATE 2005/09/12			
APPR:BRUSSELL 2005/09/14		2 PLACES	± 0.13 / ± .01	APPROVED BY BRUSSELL DATE 2005/09/12	molex MOLEX INCORPORATED		
DESCRIPTION		1 PLACE	± 0.25 / ± ---	MATERIAL NO. 747370016	DOCUMENT NO. SD-74737-0016		SHEET NO. 2 OF 3
REV A		ANGULAR ± 1 °		SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					









ENTER DESCRIPTION
EC NO: USY2006-0052 2005/09/13
DRWN:KSIMONSON 2005/09/13
CHKD:BRUSSELL 2005/09/14
APPR:BRUSSELL
DESCRIPTION
REV
A

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 5:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


DRAWN BY: KSIMONSO DATE: 2005/09/12
CHECKED BY: BRUSSELL DATE: 2005/09/12
APPROVED BY: BRUSSELL DATE: 2005/09/12

TITLE: SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI


MOLEX INCORPORATED


MATERIAL NO.: 747370016
DOCUMENT NO.: SD-74737-0016
SHEET NO.: 3 OF 3
SIZE: D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




BOTTOM VIEW






SPRING FINGER GASKET WITH
TWO POINTS OF CONTACT.
COMPLIES WITH (SFP) MSA
BOARD AND BEZEL LOCATIONS.



TABS USED TO MOUNT
LIGHT PIPE COVER

ONE PIECE DESIGN
SECURLY FASTENED



NOTES:

1. PRESS FIT LEGS, 0.120 INCHES LONG.
   1.57 [0.062] MINIMUM PCB THICKNESS.

2. THIS CAGE IS FOR SINGLE SIDED USE ONLY.

3. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:

   747260001 - LIGHT PIPE FROM BACK TO TOP
   (REFER TO DOCUMENT SD-74726-001)

   747260002 - LIGHT PIPE FROM SIDE TO TOP
   (REFER TO DOCUMENT SD-74726-002)

4. MATERIAL: COPPER ALLOY
   PLATING: PRE-PLATED WITH NICKEL

5. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN
   ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2002/95/EC).

ENTER DESCRIPTION			
EC NO: USY2006-0052	2005/09/13		
DRWN:KSIMONSON	2005/09/13		
CHKD:BRUSSELL	2005/09/14		
APPR:BRUSSELL			
DESCRIPTION	REV		
	A		

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)


	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR	± 1 °	


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	MM/IN
SCALE	5:1
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
DRAWN BY	KSIMONSO
DATE	2005/09/12
CHECKED BY	BRUSSELL
DATE	2005/09/12
APPROVED BY	BRUSSELL
DATE	2005/09/12
TITLE	SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI
	MOLEX INCORPORATED
MATERIAL NO.	747370016
DOCUMENT NO.	SD-74737-0016
SHEET NO.	1 OF 3
SIZE	D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2 PADS AND VIAS ARE CHASSIS GROUND.
3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
4. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.





DETAIL1
SCALE 10:1

ENTER DESCRIPTION
EC NO: USY2006-0052 2005/09/13
DRWN:KSIMONSON 2005/09/13
CHKD:BRUSSELL 2005/09/14
APPR:BRUSSELL
DESCRIPTION
REV A

QUALITY SYMBOLS
▼=0
▽=0


GENERAL TOLERANCES (UNLESS SPECIFIED)


	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS


DIMENSION STYLE	MM/IN
SCALE	8:1
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
DRAWN BY	KSIMONSO
DATE	2005/09/12
CHECKED BY	BRUSSELL
DATE	2005/09/12
APPROVED BY	BRUSSELL
DATE	2005/09/12
MATERIAL NO.	747370016
TITLE	SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI
	MOLEX INCORPORATED
DOCUMENT NO.	SD-74737-0016
SHEET NO.	2 OF 3
SIZE	D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION









ENTER DESCRIPTION
EC NO: USY2006-0052 2005/09/13
DRWN:KSIMONSON 2005/09/13
CHKD:BRUSSELL 2005/09/14
APPR:BRUSSELL
DESCRIPTION
REV
A

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 5:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


DRAWN BY: KSIMONSO DATE: 2005/09/12
CHECKED BY: BRUSSELL DATE: 2005/09/12
APPROVED BY: BRUSSELL DATE: 2005/09/12


TITLE: SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI

MOLEX INCORPORATED

MATERIAL NO.: 747370016
DOCUMENT NO.: SD-74737-0016
SHEET NO.: 3 OF 3
SIZE: D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION







SPRING FINGER GASKET WITH
TWO POINTS OF CONTACT.
COMPLIES WITH (SFP) MSA
BOARD AND BEZEL LOCATIONS.


TABS USED TO MOUNT
LIGHT PIPE COVER

CAGE IDENTIFICATION:
LAST 2 DIGITS P/N, TOOL #
(BEGINNING WITH 2ND TOOL),
& REV LETTER.
(ex: 16-2 X)

ONE PIECE DESIGN
SECURELY FASTENED







NOTES:

1. PRESS FIT LEGS, 0.120 INCHES LONG.
   1.57 [0.062] MINIMUM PCB THICKNESS.

2. THIS CAGE IS FOR SINGLE SIDED USE ONLY.

3. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:

   747260001 - LIGHT PIPE FROM BACK TO TOP
   (REFER TO DOCUMENT SD-74726-001)

   747260002 - LIGHT PIPE FROM SIDE TO TOP
   (REFER TO DOCUMENT SD-74726-002)

4. MATERIAL: COPPER ALLOY
   PLATING: PRE-PLATED WITH NICKEL

5. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN
   ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2002/95/EC).

UPDATED 3D MODELS
USY2008-0144
DRWN:CCOX 2007/09/28
CHKD: 2007/10/02
APPR:RMAHMOOD 2007/10/03
DESCRIPTION
REV D

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)


	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	MM/IN
SCALE	5:1
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
DRAWN BY	CCOX 2006/10/30
CHECKED BY	RMAHMOOD 2006/10/30
APPROVED BY	RMAHMOOD 2006/10/30
TITLE	SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI
	MOLEX INCORPORATED
MATERIAL NO.	747370016
DOCUMENT NO.	SD-74737-016
SHEET NO.	1 OF 4
SIZE	D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2 PADS AND VIAS ARE CHASSIS GROUND.
3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
4. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.





KEEPOUT Detail
SCALE 10:1

UPDATED 3D MODELS	USY2008-0144 2007/09/28
DRWN:CCOX	2007/10/02
CHKD:	2007/10/03
APPR:RMAHMOOD	DESCRIPTION
D	REV

QUALITY SYMBOLS ▼=0 ▽=0


GENERAL TOLERANCES (UNLESS SPECIFIED)


	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	MM/IN
SCALE	8:1
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
DRAWN BY	CCOX
DATE	2006/10/30
CHECKED BY	RMAHMOOD
DATE	2006/10/30
APPROVED BY	RMAHMOOD
DATE	2006/10/30
TITLE	SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI
	MOLEX INCORPORATED
MATERIAL NO.	747370016
DOCUMENT NO.	SD-74737-016
SHEET NO.	2 OF 4
SIZE	D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION







SECTION A-A

UPDATED 3D MODELS
USY2008-0144
DRWN:CCOX 2007/09/28
CH'KD: 2007/10/02
APPR:RMAHMOOD 2007/10/03
DESCRIPTION
REV D

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 5:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: CCOX DATE: 2006/10/30
CHECKED BY: RMAHMOOD DATE: 2006/10/30
APPROVED BY: RMAHMOOD DATE: 2006/10/30

TITLE: SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI

MOLEX INCORPORATED

MATERIAL NO.: 747370016
DOCUMENT NO.: SD-74737-016
SHEET NO.: 3 OF 4
SIZE: D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DATE	REV	CHANGES
2005/06/10	A	INITIAL RELEASE
2006/10/20	B	SEPARATED FROM MAIN DRAWING E-74737-0000; UPDATED VIEWS
2007/01/10	C	ADDED NOTE 5
2007/09/27	D	[1] ON SHT2 CHG'D DETAIL1 TO "KEEPOUT DETAIL" AND FRONT1 TO "PCB LAYOUT"; [2] ADDED REVISION SHEET; [3] ON SHT1 ROTATED BTM_VIEW 180 DEGREES. [4] ADDED "TOOL # (BEGINNING WITH 2ND TOOL)" TO CAGE REV NOTE ON SHT1.

UPDATED 3D MODELS
USY2008-0144
DRWN:CCOX 2007/09/28
CHKD: 2007/10/02
APPR:RMAHMOOD 2007/10/03
DESCRIPTION
REV
D

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


DRAWN BY: CCOX DATE: 2006/10/30
CHECKED BY: RMAHMOOD DATE: 2006/10/30
APPROVED BY: RMAHMOOD DATE: 2006/10/30


TITLE: SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI

MOLEX INCORPORATED

MATERIAL NO.: 747370016
DOCUMENT NO.: SD-74737-016
SHEET NO.: 4 OF 4
SIZE: D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION







SPRING FINGER GASKET WITH
TWO POINTS OF CONTACT.
COMPLIES WITH (SFP) MSA
BOARD AND BEZEL LOCATIONS.


TABS USED TO MOUNT
LIGHT PIPE COVER

CAGE IDENTIFICATION:
LAST 2 DIGITS P/N, TOOL #
(BEGINNING WITH 2ND TOOL),
& REV LETTER.
(ex: 16-2 X)

ONE PIECE DESIGN
SECURELY FASTENED







NOTES:

1. PRESS FIT LEGS, 0.120 INCHES LONG.
   1.57 [0.062] MINIMUM PCB THICKNESS.

2. THIS CAGE IS FOR SINGLE SIDED USE ONLY.

3. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:

   747260001 - LIGHT PIPE FROM BACK TO TOP
   (REFER TO DOCUMENT SD-74726-001)

   747260002 - LIGHT PIPE FROM SIDE TO TOP
   (REFER TO DOCUMENT SD-74726-002)

4. MATERIAL: COPPER ALLOY
   PLATING: PRE-PLATED WITH NICKEL

5. THIS PART MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN
   ELECTRICAL AND ELECTRONIC EQUIPMENT (ROHS) DIRECTIVE (2002/95/EC).

UPDATED 3D MODELS
USY2008-0144
DRWN:CCOX 2007/09/28
CHKD: 2007/10/02
APPR:RMAHMOOD 2007/10/03
DESCRIPTION
REV D

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)


	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	MM/IN
SCALE	5:1
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
DRAWN BY	CCOX 2006/10/30
CHECKED BY	RMAHMOOD 2006/10/30
APPROVED BY	RMAHMOOD 2006/10/30
TITLE	SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI
	MOLEX INCORPORATED
MATERIAL NO.	747370016
DOCUMENT NO.	SD-74737-016
SHEET NO.	1 OF 4
SIZE	D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

1 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2 PADS AND VIAS ARE CHASSIS GROUND.
3 HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
4. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.





KEEPOUT Detail
SCALE 10:1

UPDATED 3D MODELS	USY2008-0144 2007/09/28
DRWN:CCOX	2007/10/02
CHKD:	2007/10/03
APPR:RMAHMOOD	DESCRIPTION
D	REV

QUALITY SYMBOLS ▼=0 ▽=0


GENERAL TOLERANCES (UNLESS SPECIFIED)


	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	MM/IN
SCALE	8:1
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
DRAWN BY	CCOX
DATE	2006/10/30
CHECKED BY	RMAHMOOD
DATE	2006/10/30
APPROVED BY	RMAHMOOD
DATE	2006/10/30
TITLE	SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI
	MOLEX INCORPORATED
MATERIAL NO.	747370016
DOCUMENT NO.	SD-74737-016
SHEET NO.	2 OF 4
SIZE	D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION







SECTION A-A

UPDATED 3D MODELS
USY2008-0144
DRWN:CCOX 2007/09/28
CH'KD: 2007/10/02
APPR:RMAHMOOD 2007/10/03
DESCRIPTION
REV D

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 5:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: CCOX DATE: 2006/10/30
CHECKED BY: RMAHMOOD DATE: 2006/10/30
APPROVED BY: RMAHMOOD DATE: 2006/10/30

TITLE: SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI

MOLEX INCORPORATED

MATERIAL NO.: 747370016
DOCUMENT NO.: SD-74737-016
SHEET NO.: 3 OF 4
SIZE: D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DATE	REV	CHANGES
2005/06/10	A	INITIAL RELEASE
2006/10/20	B	SEPARATED FROM MAIN DRAWING E-74737-0000; UPDATED VIEWS
2007/01/10	C	ADDED NOTE 5
2007/09/27	D	[1] ON SHT2 CHG'D DETAIL1 TO "KEEPOUT DETAIL" AND FRONT1 TO "PCB LAYOUT"; [2] ADDED REVISION SHEET; [3] ON SHT1 ROTATED BTM_VIEW 180 DEGREES. [4] ADDED "TOOL # (BEGINNING WITH 2ND TOOL)" TO CAGE REV NOTE ON SHT1.

UPDATED 3D MODELS
USY2008-0144
DRWN:CCOX 2007/09/28
CHKD: 2007/10/02
APPR:RMAHMOOD 2007/10/03
DESCRIPTION
REV
D

QUALITY SYMBOLS
▼=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± .005
2 PLACES	± 0.13	± .01
1 PLACE	± 0.25	± ---
ANGULAR ± 1 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 1:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

DRAWN BY: CCOX DATE: 2006/10/30
CHECKED BY: RMAHMOOD DATE: 2006/10/30
APPROVED BY: RMAHMOOD DATE: 2006/10/30

TITLE: SFP ONE PIECE CAGE PRESS-FIT (0.120 LEGS) FOR PCI

MOLEX INCORPORATED

MATERIAL NO.: 747370016
DOCUMENT NO.: SD-74737-016
SHEET NO.: 4 OF 4
SIZE: D

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION