








ISOMERTIC VIEW
FOR 6CKT HEADER

1. MATERIAL:
HSG: NYLON, GLASS-FILLED, UL94V-0 COLOR: BLACK
PIN: 0.64MM SQ, COPPER ALLOY
2. PLATING TYPE:
 - (1) GOLD FLASH OVER
1.270μm MIN. NICKEL OVERALL.
 - (2) GOLD FLASH ON CONTACT AND
1.905μm MIN. TIN ON SOLDER TAIL OVER
1.270μm MIN. NICKEL OVERALL.
 - (3) 0.254μm MIN. GOLD PLATE ON CONTACT AND
1.905μm MIN. TIN ON SOLDER TAIL OVER
1.270μm MIN. NICKEL OVERALL.
 - (4) 0.381μm MIN. GOLD PLATE ON CONTACT AND
1.905μm MIN. TIN ON SOLDER TAIL OVER
1.270μm MIN. NICKEL OVERALL.
 - (5) 0.762μm MIN. GOLD PLATE ON CONTACT AND
1.905μm MIN. TIN ON SOLDER TAIL OVER
1.270μm MIN. NICKEL OVERALL.
 - (6) 2.540μm/100μin MIN TIN OVERALL
1.270μm/50μin NICKEL OVERALL
3. PRODUCT SPECIFICATION: PS-87920-019
4. PACKAGING TYPE: SEE TABLE
5. WAFER TO BE FLAT WITHIN 0.003 mm/mm
6. RECOMMENDED PCB THICKNESS IS 1.60mm±0.10
- △ IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE
8. THE ABOVE CKT 6 IS FOR ILLUSTRATION PURPOSE ONLY
9. PACKAGING SPECIFICATION:
TRAY: PK-89990-489
BULK: PK-89990-491

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS mm		SCALE NTS		CURRENT REV DESC: EC NO: 679909 DRWN: AKUMAR19 2021/10/08 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11 INITIAL REVISION: DRWN: YLQIAO 2004/12/06 APPR: SCLOW 2004/12/07				<div>molex</div> CUSTOM HEADER 2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H HEADER							
GENERAL TOLERANCES (UNLESS SPECIFIED)															
ANGULAR TOL ± 3.0°								PRODUCT CUSTOMER DRAWING							
4 PLACES ±															
3 PLACES ±				DOCUMENT NUMBER SD-87891-013				DOC TYPE PSD		DOC PART 001		REVISION B5			
2 PLACES ± 0.2															
1 PLACE ±															
0 PLACES ±															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A3-SIZE		SERIES 87891		MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL MARKET		SHEET NUMBER 1 OF 8	

F	B4	PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
		TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P
		87891-0101	---	---	1	---	1	2.54	---	11.30	5.84	2.97
		87891-0102	---	---	1	---	2	2.54	---	11.30	5.84	2.97
		87891-0103	---	---	1	---	3	2.54	---	11.30	5.84	2.97
		87891-0104	---	---	1	---	4	2.54	---	11.30	5.84	2.97
		87891-0105	---	---	1	---	5	2.54	---	11.30	5.84	2.97
		87891-0106	---	---	1	---	6	2.54	---	11.30	5.84	2.97
		87891-0109	---	---	1	---	6	2.54	---	11.30	5.84	2.97
E	B4	87891-0201	---	---	2	---	1	5.08	2.54	11.30	5.84	2.97
		87891-0202	---	---	2	---	2	5.08	2.54	11.30	5.84	2.97
		87891-0203	---	---	2	---	3	5.08	2.54	11.30	5.84	2.97
		87891-0204	---	---	2	---	4	5.08	2.54	11.30	5.84	2.97
		87891-0205	---	---	2	---	5	5.08	2.54	11.30	5.84	2.97
		87891-0206	---	---	2	---	6	5.08	2.54	11.30	5.84	2.97
		87891-0211	---	---	2	---	6	5.08	2.54	11.30	5.84	2.97
		87891-0301	---	---	3	---	1	7.62	5.08	11.30	5.84	2.97
87891-0302	---	---	3	---	2	7.62	5.08	11.30	5.84	2.97		
87891-0303	---	---	3	---	3	7.62	5.08	11.30	5.84	2.97		
87891-0304	---	---	3	---	4	7.62	5.08	11.30	5.84	2.97		
87891-0305	---	---	3	---	5	7.62	5.08	11.30	5.84	2.97		
87891-0306	---	---	3	---	6	7.62	5.08	11.30	5.84	2.97		
87891-0308	---	---	3	---	6	7.62	5.08	11.30	5.84	2.97		

10		9			8		7		6		5		4		3		2		1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION								PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P				TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		87891-0711	---	---	7	---	1	17.78	15.24	11.30	5.84	2.97														87891-1001	---	---	10	---	1	25.40	22.86	11.30	5.84	2.97																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		87891-0702	---	---	7	---	2	17.78	15.24	11.30	5.84	2.97														87891-1002	---	---	10	---	2	25.40	22.86	11.30	5.84	2.97																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		87891-0703	---	---	7	---	3	17.78	15.24	11.30	5.84	2.97														87891-1003	---	---	10	---	3	25.40	22.86	11.30	5.84	2.97																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		87891-0704	---	---	7	---	4	17.78	15.24	11.30	5.84	2.97														87891-1004	---	---	10	---	4	25.40	22.86	11.30	5.84	2.97																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		87891-0705	---	---	7	---	5	17.78	15.24	11.30	5.84	2.97														87891-1005	---	---	10	---	5	25.40	22.86	11.30	5.84	2.97																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		87891-0706	---	---	7	---	6	17.78	15.24	11.30	5.84	2.97														87891-1006	---	---	10	---	6	25.40	22.86	11.30	5.84	2.97																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

F	PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
	TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P	TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P
	87891-1301	---	---	13	---	1	33.02	30.48	11.30	5.84	2.97	87891-1601	---	---	16	---	1	40.64	38.10	11.30	5.84	2.97
	87891-1302	---	---	13	---	2	33.02	30.48	11.30	5.84	2.97	87891-1602	---	---	16	---	2	40.64	38.10	11.30	5.84	2.97
	87891-1303	---	---	13	---	3	33.02	30.48	11.30	5.84	2.97	87891-1603	---	---	16	---	3	40.64	38.10	11.30	5.84	2.97
	87891-1304	---	---	13	---	4	33.02	30.48	11.30	5.84	2.97	87891-1604	---	---	16	---	4	40.64	38.10	11.30	5.84	2.97
	87891-1305	---	---	13	---	5	33.02	30.48	11.30	5.84	2.97	87891-1605	---	---	16	---	5	40.64	38.10	11.30	5.84	2.97
	87891-1306	---	---	13	---	6	33.02	30.48	11.30	5.84	2.97	87891-1606	---	---	16	---	6	40.64	38.10	11.30	5.84	2.97
E	87891-1401	---	---	14	---	1	35.56	33.02	11.30	5.84	2.97	87891-1701	---	---	17	---	1	43.18	40.64	11.30	5.84	2.97
	87891-1402	---	---	14	---	2	35.56	33.02	11.30	5.84	2.97	87891-1702	---	---	17	---	2	43.18	40.64	11.30	5.84	2.97
	87891-1403	---	---	14	---	3	35.56	33.02	11.30	5.84	2.97	87891-1703	---	---	17	---	3	43.18	40.64	11.30	5.84	2.97
	87891-1404	---	---	14	---	4	35.56	33.02	11.30	5.84	2.97	87891-1704	---	---	17	---	4	43.18	40.64	11.30	5.84	2.97
	87891-1405	---	---	14	---	5	35.56	33.02	11.30	5.84	2.97	87891-1705	---	---	17	---	5	43.18	40.64	11.30	5.84	2.97
	87891-1406	---	---	14	---	6	35.56	33.02	11.30	5.84	2.97	87891-1706	---	---	17	---	6	43.18	40.64	11.30	5.84	2.97
D	87891-1501	---	---	15	---	1	38.10	35.56	11.30	5.84	2.97	87891-1801	---	---	18	---	1	45.72	43.18	11.30	5.84	2.97
	87891-1502	---	---	15	---	2	38.10	35.56	11.30	5.84	2.97	87891-1802	---	---	18	---	2	45.72	43.18	11.30	5.84	2.97
	87891-1503	---	---	15	---	3	38.10	35.56	11.30	5.84	2.97	87891-1803	---	---	18	---	3	45.72	43.18	11.30	5.84	2.97
	87891-1504	---	---	15	---	4	38.10	35.56	11.30	5.84	2.97	87891-1804	---	---	18	---	4	45.72	43.18	11.30	5.84	2.97
	87891-1505	---	---	15	---	5	38.10	35.56	11.30	5.84	2.97	87891-1805	---	---	18	---	5	45.72	43.18	11.30	5.84	2.97
	87891-1506	---	---	15	---	6	38.10	35.56	11.30	5.84	2.97	87891-1806	---	---	18	---	6	45.72	43.18	11.30	5.84	2.97
C																						
B																						
A																						

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
DIMENSION UNITS		SCALE		CURRENT REV DESC:				<div>molex</div> <div>CUSTOM HEADER</div> <div>2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H HEADER</div>						
mm		NTS												
GENERAL TOLERANCES (UNLESS SPECIFIED)														
ANGULAR TOL ± 3.0 °														
4 PLACES ±		EC NO: 679909		2021/10/08				PRODUCT CUSTOMER DRAWING						
3 PLACES ±		DRWN: AKUMAR19												
2 PLACES ± 0.2		CHK'D: MRAMAKRISHNA												
1 PLACE ±		APPR: MRAMAKRISHNA		2021/10/11				DOCUMENT NUMBER				DOC TYPE	DOC PART	REVISION
0 PLACES ±		INITIAL REVISION:		2004/12/06				SD-87891-013				PSD	001	B5
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER		
				A3-SIZE		87891		SEE TABLE		GENERAL MARKET		4 OF 8		

FORMAT: master-b-prod-A3
REVISION: J
DATE: 2020/01/14

9

8

7

6

5

4

3

2

1

F	10	9			8		7		6		5		4			3		2		1			
		PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION							
		TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P				A	B	F	M	P			
		87891-1901	---	---	19	---	1	48.26	45.72	11.30	5.84	2.97	87891-2201	---	---	22	---	1	55.88	53.34	11.30	5.84	2.97
		87891-1902	---	---	19	---	2	48.26	45.72	11.30	5.84	2.97	87891-2202	---	---	22	---	2	55.88	53.34	11.30	5.84	2.97
		87891-1903	---	---	19	---	3	48.26	45.72	11.30	5.84	2.97	87891-2203	---	---	22	---	3	55.88	53.34	11.30	5.84	2.97
		87891-1904	---	---	19	---	4	48.26	45.72	11.30	5.84	2.97	87891-2204	---	---	22	---	4	55.88	53.34	11.30	5.84	2.97
		87891-1905	---	---	19	---	5	48.26	45.72	11.30	5.84	2.97	87891-2205	---	---	22	---	5	55.88	53.34	11.30	5.84	2.97
		87891-1906	---	---	19	---	6	48.26	45.72	11.30	5.84	2.97	87891-2206	---	---	22	---	6	55.88	53.34	11.30	5.84	2.97
		E																					
87891-2001	---		---	20	---	1	50.80	48.26	11.30	5.84	2.97	87891-2301	---	---	23	---	1	58.42	55.88	11.30	5.84	2.97	
87891-2002	---		---	20	---	2	50.80	48.26	11.30	5.84	2.97	87891-2302	---	---	23	---	2	58.42	55.88	11.30	5.84	2.97	
87891-2003	---		---	20	---	3	50.80	48.26	11.30	5.84	2.97	87891-2303	---	---	23	---	3	58.42	55.88	11.30	5.84	2.97	
87891-2004	---		---	20	---	4	50.80	48.26	11.30	5.84	2.97	87891-2304	---	---	23	---	4	58.42	55.88	11.30	5.84	2.97	
87891-2005	---		---	20	---	5	50.80	48.26	11.30	5.84	2.97	87891-2305	---	---	23	---	5	58.42	55.88	11.30	5.84	2.97	
87891-2006	---		---	20	---	6	50.80	48.26	11.30	5.84	2.97	87891-2306	---	---	23	---	6	58.42	55.88	11.30	5.84	2.97	
D																							
	87891-2101	---	---	21	---	1	53.34	50.80	11.30	5.84	2.97	87891-2401	---	---	24	---	1	60.96	58.42	11.30	5.84	2.97	
	87891-2102	---	---	21	---	2	53.34	50.80	11.30	5.84	2.97	87891-2402	---	---	24	---	2	60.96	58.42	11.30	5.84	2.97	
	87891-2103	---	---	21	---	3	53.34	50.80	11.30	5.84	2.97	87891-2403	---	---	24	---	3	60.96	58.42	11.30	5.84	2.97	
	87891-2104	---	---	21	---	4	53.34	50.80	11.30	5.84	2.97	87891-2404	---	---	24	---	4	60.96	58.42	11.30	5.84	2.97	
	87891-2105	---	---	21	---	5	53.34	50.80	11.30	5.84	2.97	87891-2405	---	---	24	---	5	60.96	58.42	11.30	5.84	2.97	
	87891-2106	---	---	21	---	6	53.34	50.80	11.30	5.84	2.97	87891-2406	---	---	24	---	6	60.96	58.42	11.30	5.84	2.97	
C																							
B																							
A																							
<div><div><div><div><div>THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</div><div><div><div><div>DIMENSION UNITS</div><div>mm</div></div><div><div>SCALE</div><div>NTS</div></div></div><div><div>GENERAL TOLERANCES (UNLESS SPECIFIED)</div><div>ANGULAR TOL ± 3.0 °</div><div>4 PLACES ±</div><div>3 PLACES ±</div><div>2 PLACES ± 0.2</div><div>1 PLACE ±</div><div>0 PLACES ±</div><div><div>DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</div><div><div>THIRD ANGLE PROJECTION</div><div><div><div><div><div></div><div></div></div></div><div><div><div></div><div></div></div></div></div><div>DRAWING</div><div>SERIES</div></div><div><div>A3-SIZE</div><div>87891</div></div><div><div>MATERIAL NUMBER</div><div>CUSTOMER</div></div><div><div>SHEET NUMBER</div><div>5 OF 8</div></div></div><div><div>EC NO: 679909</div><div>DRWN: AKUMAR19</div><div>CHK'D: MRAMAKRISHNA</div><div>APPR: MRAMAKRISHNA</div></div><div><div>2021/10/08</div><div>2021/10/11</div><div>2021/10/11</div><div>2021/10/11</div></div><div><div>INITIAL REVISION:</div><div>DRWN: YLQIAO</div><div>APPR: SCLOW</div></div><div><div>2004/12/06</div><div>2004/12/07</div></div><div><div>DOCUMENT NUMBER</div><div>DOC TYPE</div><div>DOC PART</div><div>REVISION</div></div><div><div>SD-87891-013</div><div>PSD</div><div>001</div><div>B5</div></div></div><div><div>CURRENT REV DESC:</div><div><div><div><div><div><div>molex</div><div>CUSTOM HEADER</div><div>2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H HEADER</div></div></div><div>PRODUCT CUSTOMER DRAWING</div></div></div><div><div>SEE TABLE</div><div>GENERAL MARKET</div></div></div></div></div></div></div></div></div></div> </																							

[illegible]

10		9		8		7		6		5		4		3		2		1				
F	PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION				
	TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P	TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P
	---	87891-3101	---	31	---	1	78.74	76.20	11.30	5.84	2.97	---	87891-3401	---	34	---	1	86.36	83.82	11.30	5.84	2.97
	---	87891-3102	---	31	---	2	78.74	76.20	11.30	5.84	2.97	---	87891-3402	---	34	---	2	86.36	83.82	11.30	5.84	2.97
	---	87891-3103	---	31	---	3	78.74	76.20	11.30	5.84	2.97	---	87891-3403	---	34	---	3	86.36	83.82	11.30	5.84	2.97
	---	87891-3104	---	31	---	4	78.74	76.20	11.30	5.84	2.97	---	87891-3404	---	34	---	4	86.36	83.82	11.30	5.84	2.97
	---	87891-3105	---	31	---	5	78.74	76.20	11.30	5.84	2.97	---	87891-3405	---	34	---	5	86.36	83.82	11.30	5.84	2.97
	---	87891-3106	---	31	---	6	78.74	76.20	11.30	5.84	2.97	---	87891-3406	---	34	---	6	86.36	83.82	11.30	5.84	2.97
E	---	87891-3201	---	32	---	1	81.28	78.74	11.30	5.84	2.97	---	87891-3501	---	35	---	1	88.90	86.36	11.30	5.84	2.97
	---	87891-3202	---	32	---	2	81.28	78.74	11.30	5.84	2.97	---	87891-3502	---	35	---	2	88.90	86.36	11.30	5.84	2.97
	---	87891-3203	---	32	---	3	81.28	78.74	11.30	5.84	2.97	---	87891-3503	---	35	---	3	88.90	86.36	11.30	5.84	2.97
	---	87891-3204	---	32	---	4	81.28	78.74	11.30	5.84	2.97	---	87891-3504	---	35	---	4	88.90	86.36	11.30	5.84	2.97
	---	87891-3205	---	32	---	5	81.28	78.74	11.30	5.84	2.97	---	87891-3505	---	35	---	5	88.90	86.36	11.30	5.84	2.97
	---	87891-3206	---	32	---	6	81.28	78.74	11.30	5.84	2.97	---	87891-3506	---	35	---	6	88.90	86.36	11.30	5.84	2.97
D	---	87891-3301	---	33	---	1	83.82	81.28	11.30	5.84	2.97	---	87891-3611	---	36	---	1	91.44	88.90	11.30	5.84	2.97
	---	87891-3302	---	33	---	2	83.82	81.28	11.30	5.84	2.97	---	87891-3602	---	36	---	2	91.44	88.90	11.30	5.84	2.97
	---	87891-3303	---	33	---	3	83.82	81.28	11.30	5.84	2.97	---	87891-3603	---	36	---	3	91.44	88.90	11.30	5.84	2.97
	---	87891-3304	---	33	---	4	83.82	81.28	11.30	5.84	2.97	---	87891-3604	---	36	---	4	91.44	88.90	11.30	5.84	2.97
	---	87891-3305	---	33	---	5	83.82	81.28	11.30	5.84	2.97	---	87891-3605	---	36	---	5	91.44	88.90	11.30	5.84	2.97
	---	87891-3306	---	33	---	6	83.82	81.28	11.30	5.84	2.97	---	87891-3606	---	36	---	6	91.44	88.90	11.30	5.84	2.97
C																						
B																						
A																						

DOCUMENT STATUS		P1	RELEASE DATE	2021/10/11	11:53:25
-----------------	--	----	--------------	------------	----------

9		8		7		6		5		4		3		2		1	
---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
DIMENSION UNITS		SCALE		CURRENT REV DESC:						<div>molex</div> <div>CUSTOM HEADER 2.54MM PITCH, SINGLE ROW SINGLE WAFER, T/H HEADER</div> <div>PRODUCT CUSTOMER DRAWING</div>				
mm		NTS												
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 679909 DRWN: AKUMAR19 2021/10/08 CHK'D: MRAMAKRISHNA 2021/10/11 APPR: MRAMAKRISHNA 2021/10/11										
ANGULAR TOL		±	3.0 °	INITIAL REVISION:						DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
4 PLACES		±		DRWN: YLQIAO 2004/12/06 APPR: SCLOW 2004/12/07						SD-87891-013		PSD	001	B5
3 PLACES		±												
2 PLACES		±	0.2											
1 PLACE		±												
0 PLACES		±												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A3-SIZE		87891	SEE TABLE		GENERAL MARKET		7 OF 8	

9		8		7		6		5		4		3		2		1	
---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--	---	--

	10		9		8		7		6		5		4		3		2		1					
F	E	PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					PACKAGING OPTION PART NO.			CKT SIZE	VOID POSITION	PLATING TYPE	DIMENSION					F
		TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P	TRAY	BULK	TUBE WITHOUT CAP				A	B	F	M	P	
		---	87891-3701	---	37	---	1	93.98	91.44	11.30	5.84	2.97	---	87891-4001	---	40	---	1	101.60	99.06	11.30	5.84	2.97	
		---	87891-3702	---	37	---	2	93.98	91.44	11.30	5.84	2.97	---	87891-4002	---	40	---	2	101.60	99.06	11.30	5.84	2.97	
		---	87891-3703	---	37	---	3	93.98	91.44	11.30	5.84	2.97	---	87891-4003	---	40	---	3	101.60	99.06	11.30	5.84	2.97	
		---	87891-3704	---	37	---	4	93.98	91.44	11.30	5.84	2.97	---	87891-4004	---	40	---	4	101.60	99.06	11.30	5.84	2.97	
		---	87891-3705	---	37	---	5	93.98	91.44	11.30	5.84	2.97	---	87891-4005	---	40	---	5	101.60	99.06	11.30	5.84	2.97	
---		87891-3706	---	37	---	6	93.98	91.44	11.30	5.84	2.97	---	87891-4006	---	40	---	6	101.60	99.06	11.30	5.84	2.97		

2021/10/08

2021/10/11

2021/10/11

2004/12/06

2004/12/07

DOCUMENT NUMBER

SD-87891-013

DOC TYPE

PSD

DOC PART

001

REVISION

B5