

300-096
Ergo-Lunar
Crimp Frame



300-054
Lunar
Crimp Frame





902-085
CrimPro Crimp
Frame



CP-3005F
Quick Interchange
Ratcheting Crimper
Frame

Note: CP-3005F sold as frame only, but all dies on this page fit it

DIE Set	Crimp die profile	Application	Crimp Size	Terminals	Description	Model No.
Coaxial Connectors						
		RG8/11/174/179/213	HEX:.100"/.128"/.429" HEX:254,3.25,10.90mm		Lunar frame w/die	**902-536**
					Ergo-Lunar frame w/die	**902-537**
					CrimPro frame w/die	**902-538**
					Die only	**902-518**
		Amphenol and General RG58,RG59,RG62, BNC/TNC, F-Type, LMR-240	SQ.052", HEX.068", .100", .213", .255" SQ1.32, HEX1.73, 2.54, 5.41, 6.48mm		Lunar frame w/die	**902-277**
					Ergo-Lunar frame w/die	**902-278**
					CrimPro frame w/die	**902-279**
					Die only	**902-201**
		HDTV, SMA, True 75-ohm BNC/TNC & mini-UHF,RG174, RG59/62, mini-coaxial & Belden 1855A	SQ .042", HEX.068, .178", .197, .255" SQ 1.07mm, HEX1.73, 4.52, 5.00, 6.48mm		Lunar frame w/die	**300-187**
					Ergo-Lunar frame w/die	**300-188**
					CrimPro frame w/die	**300-189**
					Die only	**1PK-3003D34**
		RG58, 59 and 62 AU, BNC and TNC 3-piece connectors	HEX.068", .213", .256" HEX1.73, 5.41, 6.5mm		Lunar frame w/die	**300-019**
					Ergo-Lunar frame w/die	**300-109**
					CrimPro frame w/die	**902-143**
					Die only	**300-045**
		HDTV BNC/TNC 3-piece coaxial connectors	SQ .042", HEX.178", .275" SQ 1.07mm, HEX4.52, 6.99mm		Lunar frame w/die	**300-184**
					Ergo-Lunar frame w/die	**300-185**
					CrimPro frame w/die	**300-186**
					Die only	**1PK-3003D33**
		HDTV true 75-ohm BNC/TNC coaxial connectors: Belden 1855A, 1865A, 1505A, 1505F, 1694A, 1694F	HEX .041", .068", .178", .255", .278" SQ1.04, HEX1.73, 4.52, 6.48, 7.06mm		Lunar frame w/die	**300-158**
					Ergo-Lunar frame w/die	**300-159**
					CrimPro frame w/die	**902-171**
					Die only	**300-157**
		HDTV BNC/TNC 3-piece coaxial connectors	SQ. 042", Hex. 197",.278" SQ1.07mm, HEX 5.00, 7.06mm		Lunar frame w/die	**300-193**
					Ergo-Lunar frame w/die	**300-194**
					CrimPro frame w/die	**300-195**
					Die only	**1PK-3003D30**
		HDTV BNC/TNC true 75-ohm coaxial connectors, RG6, Belden 1694 & 1694A	SQ.042", HEX.068", .275", .278" SQ1.07mm, HEX1.73, 6.99, 7.06mm		Lunar frame w/die	**300-178**
					Ergo-Lunar frame w/die	**300-179**
					CrimPro frame w/die	**300-180**
					Die only	**1PK-3003D31**
		BNC, TNC, Mini-UHF, RG58, 141, 142, 303, 400, 59, 62, 210 Belden 8279, 8281, 9231, 9141 RG-6, 212, 222, 304	HEX.068", .098", .213", .255", .321" HEX1.73,2.49, 5.41, 6.48, 8.15mm		Lunar frame w/die	**300-003**
					Ergo-Lunar frame w/die	**300-119**
					CrimPro frame w/die	**902-137**
					Die only	**300-038**
		RG59 and Belden 8281/1694A cable groups for both 50 & 75 ohm center pins	HEX.042", .068", .255", .324" HEX1.07, 1.73, 6.48, 8.23mm		Lunar frame w/die	**300-022**
					Ergo-Lunar frame w/die	**300-116**
					CrimPro frame w/die	**902-146**
					Die only	**300-048**
		HDTV true 75 ohm BNC/TNC & CATV "F" coaxial connectors, RG59, RG6, Belden 8281, 1694A & 1505A	SQ .042", .052", HEX .068", .255", .324" SQ 1.07, 1.32mm, HEX1.73, 6.48, 8.23mm		Lunar frame w/die	**300-181**
					Ergo-Lunar frame w/die	**300-182**
					CrimPro frame w/die	**300-183**
					Die only	**1PK-3003D32**
		CATV "F" connectors RG-59, RG-6 and RG-6 Quad	HEX.255", .320", .350" HEX6.48, 8.13, 8.89mm		Lunar frame w/die	**300-007**
					Ergo-Lunar frame w/die	**300-112**
					CrimPro frame w/die	**902-139**
					Die only	**300-041**
		RG8, RG11, RG213, RG216 BNC. TNC and N Series Connectors LMR400	HEX.80", .100", .429" HEX2.03, 2.54, 10.90mm		Lunar frame w/die	**300-023**
					Ergo-Lunar frame w/die	**300-117**
					CrimPro frame w/die	**902-147**
					Die only	**300-049**
		Crimps Amphenol connectors. Coaxial - Belden 7810A, 9913, 9914, LMR 400.	HEX .429", .118" HEX10.89, 3.00mm		Lunar frame w/die	**300-163**
					Ergo-Lunar frame w/die	**300-168**
					CrimPro frame w/die	**300-173**
					Die only	**9PK-3003D29**
		Combi-Die for RJ45 WE/SS Modular plugs and RG6/6Q(CATV F-Type)	RJ45 plug HEX.324", .360" HEX 8.23, 9.14mm		Lunar frame w/die	**300-161**
					Ergo-Lunar frame w/die	**300-162**
					CrimPro frame w/die	**902-172**
					Die only	**902-054**



300-096
Ergo-Lunar
Crimp Frame



300-054
Lunar
Crimp Frame



902-085
CrimPro Crimp
Frame



CP-3005F
Quick Interchange
Ratcheting Crimper
Frame

Note: CP-3005F sold as frame only, but all dies on this page fit it

DIE Set	Crimp die profile	Application	Crimp Size	Terminals	Description	Model No.
Fiber Optic Connectors						
		RG174,RG179 Belden 8218, fiber optics.	SQ.042", HEX.068", .078", .128", .151", .178" SQ1.07, HEX1.73, 1.98, 3.25, 3.84, 4.52mm		Lunar frame w/die	**300-024**
					Ergo-Lunar frame w/die	**300-118**
					CrimPro frame w/die	**902-148**
					Die only	**300-050**
		For FC,SC,ST,LC, SMA & MT-RJ fiber optics.	HEX .139", .151", .178", RD.134", .190" HEX3.53, 3.84, 4.52mm, RD3.40, 4.83mm		Lunar frame w/die	**300-167**
					Ergo-Lunar frame w/die	**300-172**
					CrimPro frame w/die	**300-177**
					Die only	**9CP-336DF4**
		SMA,SMB, FC Biconic and SC & ST fiber optic connectors,RG58,RG174,Belden8218	SQ.042", HEX.068", .151", .178", .213" SQ1.07, HEX1.73, 3.84, 4.52, 5.41mm		Lunar frame w/die	**300-021**
					Ergo-Lunar frame w/die	**300-115**
					CrimPro frame w/die	**902-145**
					Die only	**300-047**
		Fiber Optic and Coaxial SMA/SMB/ SFR Connectors SC/ST/FC	HEX.151", .178", .213" HEX3.84, 4.52, 5.41mm		Lunar frame w/die	**300-106**
					Ergo-Lunar frame w/die	**300-143**
					CrimPro frame w/die	**902-167**
					Die only	**300-102**
Electrical and Industrial Terminals						
		Miniature Insulated Terminals Nylon and Vinyl	AWG26-16 DIN 0.2-1.5mm²		Lunar frame w/die	**300-146**
					Ergo-Lunar frame w/die	**300-147**
					CrimPro frame w/die	**902-169**
					Die only	**300-104**
		Red, Yellow, Blue Insulated terminals AWG 10-12, 14-16, 18-22 Nylon and Vinyl	AWG22-18/16-14/12-10 DIN 0.5-1.0/1.5-2.5/4.0- 6.0mm²		Lunar frame w/die	**300-002**
					Ergo-Lunar frame w/die	**300-108**
					CrimPro frame w/die	**902-152**
					Die only	**300-058**
		Thin Style Insulated Terminals(red/yellow/blue) Nylon and Vinyl	AWG22-18/16-14/12-10 DIN 0.5-1.0/1.5-2.5/4.0- 6.0mm²		Lunar frame w/die	**300-141**
					Ergo-Lunar frame w/die	**300-142**
					CrimPro frame w/die	**902-166**
					Die only	**300-101**
		Insulated Terminals	AWG22-18/16-14/12-10/8 DIN 0.5-1.0/1.5-2.5/4.0- 6.0/10.0mm²		Lunar frame w/die	**CP-336FD27**
					Ergo-Lunar frame w/die	**1PK-3003FD27**
					CrimPro frame w/die	**CP-372FD27**
					Die only	**9PK-3003D27**
		Uninsulated Terminals	AWG20-18/16-14/12-10/8 DIN 0.5-1.0/1.5-2.5/4.0- 6.0/10.0mm²		Lunar frame w/die	**300-132**
					Ergo-Lunar frame w/die	**300-133**
					CrimPro frame w/die	**902-161**
					Die only	**300-095**
		Open Barrel Contacts Molex/Tyco D-Sub, Molex, AMP Style Pin	AWG30-24/22-18 DIN 0.05-0.25/0.5-1.0mm²		Lunar frame w/die	**300-164**
					Ergo-Lunar frame w/die	**300-169**
					CrimPro frame w/die	**300-174**
					Die only	**9PK-3003D36**
		Open barrel contacts D-sub, Molex, AMP style pin	AWG20-18/16-14/12-10 DIN 0.5-1.0/1.5-2.5/4.0- 6.0mm²		Lunar frame w/die	**300-005**
					Ergo-Lunar frame w/die	**300-120**
					CrimPro frame w/die	**902-138**
					Die only	**300-039**
		For Red and Blue Insulated Flag Terminals AWG 22-18, 16-14	AWG22-18/16-14 DIN 0.5-1.0/1.5-2.5mm²		Lunar frame w/die	**300-072**
					Ergo-Lunar frame w/die	**300-130**
					CrimPro frame w/die	**902-158**
					Die only	**300-070**
		For Yellow and Blue insulated Flag Terminals	AWG16-14/12-10 DIN 1.5-2.5/4.0-6.0mm²		Lunar frame w/die	**902-332**
					Ergo-Lunar frame w/die	**902-331**
					CrimPro frame w/die	**902-330**
					Die only	**9PK-3003D42**
		Uninsulated Flag Terminals	AWG22-18/16-14 DIN 0.5-1.0/1.5-2.5mm²		Lunar frame w/die	**300-073**
					Ergo-Lunar frame w/die	**300-131**
					CrimPro frame w/die	**902-159**
					Die only	**300-071**



300-096
Ergo-Lunar
Crimp Frame



300-054
Lunar
Crimp Frame



902-085
CrimPro Crimp
Frame



CP-3005F
Quick Interchange
Ratcheting Crimper
Frame

Note: CP-3005F sold as frame only, but all dies on this page fit it

DIE Set	Crimp die profile	Application	Crimp Size	Terminals	Description	Model No.
Electrical and Industrial Terminals						
		Wire ferrules (Insulated and Non-Insulated)	AWG22/20/18/16/14/12 DIN 0.5/0.75/1.0/1.5/2.5/ 4.0mm²		Lunar frame w/die	**300-001**
					Ergo-Lunar frame w/die	**300-134**
					CrimPro frame w/die	**902-162**
					Die only	**300-097**
		Wire Ferrules (Insulated and Non-Insulated)	AWG10/8/6 DIN 6/10/16mm²		Lunar frame w/die	**300-144**
					Ergo-Lunar frame w/die	**300-145**
					CrimPro frame w/die	**902-168**
					Die only	**300-103**
		Wire Ferrules (Insulated and Non-Insulated)	AWG6/4/2 DIN 16/25/35mm²		Lunar frame w/die	**300-077**
					Ergo-Lunar frame w/die	**300-160**
					CrimPro frame w/die	**902-160**
					Die only	**300-077D**
		Spark Plug Cable-Cut, Strip, Crimp	8-8.5mm Spark plug wires		Ergo-Lunar frame w/die	**902-275**
					CrimPro frame w/die	**902-276**
					Die only	**9PK-3003D26**
Solar Terminals						
		Multi-Contact (MC3)Ø3mm solar contacts	AWG14/12/10 DIN 2.5/4.0/6.0mm²		Lunar frame w/die	**300-165**
					Ergo-Lunar frame w/die	**300-170**
					CrimPro frame w/die	**300-175**
					Die only	**CP-5S1D**
		Multi-Contact (MC4)Ø4mm solar contacts	AWG14/12/10 DIN 2.5/4.0/6.0mm²		Lunar frame w/die	**300-166**
					Ergo-Lunar frame w/die	**300-171**
					CrimPro frame w/die	**300-176**
					Die only	**CP-5S2D**

Solar Series Crimpers









Material	OAL (mm/inch)	Individual packing
S45C	**203/8.12**	**Blister card**

DIE Set	Crimp die profile	Application	Description	Model No.
		**D-Subminiature contacts, RS232 pins & sockets AWG 30-18 Open Barrel contacts (Molex/ AMP style)**	**Completed set with die**	**300-009**
			Die only	**300-086**
			Frame only	**300-087**
		**Wire Ferrules AWG 22-10**	**Completed set with die**	**300-010**
			Die only	**300-105**
			Frame only	**300-087**

902-337 PowerPole® Crimper






Phillips long screw that holds the locator in place









PowerPole® is a registered trademark of Anderson Power products

Material	Application	OAL (mm/inch)	Individual packing
S45C	**PowerPole® modular connector #15(20~16 AWG/0.5~1.0mm²) #30(16~12 AWG/1.0~2.5mm²) #45(14~10 AWG/1.5~4.0mm²)**	**260/10.2**	**Blister card**

CP-3006F Parallel Action Crimping Tool

RoHS COMPLIANT

Features:
- Reliable: Parallel action crimping performance is consistent and accurate
- Practical: Safety crimp release helps eliminate rejected terminations due to incorrect positioning.
- Comfortable: Ergonomically shaped non-slip TPR handle for comfortable use in all conditions
- Versatile: Interchangeable die sets for wide range of applications.

Special design perfect fit for open barrel terminal and solar connectors




Material		HRC	OAL. (mm/inch)	Individual packing
Body	Handle			
S50C	TPR	45˚±3˚	254/10	Blister card

Model No.	Replacement Die model no.	DIE Set	Crimp die profile	Application	Terminails
CP-3006F				Frame only	
CP-3006FD2	300-039			Non insulated open barrel connectors, commercial type AWG 22-18/16-14/12-10 DIN 0.5-1.0/1.5-2.5/4.0-6.0 mm² JIS 0.35-0.9/1.25-2.0/3.5-5.5 mm²	
CP-3006FD36	9PK-3003D36			Non-insulated open barrel connectors & D-SUB V.35 contact pins AWG 30-24/22-18 DIN 0.05-0.25/0.50-1.0 mm² JIS 0.05-0.25/0.35-0.9 mm²	
CP-3006FS1	CP-5S1D			For MC 3 solar connector (Multi-Contact) & 2.5/4.0/6.0 mm² (AWG 14/12/10) solar cable AWG 14/12/10 DIN 2.5/4.0/6.0 mm²	
CP-3006FS2	CP-5S2D			For MC 4 solar connector (Multi-Contact) & 2.5/4.0/6.0 mm² (AWG 14/12/10) solar cable AWG 14/12/10 DIN 2.5/4.0/6.0 mm²	

902-520 Crimper with Weatherpack Die

Special design to be used with weatherpack weathertight connecters

- Reliable: Parallel action crimping performance is consistent and accurate
- Practical: Safety crimp release helps eliminate rejected terminations due to incorrect positioning.
- Comfortable: Ergonomically shaped non-slip TPR handle for comfortable use in all conditions
- Versatile: Interchangeable die sets for wide range of applications.




Pin (not included)


Sealing Plug (not included)



902-519
Weatherpack Die

Material		HRC	OAL. (mm/inch)	Individual packing
Body	Handle			
S50C	TPR	45˚±3˚	254/10	Blister card

Model No.	Description	Crimp die profile	Application	Terminals
902-519	Die only		Weather Pack Terminals & Seals Crimp size : AWG 14-16/18-20/22-24	
902-520	Crimper with Weatherpack Die			