







# Socket

## Product Selection & Dimension








unit : mm

|                                                                                               | Part Number<br>(Color)                          | Certification                                                                             | Relay                                                                          | Torque | Dimension                                                                             |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|--------|---------------------------------------------------------------------------------------|
|              | KPY2<br>(White)                                 | CE  US   | 50S-2P                                                                         | 0.5N·m |    |
|              | KPY4<br>(White)                                 | CE  US   | 50S-4P                                                                         | 0.5N·m |    |
| <br>Varistor | KPY-M                                           |                                                                                           | KPY-M1<br>24VDC/AC<br>KPY-M2<br>110VDC/AC<br>KPY-M3<br>220VDC/AC<br>KPY socket |        |                                                                                       |
| <br>Diode  | KPY-D                                           |                                                                                           | 6 ~ 250VDC<br>KPY socket                                                       |        |                                                                                       |
|            | KMY2                                            | CE  US | 50S-2P<br>HR705-2P                                                             | 0.5N·m |  |
|            | KMY4<br>(R, G, Y, B,<br>Amber,<br>Black(Basic)) | CE  US | 50S-4P<br>HR705-4P                                                             | 0.5N·m |  |
|            | KLY2                                            | CE  US | HR710-2P                                                                       | 0.8N·m |  |

# Socket




















## Product Selection & Dimension

unit : mm

|                                                                                     | Part Number<br>(Color) | Certification                                                                                                                                                              | Relay                   | Torque | Dimension                                                                                               |
|-------------------------------------------------------------------------------------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|--------|---------------------------------------------------------------------------------------------------------|
|    | KLY4                   |   US     | HR710-4P                | 0.8N·m |  <p>(TOP VIEW)</p>   |
|    | KTF14A                 |   US     | HR710-4P                | 0.8N·m |  <p>(TOP VIEW)</p>    |
|   | KF083A                 |   US   | HR707N-2P               | 0.8N·m |  <p>(TOP VIEW)</p>  |
|  | KF113A                 |   US | HR707N-3P               | 0.8N·m |  <p>(TOP VIEW)</p> |
|  | KPZ2                   |   US | HR707N-2P<br>TTL<br>TTS | 0.5N·m |  <p>(TOP VIEW)</p> |
|  | KPZ3                   |   US | HR707N-3P               | 0.5N·m |  <p>(TOP VIEW)</p> |

## Product Selection & Dimension

unit : mm

| Part Number<br>(Color)                                                              | Certification                                                                                                                                                           | Relay                            | Dimension                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |       | 505-2PL<br>HR705-2P<br>Soldering |    <p>&lt; TOP VIEW &gt;</p> <p>DETAIL A<br/>SCALE 5 : 1</p> <p>P.C. Board Pattern<br/>SCALE 2 : 1</p>       |
|    |       | HR705-3P<br>Soldering            |    <p>&lt; TOP VIEW &gt;</p> <p>DETAIL A<br/>SCALE 5 : 1</p> <p>P.C. Board Pattern<br/>SCALE 2 : 1</p>       |
|   |     | 505-4P<br>HR705-4P<br>Soldering  |    <p>&lt; TOP VIEW &gt;</p> <p>DETAIL A<br/>SCALE 5 : 1</p> <p>P.C. Board Pattern<br/>SCALE 2 : 1</p>    |
|  |   | 505-2P<br>HR705-2P<br>PCB Type   |    <p>&lt; TOP VIEW &gt;</p> <p>DETAIL A<br/>SCALE 5 : 1</p> <p>P.C. Board Pattern<br/>SCALE 2 : 1</p> |
|  |   | HR705-3P<br>PCB Type             |    <p>&lt; TOP VIEW &gt;</p> <p>DETAIL A<br/>SCALE 5 : 1</p> <p>P.C. Board Pattern<br/>SCALE 2 : 1</p> |
|  |   | 505-4P<br>HR705-4P<br>PCB Type   |    <p>&lt; TOP VIEW &gt;</p> <p>DETAIL A<br/>SCALE 5 : 1</p> <p>P.C. Board Pattern<br/>SCALE 2 : 1</p> |

Rev. 2/14

Data subject may change without notice.

[www.kacon.co.kr](http://www.kacon.co.kr)

Industrial Controls Catalog







I - 31

**KACON**

# Socket






## Product Selection & Dimension

unit : mm

|                                                                                     | Part Number<br>(Color) | Certification | Relay                 | Torque | Dimension                                                                                                                                                                               |
|-------------------------------------------------------------------------------------|------------------------|---------------|-----------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | KT08                   | CE            | HR710-2P<br>Soldering | -      |  <p>&lt; TOP VIEW &gt;</p> <p>DETAIL A<br/>SCALE 5 : 1</p> <p>P.C. Board Pattern<br/>SCALE 2 : 1</p> |
|    | KT08-0                 | CE cULus      | HR710-2P<br>PCB Type  | -      |  <p>&lt; TOP VIEW &gt;</p> <p>DETAIL A<br/>SCALE 5 : 1</p> <p>P.C. Board Pattern<br/>SCALE 2 : 1</p> |
|   | K2CF08                 | CE cULus      | TTL                   | 0.8N·m |  <p>(TOP VIEW)</p>                                                                                  |
|  | K2CF08K                | CE            | Floatless, FLR        | 0.8N·m |  <p>(TOP VIEW)</p>                                                                                 |
|  | TAS<br>(White)         |               | TA-1a                 |        |                                                                                                     |
|  | TRS<br>(White)         |               | TR-1a                 |        |                                                                                                     |

## Product Selection & Dimension












unit : mm

|                                                                                     | Part Number<br>(Color) | Certification | Relay                     | Torque | Dimension                                                                             |
|-------------------------------------------------------------------------------------|------------------------|---------------|---------------------------|--------|---------------------------------------------------------------------------------------|
|    | KMY4S<br>G (Green)     | CE RoHS       | 505-4P<br>HR705-4P        | 0.5N·m |     |
|    | KCY4                   | CE RoHS       | 505-4P<br>HR705-4P<br>납땜용 | -      |    |
|   | K2BF08                 | CE RoHS       | TTL                       | 0.8N·m |   |
|  | K2BF11                 | CE            | TTL                       | 0.8N·m |  |

# Socket












## Product Selection & Dimension

unit : mm

|                                                                                     | Part Number<br>(Color) | Certification                                                                                                                                                           | Relay                 | Torque | Dimension                                                                             |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | KPX11                  |       | -                     | 0.5N·m |    |    |    |
|    | KPX1                   |       | -                     | 0.5N·m |    |    |    |
|   | KPX12                  |   | K706-1PL              | 0.5N·m |   |   |   |
|  | KPX13                  |                                                                                      | K706-1PL<br>Soldering | -      |  |  |  |

Product Selection & Dimension

unit : mm

|                                                                                     | Part Number<br>(Color) | Certification                                                                                                                                                           | Relay                  | Torque | Dimension                                                                             |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|--------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    | KPX21                  |   US  | -                      | 0.5N·m |     |    |    |
|    | KPX2                   |   US  | -                      | 0.5N·m |     |    |    |
|   | KPX22                  |   | K706-2PL               | 0.5N·m |   |   |   |
|  | KPX23                  |                                                                                      | K706 -2PL<br>Soldering | -      |  |  |  |