




CAP OPTIONS	TOGGLE SWITCHES	TACTILE SWITCHES	SNAP ACTION SWITCHES	SLIDE SWITCHES	ROTARY SWITCHES	ROCKER SWITCHES	PUSHBUTTON SWITCHES	NAVIGATION SWITCHES	KEYLOCK SWITCHES	DIP SWITCHES	DETECTOR SWITCHES	ANTI-VANDAL SWITCHES
----------------	--------------------	---------------------	-------------------------	-------------------	--------------------	--------------------	------------------------	------------------------	---------------------	-----------------	----------------------	-------------------------



RoHS




FEATURES & BENEFITS

- Up to 5,000,000 cycle life expectancy
- Tape and Reel packaging
- IP67 ratings
- Multiple force options



Series	Circuit	Actuator	Force	Plating	Termination
 TL	 6150	 A - 3.50 B - 5.20	 F160 - 160 gf - Brown F200 - 200 gf - Red F350 - 350 gf - Orange	 Q - Silver	 G - Gull Wing J - J Lead

Specifications subject to change without notice 12.3.2020

BODY DIMENSIONS
GULL WING






ACTUATOR	"X"	"Y"
A	3.50	2.90
B	5.20	2.70





TL6150 SERIES TACT SWITCH

BODY DIMENSIONS J LEAD



ACTUATOR	"X"	"Y"
A	3.50	2.90
B	5.20	2.70



E-SWITCH®

www.e-switch.com

800.867.2717