Shenzhen XinLisheng Hardware Electronics Co., Ltd.

2.4g 5.8g daul band wifi PCB antenna	
Item NO.	xls-1104
Frequency range	2400-2500Mhz/5150-5850Mhz
VSWR	≤1.8
Polarization	Vertical
Input impedance	50Ω
Power	30w
Size	95*13*1mm
Cable length	100mm or customized length
Cable type	1.13 coix cable
Connector	IPEX or MMCX/MHF4 etc
Mounting	3M sticker
Operation Temperature	- 40 °C ~ + 80 °C
Storage Temperature	- 40 °C ~ + 80 °C
Application	Wifi 2.4g antenna 5.8g antenna 5g
Ipex connector or stripped cable optional	



XINLISHENG

2.4G 5G 5.8G PCB Antenna

Gain:8dBi



Powerful Factory

Support customization

XINLISHENG



3M Stick on back

2.4G 5G 5.8G PCB Antenna

Gain:8dBi

Fre:2400-2500/5150-5850Mhz

Powerful Factory

Support customization

XINLISHENG



Powerful Factory

Support customization

Shenzhen XinLisheng Hardware Electronics Co., Ltd.
Address:No.84 King Sheng Road,Tongle Community,Longgang Street,Longgang District,Shenzhen City
Email:sales1@xls-antenna.com
Phone/wechat/whatsapp:+8618270216661
Tel/Fax : +86-0755-89565240
skype:sales1@xls-antenna.com
Webshop:
Http://xls-antenna.en.alibaba.com