REFERENCE SPECIFICATIONS

-NFC 93425 (in compliance with HE 508)

PHYSICAL CHARACTERISTICS

-INSULATOR MATERIAL:	THERMOSET UL94V0
	BRASS
	GOLD OVER NICKEL
-ACCESSORIES:	BRASS
	Cadmium plated, yellow passivation
-SHELLS:	STEEL
	Cadmium plated, yellow passivation

ELECTRICAL CHARACTERISTICS

-NOMINAL CURRENT:	7.5A
-CONTACT RESISTANCE:	<= 7.3 m ohms
-CONTACT/CONTACT :	>=1000 V
-CONTACT/GROUND :	>=1200 V
-INSULATION RESISTANCE:	>=5000 MOhms

ENVIRONMENTAL CHARACTERISTICS

- CLIMATIC CATEGORY:	55/155/56
	TEMPERATURE RANGE -55°C TO +155°C
	DAMP HEAT STEADY STATE 56 DAYS
	SALT SPRAY 48 HOURS

MECHANICAL CHARACTERISTICS

- RETENTION AGAINST TORQUE: - Threaded insert: 0.7 N.m minimum
- Female screw : 0.5 N.m minimum

DBML25P043N

Series

Shell size: **E A B C D**
see sheet 2

Front accessory definition
see sheet 2

- **Blank** : without accessory
- **F** : floating mounting
- **L** : threaded insert M3
- **O** : threaded insert UNC 4-40
- **V** : female screw UNC 4-40

Contact number (see sheet 2)
9,15,25,37,50


Contacts


- **P** Pin

Plating

- **Blank** : solder bucket 500 matings/unmatings
- **043** : solder bucket 500 matings/unmatings for harsh environment

Obligatory for HE508





25WAY for Example

rev	ecn no	dr	date
A	LS06-0174	MPE	2006/11/14
B	LS07-0273	MPE	2007/10/30

www.fciconnect.com

surface - ISO 1302 | tolerance std ISO 406 ISO 1101 | projection | mm

TOLERANCES UNLESS OTHERWISE SPECIFIED

Dr	M PESSON	2006/11/14
Eng	P LEGARE	2006/11/14
Chr	P LEGARE	2006/11/14
Appr	P LEGARE	2006/11/14

ANGULAR 0° ±2°

LINEAR: 0.X ±0.3 | 0.XX ±0.1 | 0.XXX ±0.05

size A2 | Scale 2:1

ECN LS07-0273

Product family - | Spec ref


title: SUB MALE DM HE508 series with solder bucket

dwg no C01-8637-1741 | Rev. B

catalog no - | CUSTOMER | sheet 1 of 4

Copyright FCI.

PDM:RevB STATUS:Released Printed: Jun 17, 2015
PDM:RevB STATUS:Released Printed: May 25, 2022



FRONT ACCESSORY	**Blank** without	**F** floating mounting	**L** insert M3 **O** insert UNC 4.40	**V** female screw UNC 4.40

PART NUMBER	FRONT ACCESSORY
D*MxxPN	without
D*MFxxPN	floating mounting
D*MLxxPN	insert M3
D*MOxxPN	insert UNC 4.40
D*MVxxPN	female screw UNC 4.40

PART NUMBER	FRONT ACCESSORY
D*MxxP043N	without
D*MFxxP043N	floating mounting
D*MLxxP043N	insert M3
D*MOxxP043N	insert UNC 4.40
D*MVxxP043N	female screw UNC 4.40

CROSS REFERENCES HE508 and FCI

HE508 P/N	FCI 'P/N	FRONT ACCESSORY
HE508NxxAP	D*MxxPN	without
HE501FxxAP	D*MFxxPN	floating mounting

shell size	Contact number
*	XX
E	09
A	15
B	25
C	37
D	50


SCALE:4


www.fciconnect.com			surface - ISO 1302		tolerance std ISO 406 ISO 1101		projection	mm
			TOLERANCES UNLESS OTHERWISE SPECIFIED					
Dr	M PESSON	2006/11/14	ANGULAR	LINEAR	0.X	±0.3	size A2	Scale 2:1
Eng	P LEGARE	2006/11/14			0.XX	±0.1		
Chr	P LEGARE	2006/11/14	0° ±2°		0.XXX	±0.05	ECN LS07-0273	
Appr	P LEGARE	2006/11/14	Product family -				Spec ref	
title: SUB MALE DM HE508 series with solder bucket							dwg no C01-8637-1741	Rev. B
catalog no -							CUSTOMER	sheet 2 of 4


Copyright FCI.


PDM:Rev:B STATUS:Released Printed: May 25, 2022

DIMENSIONS FOR SHELL E,A,B,C









Dimensions are in millimeters

Shell size	Number of contacts	A +0.76 -0	B +0.25 -0	C ±0.12	F +0.57 -0	G +0.25 -0	H +0.51 -0	L +0.22 -0
E	09	30.43	16.79	24.99	10.47	5.9 +0.15 -0	19.02	0.80
A	15	38.76	25.12	33.32	10.47	5.9 +0.15 -0	27.25	0.80
B	25	52.65	38.84	47.04	10.43	5.7 +0.25 -0	41.02	0.80
C	37	68.94	55.30	63.50	10.56	5.7 +0.25 -0	57.45	0.90


scale 3

www.fciconnect.com			surface ISO 1302	tolerance std ISO 406 ISO 1101	projection	mm	
			TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	M PESSON	2006/11/14	ANGULAR	LINEAR	0.X ±0.3	size A2	Scale 2:1
Eng	P LEGARE	2006/11/14			0.XX ±0.1		
Chr	P LEGARE	2006/11/14	0° ±2°		0.XXX ±0.05	ECN LS07-0273	
Appr	P LEGARE	2006/11/14	Product family -			Spec ref	
title	SUB MALE DM HE508 series with solder bucket				dwg no	C01-8637-1741	Rev. B
catalog no -					CUSTOMER		sheet 3 of 4

Copyright FCI.

PDM:Rev:B STATUS:Released Printed: May 25, 2022

DIMENSIONS FOR SHELL SIZE D (50 CONTACTS)



www.fciconnect.com			surface ISO 1302		tolerance std ISO 406 ISO 1101		projection	mm	
			TOLERANCES UNLESS OTHERWISE SPECIFIED						
Dr	M PESSON	2006/11/14	ANGULAR	LINEAR	0.X	±0.3	size	Scale	
Eng	P LEGARE	2006/11/14			0.XX	±0.1	A2	2:1	
Chr	P LEGARE	2006/11/14	0° ±2°		0.XXX	±0.05	ECN	LS07-0273	
Appr	P LEGARE	2006/11/14	Product family			-	Spec ref		
FCI	title	SUB MALE DM HE508 series with solder bucket					dwg no	C01-8637-1741	Rev. B
	catalog no	-					CUSTOMER		sheet 4 of 4

Copyright FCI.