

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
-	-

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	REVISED PER ECR-18-009294	14JUN2018	JS	DD







1. MATERIAL AND FINISH:
   -HOUSING: LCP, COLOR: NATURAL
   -CONTACTS: COPPER ALLOY, FINISH: Sn OVER Ni
   -BOARD LOCKS: COPPER ALLOY, FINISH: Sn OVER Ni
2. MUST COMPLY WITH DIRECTIVE 2002/95/EC (ROHS)
3. PACKAGE IN TAPE & REEL PER ETA-48I SPECIFICATIONS
   DIAMETER OF REEL TO BE 330mm.
4. THIS PRODUCT HAS NOT COMPLETED VALIDATION TESTING.

△6 VACUUM PICK UP TAPE



ISOMETRIC VIEW
(P/N:2154829-3 SHOWN)







P/N: 2154829-1


P/N: 2154829-2

P/N: 2154829-3





SCALE 8:1



P/N: 1-2154829-3

TAPE △6	DIM_E	DIM_D	DIM_C	DIM_B	DIM_A	NO. OF POSN.	PART NUMBER
YES	8.73	12.04	19.00	18.60	25.30	4	1-2154829-3
NO	8.73	12.04	19.00	18.60	25.30	4	2154829-3
NO	6.75	10.06	15.00	14.64	21.34	3	2154829-2
NO	4.77	8.08	11.00	10.68	17.38	2	2154829-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN G.PETERS 01FEB2012
CHK C.GINGRICH 01FEB2012
APVD C.GINGRICH -
PRODUCT SPEC 108-133000
APPLICATION SPEC 114-32030
WEIGHT -

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH - -

TE Connectivity

NAME ASSEMBLY INVERTED THRU BOARD
2 THRU 4 POSITIONS 3.96 PITCH
-

SIZE A1 | CAGE CODE 00779 | DRAWING NO C-2154829 | RESTRICTED TO -


Customer Drawing | SCALE 5:1 | SHEET 1 OF 3 | REV A1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
-	-


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT
EVEN NUMBER POSITIONS SHOWN

SCALE 10:1



RECOMMENDED PCB LAYOUT
ODD NUMBER POSITIONS SHOWN

SCALE 10:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G.PETERS 01FEB2012	TE Connectivity
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±0.13 3 PLC ±- 4 PLC ±- ANGLES ±-	CHK C.GINGRICH 01FEB2012	NAME ASSEMBLY INVERTED THRU BOARD 2 THRU 4 POSITIONS 3.96 PITCH -
		APVD C.GINGRICH -	
		PRODUCT SPEC 108-133000	
		APPLICATION SPEC 114-32030	SIZE A1 / CAGE CODE 00779 / DRAWING NO C-2154829 / RESTRICTED TO -
MATERIAL - -	FINISH - -	WEIGHT -	
		Customer Drawing	SCALE 1:1 / SHEET 2 OF 3 / REV A1


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
-	-


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-






SECTION B-B



SECTION A-A



REELING DIRECTION

PART NUMBER	W	B0	B1	SO	F
2154829-1	32.0	11.1	18.3	28.5	14.2
2154829-2	44.0	15.06	22.26	40.5	20.2
2154829-3	44.0	19.02	26.22	40.5	20.2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
FINISH -

DWN G.PETERS 01FEB2012
CHK C.GINGRICH 01FEB2012
APVD C.GINGRICH -
PRODUCT SPEC 108-133000
APPLICATION SPEC 114-32030
WEIGHT -

TE Connectivity

NAME ASSEMBLY INVERTED THRU BOARD
2 THRU 4 POSITIONS 3.96 PITCH
-

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-2154829	-

Customer Drawing | SCALE 1:1 | SHEET 3 OF 3 | REV A1