





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	PLATING THICKNESS CORRECTION	25AUG2026	MK	MS


MUST BE COMPLIANCE WITH ROHS



RECOMMENDED P.C.B LAYOUT(TOP SIDE)
(PCB BOARD TOLERANCE ± 0.05)




BLACK	15	7-2390136-5	5-2390136-5	17.50	20.00	22.00
	14	7-2390136-4	5-2390136-4	16.25	18.75	20.75
	13	7-2390136-3	5-2390136-3	15.00	17.50	19.50
	12	7-2390136-2	5-2390136-2	13.75	16.25	18.25
	11	7-2390136-1	5-2390136-1	12.50	15.00	17.00
	10	7-2390136-0	5-2390136-0	11.25	13.75	15.75
	09	6-2390136-9	4-2390136-9	10.00	12.50	14.50
	08	6-2390136-8	4-2390136-8	8.75	11.25	13.25
	07	6-2390136-7	4-2390136-7	7.50	10.00	12.00
	06	6-2390136-6	4-2390136-6	6.25	8.75	10.75
	05	6-2390136-5	4-2390136-5	5.00	7.50	9.50
	04	6-2390136-4	4-2390136-4	3.75	6.25	8.25
	03	6-2390136-3	4-2390136-3	2.50	5.00	7.00
02	6-2390136-2	4-2390136-2	1.25	3.75	5.75	
NATURAL	15	3-2390136-5	1-2390136-5	17.50	20.00	22.00
	14	3-2390136-4	1-2390136-4	16.25	18.75	20.75
	13	3-2390136-3	1-2390136-3	15.00	17.50	19.50
	12	3-2390136-2	1-2390136-2	13.75	16.25	18.25
	11	3-2390136-1	1-2390136-1	12.50	15.00	17.00
	10	3-2390136-0	1-2390136-0	11.25	13.75	15.75
	09	2-2390136-9	2390136-9	10.00	12.50	14.50
	08	2-2390136-8	2390136-8	8.75	11.25	13.25
	07	2-2390136-7	2390136-7	7.50	10.00	12.00
	06	2-2390136-6	2390136-6	6.25	8.75	10.75
	05	2-2390136-5	2390136-5	5.00	7.50	9.50
	04	2-2390136-4	2390136-4	3.75	6.25	8.25
	03	2-2390136-3	2390136-3	2.50	5.00	7.00
02	2-2390136-2	2390136-2	1.25	3.75	5.75	
COLOR	PIN	GOLD FLASH	MATTE TIN	A	B	C
		PLATING SPEC				
		PART NUMBER			DIMENSIONS	


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Tommy Qian 12APR2021		 TE Connectivity Ltd.			
		CHK Niki Shi 12APR2021					
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME 1.25mm PITCH WTB Conn. SMT R/A —			
		0 PLC ± 0.5 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± 0.1 4 PLC ± — ANGLES ± 2°					
MATERIAL		FINISH		DWN Tommy Qian 12APR2021		RESTRICTED TO	
NOTE 1		NOTE 2		WEIGHT N/A		SIZE A3	
				CAGE CODE 00779		DRAWING NO C-2390136	
				APPLICATION SPEC —		SCALE N/A	
				CUSTOMER DRAWING		SHEET 1 OF 3	
						REV B1	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—


Standard Polarization For Receptacles




2P




3P




4P




5P




6P




7P




8P




9P




10P




11P




12P



13P



14P



15P

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Tommy Qian	12APR2021	 TE Connectivity Ltd.		
		CHK Niki Shi	12APR2021			
		APVD Niki Shi	12APR2021	NAME		
		PRODUCT SPEC		1.25mm PITCH WTB Conn.		
		APPLICATION SPEC		SMT R/A		
		WEIGHT		SIZE	CAGE CODE	DRAWING NO
		—		A3	00779	C-2390136
CUSTOMER DRAWING		SCALE		N/A	SHEET	2 of 3
					REV	B1

