









LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
J	—		—	SEE SHEET 1	—	—	—



- 注記
- 一般公差 : ± 0.2
 - 適用ピン リセプタクル型番 : □ -170063-□ , □ -353937-□ , □ -1123655-□
 - 適用規格番号: 108-5205(型番171370-3)
108-61239(型番171370-4)
108-5541(型番171370-5)
- △4 PARTS COMPLY WITH GLOW WIRE 750 PER IEC 60335-1.
△5 MUST BE APPLIED ON THE OUTSIDE OF COMPRESSOR.




- NOTES;
- GENERAL TOLERANCE ± 0.2
 - APPLICABLE CONTACT PART No.:
□ -170063-□ , □ -353937-□ , □ -1123655-□
 - PRODUCT SPEC No.: 108-5205(FOR PART No.171370-3)
108-61239(FOR PART No.171370-4)
108-5541(FOR PART No.171370-5)
- △4 GLOW WIRE 750(IEC 60335-1), CTI 600V(HALOGEN FREE)
△5 MUST BE APPLIED ON THE OUTSIDE OF COMPRESSOR.



△4 △5	171370-5	PBT ガラス強化 PBT GLASS FILLED(UL94V-0)	灰色 (GRAY)
	171370-4	PBT ガラス強化 PBT GLASS FILLED(UL94V-0)	黒 (BLACK)
	171370-3	PBT ガラス強化 PBT GLASS FILLED(UL94HB)	自然色 (NATURAL)
	型番 (PART No.)	材料 (MATERIAL)	色 (COLOR)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.SUZUKI	21MAY2002	TE Connectivity			
		CHK M.SHINDO	21MAY2002				
		APVD M.SHINDO	21MAY2002	NAME 名称 2.3 DIA CLUSTER BLOCK			
DIMENSIONS: 単位: 耗 mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差		PRODUCT SPEC 製品規格 SEE NOTES 3.			
				APPLICATION SPEC 取付適用規格			
				SIZE		CAGE CODE	
				WEIGHT		DRAWING NO 番号	
MATERIAL 材料 SEE TABLE		FINISH 仕上		A3		00779	
				CUSTOMER DRAWING		SCALE 尺度 4:1	
						SHEET 2 of 3	
						REV R4	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
J	—		—	SEE SHEET 1	—	—	—



- 注記:
- 一般公差 : ±0.2
 - 適用ピン リセプタクル型番 : □ -170063-□ , □ -353937-□ , □ -1123655-□
 - 適用規格番号: 108-14 0004 (型番171370-7)
 - PRELIMINARY-NOT FOR PRODUCTION
 - PARTS COMPLY WITH GLOW WIRE REQUIREMENTS DETAILED IN IEC 60335-1

- NOTES;
- GENERAL TOLERANCE ±0.2
 - APPLICABLE CONTACT PART No. : □ -170063-□ , □ -353937-□ , □ -1123655-□
 - PRODUCT SPEC No.:108-140004(FOR PART No.171370-7)
 - PRELIMINARY-NOT FOR PRODUCTION
 - PARTS COMPLY WITH GLOW WIRE REQUIREMENTS DETAILED IN IEC 60335-1
 - PRELIMINARY PART

△6	171370-8	PPS (UL94V-0)	(NATURAL)
△5	171370-6	PA 6 GLASS FILLED	自然色 (NATURAL)
	171370-7	液晶ポリマー (UL94V-0) LCP (UL94V-0)	自然色 (NATURAL)
	型番 (PART No.)	材料 (MATERIAL)	色 (COLOR)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.SUZUKI	21MAY2002	 TE Connectivity			
		CHK M.SHINDO	21MAY2002				
DIMENSIONS: 単位: 耗 mm		APVD M.SHINDO	21MAY2002	NAME 名称 2.3 DIA CLUSTER BLOCK			
		PRODUCT SPEC 製品規格					
		APPLICATION SPEC 取付適用規格					
MATERIAL 材料 SEE TABLE		WEIGHT —		SIZE A3	CAGE CODE 00779	DRAWING NO 番号 C-171370	RESTRICTED TO —
		CUSTOMER DRAWING		SCALE 尺度 4:1	SHEET 3 of 3	REV R4	