




THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
© COPYRIGHT 2011	ALL RIGHTS RESERVED.



VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE



PN X-282002-8
PN I-2293382-2
(DETAIL "B" FOR CAVITY 1 & 2)



NOTE/NOTES:



NUMERI DI IDENTIFICAZIONE CAVITÀ (CIRCUIT IDENTIFICATION)



MARCHIO DI FABBRICA LIBERA POSIZIONE (AMP LOGO FREE POSITION)



RETENTION TOOTH IS REQUESTED FOR THE 2 AND 3 POS. ONLY



PERTE PRELIMINARE, NON ANCORA IN PRODUZIONE (PRELIMINARY PART, NOT YET RELEASED FOR PRODUCTION)



PER QUESTI P/N LA POLARIZZAZIONE POSTERIORE DEVE INTENDERSI COMPLETA, A FINE BLOCCETTO (per la rappresentazione vedere foglio 1/2) (FOR THE INDICATE P/N THE POLARIZATION MUST BE AT THE END OF CONNECTOR (see sheet 2 of 2).



CODIFICA CON DIFFERENTE DIMENSIONE (CODIFICATION WITH DIFFERENT DIMENSION).



BECOMES 6.5 FOR BOTH CAVITIES ON THE 2 POS., ON CAVITY N.1 AND N.3 ON THE 3 POS. ON CAVITY N.1 ON THE 4 POS. CONNECTOR AND ON THE 5 POS. CONNECTOR 2-2293382-5. OPTIONAL ON PARTS 6-2293382-2, 6-282002-0, 2-2293382-5. NOT APPLICABLE ON PARTS 4-282002-1, 3-282002-5, 1-282002-8, 3-282002-4, 4-282003-1, 1-2293382-2.



INCLUDE LA POLARIZZAZIONE DOVE E' ESISTENTE (INCLUDING POLARIZATION KEY, WHEN EXISTING)



DETAIL FOR PN X-282002-8 AND PN I-2293382-2, SPECIAL VERSION, SEE ALSO NOTE 3



P/N NON RILASCIATO PER LA PRODUZIONE (P/N NOT YET RELEASED FOR PRODUCTION)





GEOMETRIA ALTERNATIVA DEL DENTINO DI AGGANCIAMENTO VEDI NOTA 3 PER ALTRI DETTAGLI (ALTERNATIVE SHAPE FOR RETENTION TOOTH, SEE NOTE 3 FOR ADDITIONAL DETAILS)



STATO DI FORNITURA: CONFEZIONAMENTO IN "VASSOI + SCATOLA" (PACKAGING: "ON TRAY PLUS CARTON BOX")



CONFEZIONAMENTO IN BOBINA OBSOLETO (PACKAGING: ON REEL OBSOLETE)



OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



THE DESIRED POLARIZATION CAN BE OBTAINED BY THE TERMINATION MACHINE



EXCEPTION MADE FOR PN FOR THIS PN CAVITY 1 IS WITHOUT RETENTION TOOTH AND HAS THE SAME DESIGN AS THE CAVITY N.2



OBSOLETE PART




WITHOUT 2 WIRE RETENTION HOOKS ON 2 END, SEE SHEET 8



SPECIAL VERSION WITH WIRE RETENTION HOOK ON COVER, SPECIAL MODIFICATION ON TERMINATION MACHINE IS A MUST.

DETAIL FOR PN 0-282233-2 ONLY



2	BLOCCETTO (HOUSING)	NATURALE (NATURAL)	PA 6.6 CARICATO VETRO (POLIAMIDE 6.6 GLASSFIBER FILLED)
1	CONTATTO (CONTACT)	STAGNATO (TIN-PLATED)	OTTONE (BRASS)
ITEM	DENOMINAZIONE (DESCRIPTION)	FINITURA / COLORE (FINISH / COLOUR)	MATERIALE (MATERIAL)
			DIAM. ISOLANTE (INS. DIA. RANGE) 3,0 max.
			RANGO FILO (WIRE RANGE) 0.5-1.5mm2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995	TE Connectivity	
DIMENSIONS: mm		CHK G. TURCO 23JUL1995		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G. TURCO 23JUL1995	NAME MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.	
0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		0.3	PRODUCT SPEC 108-20065-1, 108-20065-2	
MATERIAL SEE TABLE		FINISH SEE TABLE	APPLICATION SPEC 114-20016, 114-20016-1	
		WEIGHT -	SIZE A2	
		Customer Drawing	CAGE CODE 0779	
			DRAWING NO C-282002	
			RESTRICTED TO -	
			SCALE 2:1	
			SHEET 1	
			OF 8	
			REV AC12	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

TE PART NUMBER ASSY CONN.		VERSIONE PEZZI IN VASSOIO		VERSIONE PEZZI SCIOLTI		POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) 8	NOTE MARCHIATURA CON BANDA COLORATA		
NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto)①	TRAY PACKAGING VERSION		PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. 16
2		4-282002-1	AA	-	-	-	2S 5	1-2	-	9.9	NERO BLACK	02-C 7
2		1-282002-1	V	2-282002-1	V	-	2S 5	1-2	-	9.9	NERO BLACK	02-C
2		1-282002-2	V	2-282002-2	V	-	1S 2D	1-2	-	9.9	GRIGIO GREY	02-B 02-E 02-F
2		1-282002-3	V	2-282002-3	V	-	2D	1-2	-	9.9	ROSSO RED	02-L
2		1-282002-4	V	2-282002-4	V	-	1D 5 2S 5	1-2	-	9.9	BLU BLUE	02-A
2		1-282002-5	V	2-282002-5	V	-	1D	1-2	-	9.9	NERO BLACK	02-Q
2		3-282002-5	AA	-	-	-	1D	1-2	-	9.9	NERO BLACK	02-Q 7
2		1-282002-6	V	2-282002-6	V	-	-	1-2	-	9.9	NERO BLACK	-
2		1-282002-7	V	2-282002-7	V	-	-	1-2	-	9.9	-	-
2		1-282002-8	V	2-282002-8	V	-	1S 2D	1-2	-	9.9	VERDE GREEN	02-B 02-E 02-F 7
2		2-282002-9	I	-	-	-	1D 2D	1-2	-	9.9	-	-
2		3-282002-0	I	-	-	-	1S 1D	1-2	-	9.9	-	-
2		3-282002-4	AA	-	-	-	1D 5 2S 5	1-2	-	9.9	-	02-A 7
2		5-282002-2	A	-	-	-	1S 2D	1-2	-	9.9	YELLOW	02-B 02-E 02-F
2		6-282002-0	AA	-	-	-	1S 5 2S 5	1-2	-	9.9	RED	- 7

LOC-
DIST-
P-
LTR-
REVISIONS
DESCRIPTION
DATE
DWN
APVD
SEE SHEET 1
VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)

① AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995	TE Connectivity	
DIMENSIONS: mm		CHK G. TURCO 23JUL1995		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.	
MATERIAL	FINISH	APVD G. TURCO 23JUL1995	SIZE 114-20016, 114-20016-1	CAGE CODE A200779
SEE TABLE	SEE TABLE	PRODUCT SPEC 108-20065-1, 108-20065-2	DRAWING NO C-282002	RESTRICTED TO -
Customer Drawing			SCALE -	SHEET 2 OF 8

1471-9 (3/11)

1471-9 (3/11)


1471-9 (3/11)

1471-9 (3/11)

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
-	-			SEE SHEET 1		

VISTE SOLO PER RIFERIMENTO
VIEWS ONLY FOR REFERENCE

LEGENDA
(DESCRIPTION)



NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.		POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L +0.2 -0.3 (mm) ⑧	NOTE MARCHIATURA CON BANDA COLORATA	POSSIBLE RAST 5 POLARIZ. ⑩
		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI						
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	NOTE STRIP COLOUR
4		1-282004-1	V	2-282004-1	V	1D ⑤	1-2 3-4	2D	GRIGIO GREY
4		1-282004-2	V	2-282004-2	V	3D ⑤	2-3	-	NERO BLACK
4		1-282004-3	V	2-282004-3	V	1D ⑤	1-2 3-4	2D	ROSSO RED
4		1-282004-4	S	-	-	3D	1-2	-	BLU BLUE
4		3-282004-4	AA	-	-	4D 1S	3-4 1-2	-	-
4		4-282004-4	I	-	-	4D 1S-1D-2S-2D 3S-3D-4S-4D AS-BD-CS-DD	3-4 1-2	-	-
5		1-282005-1	V	2-282005-1	V	4D ⑤	4-5	-	ROSSO RED
5		1-284545-1	Z	-	-	2S ⑤	4-5	-	ROSSO RED
5		1-284545-2	A	-	-	1S 5D	- 3-4	3D	-
5		1-284545-3	A	-	-	1S 5D	1-2 3-4	-	BLU BLUE
5		1-293003-5	Z	-	-	-	4-5	-	NERO BLACK
6		1-282006-2	V	2-282006-2	V	2S 5D	2-3	-	VIOLA VIOLET
6		1-282006-3	V	2-282006-3	V	2S - 3D 4D - 5D	4-5	-	-
6		2-282006-4	V	-	-	3D 5D	-	5S	NERO BLACK
6		1-284745-1	Z	-	-	6D ⑤	4-5	-	ROSSO RED
6		1-284745-2	I	-	-	6D ⑤	-	4D	RED
6		1-284745-3	AA	-	-	5D ⑤	3-4	-	VIOLET
6		1-284745-4	AA	-	-	1S ⑤	2-3	-	ORANGE
7		1-282007-1	V	2-282007-1	V	1D ⑤	1-2 5-6	3S	-
7		2-282007-2	V	-	-	4D 6D	-	6S	VIOLA VIOLET
7		2-282007-3	I	-	-	1S - 2S - 2D 3S - 3D - 4D 5S - 6S - 6D 7S - 7D	1-2 5-6	-	-
7		3-282007-2	AA	-	-	-	1-2	5S	-
7		1-284397-1	Z	-	-	2D	1-2 5-6	-	NERO BLACK
7		1-293004-7	Z	-	-	-	1-2 5-6	-	ROSSO RED
7		2-293004-7	I	-	-	-	1-2 5-6	-	GRIGIO GREY
8		0-284085-1	V	2-284085-1	V	2D - 6S 4D - 6D	-	4S	-
8		0-284085-2	V	2-284085-2	V	-	2-3	-	VIOLA VIOLET

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995	TE Connectivity			
DIMENSIONS: mm		CHK G. TURCO 23JUL1995	NAME MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±: 1 PLC ±: 2 PLC ±: 3 PLC ±: 4 PLC ±: ANGLES ±		APVD G. TURCO 23JUL1995	SIZE 108-20065-1, 108-20065-2			
MATERIAL		FINISH	DRAWING NO 114-20016, 114-20016-1			
SEE TABLE		SEE TABLE	RESTRICTED TO Customer Drawing			
			SCALE - SHEET 3 OF 8			
			REV AC12			

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2011

ALL RIGHTS RESERVED.

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI	POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) 8	NOTE MARCHIATURA CON BANDA COLORATA	
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. 16
3		1-282003-1	V	2-282003-1	V	1D	1-2	-	14.9	ARANCIO ORANGE	03-A 03-I
3		4-282003-1	AA	-	-	1D 5	1-2	-	14.9	ARANCIO ORANGE	03-A 03-I 7
3		1-282003-2	V	2-282003-2	V	2D	2-3	-	14.9	BLU BLUE	03-B
3		1-282003-3	V	2-282003-3	V	1S	1-2	-	14.9	VERDE GREEN	03-F
3		1-282003-4	V	2-282003-4	V	2D	2-3	-	14.9	ROSSO RED	03-B
3		1-282003-5	V	2-282003-5	V	2D	2-3	-	14.9	GRIGIO GREY	03-B
3		1-282003-6	V	2-282003-6	V	-	1-2	-	14.9	VIOLA VIOLET	-
3		1-282003-7	V	-	-	2D	2-3	-	14.9	NERO BLACK	03-B
3		3-282003-3	I	-	-	1S	1-2	-	14.9	-	-
3		3-282003-4	I	-	-	1D - 2S	1-2	-	14.9	-	-
3		3-282003-5	I	-	-	1S	2-3	-	14.9	-	-
3		3-282003-6	AA	-	-	1S - 1D	1-2	-	14.9	-	-
3		3-282003-7	AB	-	-	1S	1-2	-	14.9	-	-
3		0-282233-2	V	2-282233-2	V	1S 5	1-2	-	14.9	-	03-D 8
3		1-284396-1	Z	-	-	2S	2-3	-	14.9	NERO BLACK	-

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1

VISTE SOLO PER RIFERIMENTO

VIEWS ONLY FOR REFERENCE

LEGENDA

(DESCRIPTION)

① AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 23JUL1995
G. ENDRIZZI

CHK 23JUL1995
G. TURCO

APVD 23JUL1995
G. TURCO

PRODUCT SPEC

APPLICATION SPEC

114-20016, 114-20016-1

WEIGHT

-

Customer Drawing

SCALE

-

SHEET 4 OF 8

REV AC12

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

FINISH

SEE TABLE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 23JUL1995
G. ENDRIZZI

CHK 23JUL1995
G. TURCO

APVD 23JUL1995
G. TURCO

PRODUCT SPEC

APPLICATION SPEC

114-20016, 114-20016-1

WEIGHT

-

Customer Drawing

SCALE

-

SHEET 4 OF 8

REV AC12

TE Connectivity

MONO-SHAPE MK1
TAB CONNECTORS 2-10 POS.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

-

1471-9 (3/11)

NUMERO DI VIE	CONFIGURAZIONE (Vista connettore dall'alto) ①	TE PART NUMBER ASSY CONN.				POSIZIONE POLARIZ. (LATO POSTERIORE)	POSIZIONE AGGANCIO (LATO ANTERIORE)	POSIZIONE CODIFICA SPECIALE (LATO ANTERIORE)	L+0.2 L-0.3 (mm) 8	NOTE MARCHIATURA CON BANDA COLORATA	
		VERSIONE PEZZI IN VASSOIO	VERSIONE PEZZI SCIOLTI								
NO OF POS	CONFIGURATION (View from top side) ①	TRAY PACKAGING VERSION	PART REV	LOOSE PIECES PACKAGING VERSION	PART REV	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL COD. POSITION (FRONT SIDE)	L+0.2 L-0.3 (mm)	NOTE STRIP COLOUR	POSSIBLE RAST 5 POLARIZ. 16
10		1-282010-1	V	2-282010-1	V	6D 8S	4-5 8-9	6S	49.9	-	-
10		0-284004-1	V	-	-	6D 8S	4-5 8-9	6S	49.9	-	-

LEGENDA
(DESCRIPTION)

①

AMP MONO-SHAPE, TAB CONNECTORS
(ESEMPIO DI CONFIGURAZIONE)
(EXAMPLE OF CONFIGURATION)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995	<div>TE Connectivity</div>			
DIMENSIONS: mm		CHK G. TURCO 23JUL1995				
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±: 1 PLC ±: 2 PLC ±: 3 PLC ±: 4 PLC ±: ANGLES ±: FINISH ±	APVD G. TURCO 23JUL1995	NAME MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.			
		PRODUCT SPEC 108-20065-1, 108-20065-2	APPLICATION SPEC 114-20016, 114-20016-1			
MATERIAL	SEE TABLE	WEIGHT --	SIZE A2	CAGE CODE 00779	DRAWING NO C-282002	RESTRICTED TO -
Customer Drawing			SCALE -	SHEET 5	OF 8	REV AC12

4		3		2		1					
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION									
© COPYRIGHT 2011		ALL RIGHTS RESERVED.									
PA GF, UL-V0 GWEPT 750 °C NO FLAME, NATURAL, WITH TWO ALTERNATIVE RESINS											
		ON TRAY		LOOSE PIECES		SEE SHEET 1 FOR ADDITIONAL DETAILS AND NOTES					
No. of POS.	CONFIGURATION ONLY FOR REF	P/N ASS'Y	PART REV.	P/N ASS'Y	PART REV.	POLARIZ. POSITION (BACK SIDE)	LOCKING POSITION (FRONT SIDE)	SPECIAL CODIFICAT. POSITION (FRONT SIDE)	L (mm)	COLOR CODE	POSSIBLE RAST 5 POLARIZ.
2		2293382-2	AA			1S 2D	1-2	-	9.9		02-B 02-E 02-F
2		1-2293382-2	AA			1S 2D	1-2		9.9	GREEN	02-B 02-E 02-F
2		2-2293382-2	AA			1D 2D	1-2	-	9.9		
2		3-2293382-2	AA			1D 2S	1-2	-	9.9	BLUE	02-A
2		4-2293382-2	AA			1S 1D	1-2	-	9.9		
2		5-2293382-2	AA			1S 2D	1-2	-	9.9	GREY	02-B 02-E 02-F
2		6-2293382-2	AA			1D 2S	1-2	-	9.9	-	02-A
2		7-2293382-2	AB			2D	1-2	-	9.9	RED	02-L
2		8-2293382-2	AC			2S	1-2	-	9.9	BLACK	02-C
2		2468050-2	I			1S 2S	1D 2D	1-2	-	9.9	
2		1-2468050-2	I			-	1-2	-	9.9	BLACK	-
2		2-2468050-2	I			1D	1-2	-	9.9	BLACK	02-Q
2		3-2468050-2	I			1D	1-2	-	9.9	BLACK	02-Q
3		2293382-3	AA			2S	2-3	-	14.9		
3		1-2293382-3	AA			-	1-2	-	14.9	VIOLET	-
3		2-2293382-3	AA			1D	1-2	-	14.9	ORANGE	03-A 03-I
3		3-2293382-3	AA			1S 1D	1-2	-	14.9		
3		4-2293382-3	AA			1D 2D	2S 3S	1-2	-	14.9	
3		5-2293382-3	AA			1S 3D	2-3	-	14.9		
3		6-2293382-3	AA			1S 2S	1D 2D	1-2	-	14.9	
3		7-2293382-3	AA			1S 3D	1-2	-	14.9	GREEN	03-F
	SEE SHEET 8	8-2293382-3									
3		9-2293382-3	AC			2S	2-3	-	14.9	BLACK	
3		2468050-3	AC			2D 3D	2-3	-	14.9	BLUE	03-B
3		1-2468050-3	AC			2D 3D	2-3	-	14.9	BLACK	03-B
3		2-2468050-3	I			3D	2-3	-	14.9		
3		4-2468050-3	I			1S 2D	1D 3S	2S 3D	14.9		

LOC	DIST	REVISIONS					
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ENDRIZZI 23JUL1995	TE Connectivity		
		CHK G. TURCO 23JUL1995			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD G. TURCO 23JUL1995	NAME
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC 108-20065-1, 108-20065-2	MONO-SHAPE MK1 TAB CONNECTORS 2-10 POS.
MATERIAL		SEE TABLE		APPLICATION SPEC 114-20016, 114-20016-1	DRAWING NO C=282002
SEE TABLE		SEE TABLE		WEIGHT -	RESTRICTED TO -
Customer Drawing				SCALE 2:1	SHEET 6 OF 8

