










4805 (3/13)

4805 (3/13)

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



RECOMMENDED PCB OUTLINE DIMENSIONS.
TOLERANCE VALUES ARE CRITICAL. PLEASE BE SURE TO DESIGNATE
TOLERANCES TO PCB SUPPLIER TO ENSURE OPTIMIZED FUNCTIONALITY.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: TARUN MARR 21MAR2022	TE Connectivity	
DIMENSIONS:		CHK: DAVID ZHANG 21MAR2022		
mm		APVD: DAVID ZHANG 21MAR2022	NAME: -	
		PRODUCT SPEC	SIZE: CAGE CODE: DRAWING NO:	
		108-130021	RESTRICTED TO:	
		APPLICATION SPEC	A100779C=2333799	
		114-130008	SCALE: 5:1 SHEET 3 OF 5 REV B5	
MATERIAL:		WEIGHT: -	CUSTOMER DRAWING	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

CONNECTOR CONTACT IDENTIFICATION

CONTACT NUMBER	SIDE A	SIDE B
1	GROUND	GROUND
2	SIGNAL	SIGNAL
3	SIGNAL	SIGNAL
4	GROUND	GROUND
5	SIGNAL	SIGNAL
6	SIGNAL	SIGNAL
7	GROUND	GROUND
8	SIGNAL	SIGNAL
9	SIGNAL	SIGNAL
10	GROUND	GROUND
11	SIGNAL	SIGNAL
12	SIGNAL	SIGNAL
13	GROUND	GROUND
14	SIGNAL	SIGNAL
15	SIGNAL	SIGNAL
16	GROUND	GROUND
17	SIGNAL	SIGNAL
18	SIGNAL	SIGNAL
19	GROUND	GROUND
20	SIGNAL	SIGNAL
21	SIGNAL	SIGNAL
22	GROUND	GROUND
23	SIGNAL	SIGNAL
24	SIGNAL	SIGNAL
25	GROUND	GROUND
26	SIGNAL	SIGNAL
27	SIGNAL	SIGNAL
28	GROUND	GROUND
29	GROUND	GROUND
30	SIGNAL	SIGNAL
31	SIGNAL	SIGNAL
32	GROUND	GROUND
33	SIGNAL	SIGNAL
34	SIGNAL	SIGNAL
35	GROUND	GROUND

CONTACT NUMBER	SIDE A	SIDE B
36	SIGNAL	SIGNAL
37	SIGNAL	SIGNAL
38	GROUND	GROUND
39	SIGNAL	SIGNAL
40	SIGNAL	SIGNAL
41	GROUND	GROUND
42	GROUND	GROUND
43	GROUND	GROUND
44	SIGNAL	SIGNAL
45	SIGNAL	SIGNAL
46	GROUND	GROUND
47	SIGNAL	SIGNAL
48	SIGNAL	SIGNAL
49	GROUND	GROUND
50	SIGNAL	SIGNAL
51	SIGNAL	SIGNAL
52	GROUND	GROUND
53	SIGNAL	SIGNAL
54	SIGNAL	SIGNAL
55	GROUND	GROUND
56	SIGNAL	SIGNAL
57	SIGNAL	SIGNAL
58	GROUND	GROUND
59	SIGNAL	SIGNAL
60	SIGNAL	SIGNAL
61	GROUND	GROUND
62	SIGNAL	SIGNAL
63	SIGNAL	SIGNAL
64	GROUND	GROUND
65	SIGNAL	SIGNAL
66	SIGNAL	SIGNAL
67	GROUND	GROUND
68	SIGNAL	SIGNAL
69	SIGNAL	SIGNAL
70	GROUND	GROUND

CONTACT NUMBER	SIDE OA	SIDE OB
1	GROUND	GROUND
2	SIGNAL	SIGNAL
3	SIGNAL	SIGNAL
4	GROUND	GROUND
5	SIGNAL	SIGNAL
6	SIGNAL	SIGNAL
7	GROUND	GROUND
8	SIGNAL	SIGNAL
9	SIGNAL	SIGNAL
10	GROUND	GROUND
11	SIGNAL	SIGNAL
12	SIGNAL	SIGNAL
13	GROUND	GROUND
14	GROUND	GROUND






FIGURE 2 
DIRECTION OFF TOP OF REEL
FOR USER UNREELING
APPLIES TO 2333799-7 THRU 1-2333799-0, 1-2333799-1,1-2333799-3,1-2333799-4
SCALE 2:1






FIGURE 1 
HARD TRAY PACKAGING
APPLIES TO 2333799-1 THRU 2333799-6 AND 3-2333799-3
SCALE 1:1




HARD TRAY PACKAGING-

- DIMENSIONS:
TRAY: L= (330), W= (136), H= (19.6)
- QUANTITY:
48 PIECES PER TRAY.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TARUN MARR 21MAR2022	 TE Connectivity	
DIMENSIONS:		CHK DAVID ZHANG 21MAR2022		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD DAVID ZHANG 21MAR2022	NAME	-
	0 PLC	±0.1	PRODUCT SPEC	-
	1 PLC	±0.1	108-130021	-
	2 PLC	±0.1	APPLICATION SPEC	-
	3 PLC	±	114-130008	-
MATERIAL		FINISH	WEIGHT	-
			CUSTOMER DRAWING	SCALE 5:1 SHEET 4 OF 5 REV B5

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



PICK AND PLACE TAPE IS HIDDEN
FOR CLARITY IN THE ABOVE VIEW

ROUND SPROCKET HOLES

ELONGATED SPROCKET HOLES




FIGURE 3
DIRECTION OFF TOP OF REEL
FOR USER UNREELING
APPLIES TO 1-2333799-2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TARUN MARR 21MAR2022	TE Connectivity	
DIMENSIONS:		CHK DAVID ZHANG 21MAR2022		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD DAVID ZHANG 21MAR2022	NAME	-
	0 PLC	±0.1	PRODUCT SPEC	-
	1 PLC	±0.1	108-130021	
	2 PLC	±0.1	APPLICATION SPEC	
	3 PLC	±	114-130008	
	4 PLC	±	WEIGHT	-
	ANGLES	±5°	CUSTOMER DRAWING	
MATERIAL		FINISH	SCALE	5:1
			SHEET	5
			OF	5
			REV	B5