THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.

1.MATERIAL:HOUSING:GLASS FILED THERMO PLASTIC POLYESTER(94V-0),COLOR:BLACK
CONTACT:COPPER ALLOY
RETENTION LEG:PRE-TIN COPPER ALLOY


2.FINISH(ALL OVER):TIN PL. 0.8μmMIN AFTER NICKEL PL. 0.8μmMIN

3.THE SHAPE, SIZE AND POSITION OF THE CHARACTER SHOW THE OUTLINE. THEY DON'T SHOW DETAILS.

LOC	DIST
J	-

REVISIONS 改定


P	LTR	DESCRIPTION	ECN	DATE	DWN	APVD
	A	RELEASED		23AUG2005	M.M	D.M
	A1	DRAFTING ERROR FOR 4POS	ECR-07-005548	22MAR2007	M.M	D.M
	B	ADDITION PART NO	ECR-09-019145	26AUG2009	T.K	T.K



1.材料:ハウジング:ガラス入り熱可塑性ポリエステル樹脂(94V-0), 色:黒
コンタクト:銅合金
リテンションレグ:錫めっき済銅合金


2.めっき:全面:ニッケル下地めっき0.8μm以上の上に錫めっき0.8μm以上

3.文字の形状、大きさ、および位置については、大略を示すものであり、詳細を示すものではありません。




推奨基板取付穴寸法:コネクタ搭載面(非累積公差)
PC基板厚:1.0~1.6±0.1

RECOMMEND PC BOARD HOLE PATTERN
: CONNECTOR MOUNT SIDE(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKNESS : 1.0~1.6±0.1



(20POS AS SHOWN)



20POS : THIS ITEM IS NOT YET.
ONLY 4POS----SEE SHEET 2 OF 3

12	5	12.5	16.0	17.6	1-1871673-6
6	2	5.0	8.5	10.1	1-1871673-3
4	1	2.5	6.0	7.6	1-1871673-2
POS	n	A	B	C	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS: 単位: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: 一般公差 ±0.3,±3°
0 PLC ±
1 PLC ±0.5
2 PLC ±0.13
3 PLC ±0.013
4 PLC ±0.0001
ANGLES ±
FINISH 仕上 SEE NOTE 2

MATERIAL 材料 SEE NOTE 1

DWN M.MAEBASHI 22JUN2005
CHK D.MITSUGI 23AUG2005
APVD D.MITSUGI 23AUG2005
PRODUCT SPEC 製品規格 108-78298
APPLICATION SPEC 適用適用規格 114-5377
WEIGHT

CUSTOMER DRAWING

Tyco Electronics
Tyco Electronics Corporation
Kawasaki, Japan

NAME 名称 DYNAMIC D1200D 2.5mmPITCH HDR ASSY (H-TYPE) TIN PLATE 4-20POS

SIZE	CAGE CODE	DRAWING NO 製図	RESTRICTED TO
A2	00779	C-1871673	-

SCALE 尺度 6:1 SHEET 1 OF 3 REV B


fj044512

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST
J	-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1 OF 3			




P/N 1-1871673-2
(4POS:X-KEY)



推奨基板取付穴寸法：コネクタ搭載面（非累積公差）
PC基板厚：1.0～1.6±0.1

RECOMMEND PC BOARD HOLE PATTERN
: CONNECTOR MOUNT SIDE(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKNESS : 1.0~1.6±0.1

ONLY 4POS



DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±1 2 PLC ±0.1 3 PLC ±0.01 4 PLC ±0.001 ANGLES ±	DWN M.MAEBASHI 22JUN2005
MATERIAL -	FINISH -	CHK D.MITSUGI 23AUG2005
		APVD D.MITSUGI 23AUG2005
		PRODUCT SPEC 108-78298
		APPLICATION SPEC 114-5377
		WEIGHT -

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

SEE SHEET 1 OF

Tyco Electronics Corporation
Kawasaki, Japan

NAME DYNAMIC D1200D 2.5mmPITCH HDR ASSY (H-TYPE) TIN PLATE 4-20POS

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-1871673	-

CUSTOMER DRAWING | SCALE 6:1 | SHEET 2 OF 3 | REV B


fj044512

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST
J	-

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1 OF 3			





P/N 1-1871673-6
(12POS:X-KEY)




P/N 1-1871673-3
(6POS:X-KEY)









THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

SEE SHEET 1 OF 3

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±

MATERIAL -

FINISH -

DWN	M.MAEBASHI 22JUN2005
CHK	D.MITSUGI 23AUG2005
APVD	D.MITSUGI 23AUG2005
PRODUCT SPEC	108-78298
APPLICATION SPEC	114-5377
WEIGHT	-

Tyco Electronics — Tyco Electronics Corporation, Kawasaki, Japan

NAME: DYNAMIC D1200D 2.5mmPITCH HDR ASSY (H-TYPE) TIN PLATE 4-20POS

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C-1871673	-

CUSTOMER DRAWING | SCALE 6:1 | SHEET 3 OF 3 | REV B

fi044512