# Crimp Information Sheet

DELPHI

Terminal Part Number: 02962683
Surface Plating: UNPLATED
Material Thickness [mm]: 0,46
Cross Section [mm²]: 2,00

*This document is non-contractual and for information only.*


*For more information, please consult your local sales office*


Cable Type codes: 1005 + 1005
Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | **CCH [mm]** | **Tol CCH [mm]** | **CCW [mm]** | **Tol CCW [mm]** | **ICH [mm]** | **Tol ICH [mm]** | **ICW [mm]** | **Tol ICW [mm]** |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1005 2,00 + 1005 2,00 | | 2,58 + 2,58 | 200 | 1,70 | 0,05 | 4,70 | 0,10 | 3,20 | 0,10 | 6,70 | 0,20 |

Cable type code legend:

1005:
Industry Designator: SAE
Conductor Material: COPPER
Conductor Plating: NONE
Insul. Material: PVC, PVDF, XLPE
Insul. Wall Designator: THIN



# Crimp Information Sheet

DELPHI

Terminal Part Number: 02962683
Surface Plating: UNPLATED
Material Thickness [mm]: 0,46
Cross Section [mm²]: 1,00 | 2,00

This document is non-contractual and for information only.


For more information, please consult your local sales office


Cable Type codes: 1007 + 1007
Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | **CCH [mm]** | **Tol CCH [mm]** | **CCW [mm]** | **Tol CCW [mm]** | **ICH [mm]** | **Tol ICH [mm]** | **ICW [mm]** | **Tol ICW [mm]** |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1007 1,00 + 1007 1,00 | | 2,58 + 2,58 | 120 | 1,73 | 0,05 | 4,25 | 0,10 | 3,00 | 0,10 | 6,70 | 0,20 |
| 1007 2,00 + 1007 2,00 | | 2,98 + 2,98 | 200 | 1,70 | 0,05 | 4,70 | 0,10 | 3,30 | 0,10 | 7,00 | 0,20 |

Cable type code legend:

1007:
Industry Designator: SAE
Conductor Material: COPPER
Conductor Plating: NONE
Insul. Material: PVC, XLPA/PVDF, XLPE
Insul. Wall Designator: REGULAR



# Crimp Information Sheet

DELPHI

Terminal Part Number: 02962683
Surface Plating: UNPLATED
Material Thickness [mm]: 0,46
Cross Section [mm²]: 2,00

This document is non-contractual and for information only.


For more information, please consult your local sales office


Cable Type codes: 1007 + 1007
Crimp Process: (V) SOLDER - VARIAC - CORE IS BARE COPPER OR TINNED
Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | **CCH [mm]** | **Tol CCH [mm]** | **CCW [mm]** | **Tol CCW [mm]** | **ICH [mm]** | **Tol ICH [mm]** | **ICW [mm]** | **Tol ICW [mm]** |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1007 2,00 + 1007 2,00 | | 2,98 + 2,98 | 200 | 1,70 | 0,05 | 4,70 | 0,10 | 3,30 | 0,10 | 7,00 | 0,20 |

Cable type code legend:

1007:
Industry Designator: SAE
Conductor Material: COPPER
Conductor Plating: NONE
Insul. Material: PVC, XLPA/PVDF, XLPE
Insul. Wall Designator: REGULAR



# Crimp Information Sheet

DELPHI

Terminal Part Number: 02962683
Surface Plating: UNPLATED
Material Thickness [mm]: 0,46
Cross Section [mm²]: 0,80

This document is non-contractual and for information only.

For more information, please consult your local sales office

Cable Type codes: 1011 + 1011
Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
Seal(s): NONE

| Cable type / seal | Arrangement | Nominal Insul. diam [mm] | Tear-out force [N] | **CCH [mm]** | **Tol CCH [mm]** | **CCW [mm]** | **Tol CCW [mm]** | **ICH [mm]** | **Tol ICH [mm]** | **ICW [mm]** | **Tol ICW [mm]** |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1011 0,80 + 1011 0,80 | | 3,13 + 3,13 | 90 | 1,65 | 0,05 | 4,70 | 0,10 | 3,50 | 0,10 | 7,10 | 0,20 |

Cable type code legend:

1011:
Industry Designator: SAE
Conductor Material: COPPER
Conductor Plating: NONE
Insul. Material: EAE, POLYOLEFIN, PVC, TPE, XLPE
Insul. Wall Designator: HEAVY DUTY

