






LE VISTE MOSTRANO I DUE COMPONENTI ACCOPPIATI (P/N 284802-1)
(VIEWS SHOW TWO MATED COMPONENTS P/N 284802-1)



LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
A		FIRST ISSUE WITH ET00-0080-02 PROP. No. WAS 02-51089		16APR2002	P.Z.	R.M.	
A1		ADDED SHEET 3 OF 3 WITH ET00-0204-02		14OCT2002	M.P.	R.M.	
A2		RELEASED FOR PRODUCTION WITH ET00-0223-02		12DEC2002	P.Z.	R.M.	
A3		REVISED PER ET00-0140-04		26JUL2004	P.Z.	R.M.	




- 1) CAVITA' ADATTA PER CONTATTO MOS P/N 928999-... E P/N 963715-...
(CAVITY SUITABLE FOR MOS CONTACT P/N 928999-... AND P/N 963715-...)
- 2) PER IL DISEGNO DELLA CONTROPARTE VEDERE FOGLIO 2 DI 3
(FOR COUNTERPART DETAIL SEE SHEET 2 OF 3)
- 3) STATO DI FORNITURA: I DUE COMPONENTI SONO VENDUTI IN KIT,
IN PARI QUANTITA' NELLA STESSA SCATOLA
(SUPPLYING CONDITION: TWO COMPONENTS ARE SOLD IN KIT,
SAME QUANTITY IN THE SAME CARTON BOX)



B	NERO (BLACK)	PBT - GF	BLOCCETTO PORTAFEMMINE (SOCKET HOUSING)	2	284802-2
	MARRONE (BROWN)	PA 6.6 - GF	AGGANCIO SECONDARIO (SECONDARY LOCK)	1	
A	NERO (BLACK)	PBT - GF	BLOCCETTO PORTAFEMMINE (SOCKET HOUSING)	2	284802-1
	NERO (BLACK)	PA 6.6 - GF	AGGANCIO SECONDARIO (SECONDARY LOCK)	1	
CODING	COLORE (COLOUR)	MATERIALE (MATERIAL)	DESCRIZIONE (DESCRIPTION)	COMPONENTE No (ITEM No)	NUMERO (PART NUMBER)

POLARIZZAZIONI
(CODINGS)
SCALA 2:1
(SCALE)


A
NERO RAL 9011
(BLACK RAL 9011)





B
MARRONE RAL 1011
(BROWN RAL 1011)




SECTION A-A



SCALE 4:1



SECTION E-E




DETTAGLI CONTROPARTE HEADER
(TAB HEADER COUNTERPART DETAILS)


SEE DETAIL W
SECTION C-C

CONIARE LE BAVE DI TRANCIATURA
(NO TRIMMING BURRS ADMITTABLE)


NON SONO AMMESSE BAVE
(NO BURRS)



SECTION D-D



DETAIL W
SCALE 10:1



SECTION B-B

DETAIL J
SCALE 10:1

1-3 µm Sn (O SnPb 93/7) CON SOTTOSTRATO
DI Ni SPESSORE 1.3-2.2 µm
(1 µm TO 3 µm Sn (OR SnPb 93/7) OVER
1.3 µm TO 2.2 µm Ni)

2) POLARIZZAZIONE "A" COME INDICATO
(CODING "A" AS SHOWN)

3) FORZA DI RITENZIONE DEL SINGOLO CONTATTO 40N min.
(SINGLE PIN CONTACT RETENTION FORCE 40N min)

1	OTTONE (BRASS)	CONTATTO (TAB)	2
---	PA 6.6 CARICATO VETRO (PA 6.6 GLASSFIBER FILLED)	BLOCCETTO (HOUSING)	1
FINITURA (FINISH)	MATERIALE (MATERIAL)	DESCRIZIONE (DESCRIPTION)	ITEM No.

DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN P. ZAMPIROLO CHK R. MARTINI APVD A. GENTA		06 JUL 2001 06 JUL 2001 06 JUL 2001		tyco Electronics AMP Italia S.p.A. C.so F.lli Cervi, 15 - Collegno (TO)	
MATERIAL VEDERE TABELLA (SEE TABLE)		FINISH VEDERE TABELLA (SEE TABLE)		PRODUCT SPEC		NAME		SOCKET HOUSING, 6 POSITIONS FOR MOS CONTACTS KIT	
0 PLC ±0.3 1 PLC ±0.1 2 PLC ±0.05 3 PLC ± 4 PLC ±		ANGLES ±1°		APPLICATION SPEC		SIZE		RESTRICTED TO	
CUSTOMER DRAWING		SCALE 5:1		WEIGHT		A2 00779		SHEET 2 OF 3	
						C=284802		REV A3	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

2002

C

COPYRIGHT 2002

BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

A1

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

-



SEE SHEET 1

-

-


-

SECTION C-C

DETAIL A
SCALE 10:1

F1= 150g MAX

S1= 4.2mm

DIAGRAMMA CARICO/CORSA DEL PIN CON EVIDENZIATA
CONDIZIONE PRESCRITTA DI LAVORO

1 PIN IN POSIZIONE DI RIPOSO.

2 PIN IN POSIZIONE DI LAVORO.
(A CONTATTO CON UN TERMINALE FEMMINA MQS)3) MATERIALE PIN: LEGA Cu-Be CON FINITURA IN Au
SU SOTTOSTRATO DI Ni.4) PER LE DIMENSIONI MANCANTI FAR RIFERIMENTO AL
FOGLIO 2 DI 3 DEL PRESENTE DISEGNO.THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION
IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION
SHOULD BE CONTACTED FOR THE LATEST REVISION.

DIMENSIONS:	mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0 PLC ±0.3 1 PLC ±0.1 2 PLC ±0.05 3 PLC ± 4 PLC ± ANGLES ±1° FINISH -	DWN P. ZAMPIROLO CHK R. MARTINI APVD A. GENTA	30 SEPT 2002 30 SEPT 2002 30 SEPT 2002
				PRODUCT SPEC APPLICATION SPEC WEIGHT CUSTOMER DRAWING	

tyco Electronics		tyco Electronics AMP Italia S.p.A. C.so F.lli Cervi, 15 - Collegno (TO)	
NAME SOCKET HOUSING, 6 POSITIONS FOR MQS CONTACTS KIT		SIZE A2	CAGE CODE 00779
DRAWING NO C-284802		RESTRICTED TO -	REV A3
SCALE 5:1		SHEET 3	OF 3