





LOC	DIST	REVISIONS				
		P	LYR	DESCRIPTION	DATE	DWN
ES	00	U3		REV PER ECR-13-015977	14OCT2013	CZ
		V		REV PER ECO-15-000526	29JAN2015	LAW
		V1		REVISED	30MAR2015	CZ
		V2		ADDED PN 7-7 AND OBSOLETE 2-8 AND 3-5	08JUN2020	CZ



- 1 OPTIONAL CENTER MODULE, WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE
- 2 TE, PART NUMBER AND DATE CODE MARKED IN THE APPROXIMATE AREA SHOWN. PARTS UNDER 2.00 INCHES LONG MAY BE MARKED ON BOTH SIDES
- 3 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-O,BLACK
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 4 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNTIONAL AREA POWER AND SIGNAL CONTACTS
- 5 MECHANICAL CONNECTOR KEEP OUT ZONE
- 6 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 7 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- 8 PCB - .0453 ±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 PLATING TO ACHIEVE A .040 HOLE
- 9 VARIABLE DIMENSION SHOWN ON VIEW (SHEET 7,10)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI	02MAY05	 TE Connectivity	
DIMENSIONS: INCHES		CHK M. PERCHERKE	02MAY05		
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2° FINISH	APVD M. PERCHERKE	-	NAME	
		PRODUCT SPEC		VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL	
		108-1973		-	
		APPLICATION SPEC		-	
MATERIAL		114-13038		SIZE	
		WEIGHT		CASE CODE	
		-		DRAWING NO	
		A100779		RESTRICTED TO	
				C=6450550	
CUSTOMER DRAWING		SCALE 4:1		SHEET 1 OF 23 REV V1	

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

-	-	3.100	.200	.200	2.225	1.375	3.450	.425	5P + 32S + 5P	7-6450550-7
-	4.300	4.250	.250	.250	3.150	1.875	4.600	.450	6P + 48S + 5P	7-6450550-3
-	3.850	3.800	.250	.250	2.950	1.375	4.150	.450	4P + 60S + 4P	7-6450550-2
-	2.350	2.300	.250	.250	1.700	1.175	2.650	.450	3P + 16S + 3P	6-6450550-9
-	2.650	2.600	.250	.250	2.000	1.125	2.950	.450	3P + 32S + 3P	6-6450550-7
-	2.050	2.000	.250	.250	1.650	.925	2.350	.450	2P + 24S + 2P	6-6450550-6
-	5.450	5.400	.250	.250	3.300	2.625	5.750	.450	9P + 24S + 9P	6-6450550-5
-	2.250	2.20	.250	.250	1.350	.875	2.550	.450	2P + 16S + 4P	6-6450550-4
-	4.450	4.400	.250	.250	2.800	2.125	4.750	.450	7P + 24S + 7P	6-6450550-3
-	-	3.950	.250	.200	2.125	1.025	4.300	.425	3P + 40S + 8P	6-6450550-2
-	5.450	5.400	.250	.250	3.300	2.625	5.750	.450	9P + 24S + 9P	6-6450550-1
-	3.300	3.250	.250	.250	2.400	1.675	3.600	.450	5P + 24S + 4P	6-6450550-0
-	3.300	3.250	.250	.250	2.150	1.425	3.600	.450	4P + 24S + 5P	5-6450550-9
-	2.150	2.100	-	.250	1.750	.875	2.450	.450	2P + 32S + 2P	5-6450550-8
-	3.050	3.000	.250	.250	2.150	1.425	3.350	.450	4P + 24S + 4P	5-6450550-7
-	2.250	2.200	.200	.200	1.725	1.025	2.550	.425	3P + 24S + 3P	5-6450550-6
-	3.300	3.250	.250	.250	2.150	1.425	3.600	.450	4P + 24S + 5P	5-6450550-5
-	-	3.050	.250	.300	1.950	1.275	3.400	.475	3ACP + 24S + 5P	5-6450550-3
-	1.950	1.900	.250	.250	1.550	.875	2.250	.450	2P +24S + 2P	5-6450550-0
-	-	6.300			3.925	3.275	6.650	.425	14P + 24S + 12P	4-6450550-9
-	1.950	1.900	.250	.250	1.550	.875	2.250	.450	2P + 24S + 2P	4-6450550-7
-	3.950	3.900	.250	.250	2.550	1.875	4.250	.450	6P + 24S + 6P	4-6450550-5
-	-	2.400	.250	.250	1.550	.875	2.750	.450	2P + 24S + 4P	4-6450550-0
-	-	3.100	.200	.200	2.225	1.375	3.450	.425	5P + 32S + 5P	3-6450550-5
-	-	5.450			3.075	2.425	5.800	.425	10P + 24S + 12P	3-6450550-2
-	3.350	3.300	.250	.250	2.450	1.375	3.650	.450	4P + 40S + 4P	2-6450550-9
-	-	3.100	.200	.200	2.225	1.375	3.450	.425	5P + 32S + 5P	2-6450550-8
-	-	2.100	.250	.300	1.750	1.275	2.450	.475	3ACP + 16S + 2P	2-6450550-4
-	4.325	4.275	.250		3.175	2.500	4.625	.475	2ACP + 6P + 24S + 5P	1-6450550-8
-	-	1.575	-	-	1.425	.700	1.925	.475	1P +24S + 1P	1-6450550-7
-	-	2.500	.250	.250	2.150	1.425	2.850	.450	4P + 24S + 2P	1-6450550-6
-	1.950	1.900	.250	.250	1.550	.875	2.250	.450	2P + 24S + 2P	1-6450550-5
-	2.850	2.800	.300	.250	2.075	1.375	3.150	.450	4P + 24S + 3ACP	1-6450550-4
-	3.550	3.500	.200	.200	2.225	1.775	3.850	.425	7P + 16S + 7P	1-6450550-3
-	4.450	4.400	.250	.250	4.050	.875	4.750	.450	2P + 124S + 2P	1-6450550-2
-	4.550	4.500	.250	.300	1.650	.975	4.850	.475	2ACP + 24S + 12P	1-6450550-1
-	2.550	2.500	.250	.250	2.150	.875	2.850	.450	2P + 48S + 2P	1-6450550-0
-	-	4.050	.300	.250	3.350	2.875	4.400	.450	10P + 16S + 3ACP	6450550-8
-	-	3.950	.250	.200	2.125	1.025	4.300	.425	3P + 40S + 8P	6450550-7
-	-	4.050	-	.250	3.950	.875	4.400	.450	2P + 120S + 1P	6450550-6
-	-	3.250	-	.250	3.150	.875	3.600	.450	2P + 88S + 1P	6450550-5
-	-	1.400	-	-	1.300	.625	1.750	.450	1P + 24S + 1P	6450550-4
-	-	2.900	.250	.250	2.550	.875	3.250	.450	2P + 64S + 2P	6450550-3
-	-	2.550	.300	.250	1.825	1.125	2.900	.450	3P + 24S + 3ACP	6450550-2
-	-	3.050	.250	.300	1.950	1.275	3.400	.475	3ACP + 24S + 5P	6450550-1
M	D	U	T	S	R	W	L	K	DESCRIPTION	PART NUMBER

OBSOLETE

OBSOLETE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.1
1 PLC ±.01
2 PLC ±.005
3 PLC ±.002
4 PLC ±.002
ANGLES ±.2°
FINISH

DWN R.GRZYBOWSKI 02MAY05
CHK M.PERCHEKKE 02MAY05
APVD M.PERCHEKKE -

PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT -

CUSTOMER DRAWING

NAME

SIZE A1
CAGE CODE 00779
DRAWING NO 6450550


RESTRICTED TO

TE Connectivity


VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL

SCALE 4:1
SHEET 2 OF 23
REV V1


PART NUMBER	ROWS		POWER (L)					SIGNAL					POWER (R)			
			P8	P7	P6	P5	P4	6	5	4	3	2	1	P3	P2	
6450550-1	D C B A															
3ACP + 24S + 5P																




PART NUMBER	ROWS		POWER (L)		SIGNAL																POWER (R)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			P4	P3	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
6450550-3	D C B A		GP	GS	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	



PART NUMBER	ROWS		POWER (L)			SIGNAL					POWER (R)					
			P6	P5	P4	6	5	4	3	2	1	P3	P2		P1	
6450550-2	D C B A		 GP	 GS	 GS		AP	AP	AP	AP	AP	AP	 GS	 GS	 GS	
							AP	AP	AP	AP	AP	AP				
							AP	AP	AP	AP	AP	AP				
							AP	AP	AP	AP	AP	AP				
3P + 24S + 3ACP																



PART NUMBER	ROWS		SIGNAL								POWER	
			POWER (L)								POWER (R)	
			P2	6	5	4	3	2	1	P1		
6450550-4	D C B A		GP	AP	AP	AP	AP	AP	AP	AP	GP	
				AP	AP	AP	AP	AP	AP			
				AP	AP	AP	AP	AP	AP			
				AP	AP	AP	AP	AP	AP			
1P + 24S + 1P												




HD	HOLD DOWN	-
VP	POWER CONTACT MFBL	.115
VS	POWER CONTACT STD	.115
P	SINGAL CONTACT	.115
AT	SIGNAL CONTACT	.135
PT	POWER CONTACT MFBL	.135
ST	POWER CONTACT STD	.135
BP	SIGNAL CONTACT	.165
HS	POWER CONTACT, STD	.165
HP	POWER CONTACT, MFBL	.165
AP	SIGNAL CONTACT	.135
GS	POWER CONTACT, STD	.135
GP	POWER CONTACT, MFBL	.135
CODE	DESCRIPTION	TAIL LENGTH


CONTACT TALE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI	02MAY05	TE Connectivity	
DIMENSIONS: INCHES		CHK M. PERCHERKE	02MAY05		
		APVD M. PERCHERKE	-	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL	
		PRODUCT SPEC 108-1973	-		
MATERIAL		APPLICATION SPEC 114-13038	-	SIZE A100779	
		FINISH	-		
CUSTOMER DRAWING		WEIGHT	-	DRAWING NO C=6450550	
		RESTRICTED TO	-	SHEET 3 OF 23	
		SCALE	4:1	REV VI	


PART NUMBER	ROWS		POWER								SIGNAL										POWER			
			P11	P10	P9	P8	P7	P6	P5	P4	10	9	8	7	6	5	4	3	2	1	P3	P2	P1	
6450550-7	D C B A		GS	GS	GP	GP	GS	GP	GP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	GS	GP	GS		
3P + 40S + 8P										AP	AP	AP	AP	AP	AP	AP	AP	AP	AP					



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 02MAT05 CHG M. PERCHERRE 02MAT05		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P.L.C. ±. 1 P.L.C. ±. 2 P.L.C. ±.01 3 P.L.C. ±.005 4 P.L.C. ±.0020 ANGLES ±°		NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL -	
		APVD M. PERCHERRE PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038		SIZE CASE CODE DRAWING NO A1 00779 C=6450550	
MATERIAL		FINISH		RESTRICTED TO	
		WEIGHT -			
CUSTOMER DRAWING				SCALE 4:1	SHEET 4 OF 23 REV. V1




PART NUMBER	ROWS		POWER (L)												SIGNAL					POWER (R)																																																																																							
			P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	6	5	4	3	2	1	P2		P1																																																																																				
I-6450550-1	D C B A	 HD																																																																																																									




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: GRZYBOWSKI 02MAY05 CHK: M. PERCHERKE 02MAY05 APP: M. PERCHERKE		 TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±. 2 PLC ±.01 3 PLC ±.005 4 PLC ±.002 ANGLES ±°		NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL -	
		PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038		SIZE: CAGE CODE: DRAWING NO: A100779 C=6450550	
MATERIAL		WEIGHT: -		RESTRICTED TO	
FINISH		CUSTOMER DRAWING		SCALE: 4:1 SHEET 5 of 23 REV V	

LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	


PART NUMBER	ROWS		POWER		SIGNAL																								POWER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			P4	P3	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6		5	4	3	2	1	P2	P1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1-6450550-2	D C B A				AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP</



PART NUMBER	ROWS		POWER								SIGNAL				POWER								
			P14	P13	P12	P11	P10	P9	P8	4	3	2	1	P7	P6	P5	P4	P3	P2	P1			
1-6450550-3	D C B A																						
7P + 16S + 7P																							




PART NUMBER	ROWS		POWER		SIGNAL						POWER				
			P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	
1-6450550-6	D C B A				AP	AP	AP	AP	AP	AP					
					AP	AP	AP	AP	AP	AP					
					AP	AP	AP	AP	AP	AP					
					AP	AP	AP	AP	AP	AP					
					AP	AP	AP	AP	AP	AP					
4P + 24S + 2P															



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI	02MAY05	TE Connectivity	
DIMENSIONS: INCHES		CHK M. PERCHERKE	02MAY05		
		APVD M. PERCHERKE	-	NAME	
		PRODUCT SPEC		VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL	
MATERIAL		108-1973		SIZE	
		APPLICATION SPEC		CAGE CODE	
FINISH		114-13038		DRAWING NO	
		WEIGHT		REV	
		CUSTOMER DRAWING		SCALE 4:1	
				SHEET 6 OF 23	

Technical drawing of a rectangular plate with a grid of holes. The drawing includes dimensions for overall size (4.655 MIN), hole spacing (2.700, 2.075, .440), hole diameter (.250), and hole pitch (.100). It also shows a grid of 13 columns and 4 rows of holes. A table in the top right corner contains the text "SEE SHEET".

ES	00	P	LTR
		-	SEE SHEET

-CONTACTS NOT LOADED4805 (3/11)

LOC	DIST	REVISONS				
		P	LTR	DESCRIPTION	DATE	DWN
ES	00	-	-	SEE SHEET 1	-	-



PART NUMBER	ROWS		POWER					SIGNAL							POWER						
			P10	P9	P8	P7	P6	8	7	6	5	4	3	2	1	P5	P4	P3	P2		P1
2-6450550-8	D C B A																				
5P + 32S + 5P																					

OBSOLETE


PART NUMBER	ROWS		POWER					SIGNAL							POWER						
			P10	P9	P8	P7	P6	8	7	6	5	4	3	2	1	P5	P4	P3	P2		P1
7-6450550-7	D C B A							AP	AP	AP	AP	AP	AP	AP	AP						
								AP	AP	AP	AP	AP	AP	AP	AP						
								AP	AP	AP	AP	AP	AP	AP	AP						
								AP	AP	AP	AP	AP	AP	AP	AP						
5P + 32S + 5P																					

PART NUMBER	ROWS		POWER					SIGNAL							POWER							
			P10	P9	P8	P7	P6	8	7	6	5	4	3	2	1	P5	P4	P3	P2		P1	
3-6450550-5	D							BP	BP	BP	BP	BP	BP	BP	BP							
	BP							BP	BP	BP	BP	BP	BP	BP	BP							
	BP							BP	BP	BP	BP	BP	BP	BP	BP							BP
	BP							BP	BP	BP	BP	BP	BP	BP	BP							BP
5P + 32S + 5P																						HD


OBSOLETE




PART NUMBER	ROWS		POWER (L)	SIGNAL							POWER (R)	
			P2	6	5	4	3	2	1	P1		
1-6450550-7	D C B A		GS	AP	AP	AP	AP	AP	AP	AP	GP	
				AP	AP	AP	AP	AP	AP			
				AP	AP	AP	AP	AP	AP			
				AP	AP	AP	AP	AP	AP			
IP + 24S + IP												




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 02MAY05		TE Connectivity	
DIMENSIONS: INCHES		CHK M. PERCHERKE 02MAY05		NAME	
		APVD M. PERCHERKE		VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL -	
		PRODUCT SPEC			
		108-1973			
		APPLICATION SPEC			
		114-13038			
MATERIAL		WEIGHT -		SIZE CAGE CODE DRAWING NO	
FINISH		A		100779 C=6450550	
CUSTOMER DRAWING		SCALE 4:1		SHEET 8 OF 23	
				REV VI	












THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 02MAT05		TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
		CHW M. PERCHERKE 02MAT05		VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL -	
		APVD M. PERCHERKE			
		PRODUCT SPEC 108-1973			
		APPLICATION SPEC 114-13038			
MATERIAL		FINISH		SIZE CASE CODE DRAWING NO RESTRICTED TO	
		WEIGHT -		A 00779 C-6450550	
		CUSTOMER DRAWING		SCALE 4:1 SHEET 9 OF 23 REV. 1	




LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
ES	00	-	-	SEE SHEET 1	-	-




ASSY PART NUMBER	ROWS		POWER		SIGNAL						POWER		
			P4	P3	6	5	4	3	2	1	P2	P1	
5-6450550-0	D C B A		ST	PT	AT	AT	AT	AT	AT	AT	PT	ST	
					AT	AT	AT	AT	AT	AT			
					AT	AT	AT	AT	AT	AT			
					AT	AT	AT	AT	AT	AT			
2P + 24S + 2P													

PART NUMBER	ROWS		POWER												SIGNAL							POWER																																																																																																																																																																																																																																																																																																																				
			P26	P25	P24	P23	P22	P21	P20	P19	P18	P17	P16	P15	6	5	4	3	2	1	P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2		P1																																																																																																																																																																																																																																																																																																							
4-6450550-9	D C B A																																																																																																																																																																																																																																																																																																																																									




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI CHK M. PERCHERKE APVD M. PERCHERKE	02MAY05 02MAY05 -
DIMENSIONS: INCHES		PRODUCT SPEC 108-1973	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-13038	SIZE A1
MATERIAL		WEIGHT -	CAGE CODE 00779
FINISH		CUSTOMER DRAWING	DRAWING NO 6450550
RESTRICTED TO		SCALE 4:1	SHEET 10
		REV VI	


Technical drawing of a rectangular plate with a grid of holes. The drawing includes dimensions for overall size (3.680 MIN), hole spacing (3.350, 2.250, 1.225, .250), and hole diameter (Ø.098 ± .002). It also shows surface finish symbols (e.g., 3.16, 1.25, .250) and material specifications (e.g., 3.16, 1.25, .250).



LOC		DIST		REVISIONS				
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-		SEE SHEET 1	-	-	-	


PART NUMBER	ROWS		POWER (L)					SIGNAL					POWER (R)				
			P8	P7	P6	P5	P4	6	5	4	3	2	1	P3	P2		P1
5-6450550-3	D C B A		 GP	 GP	 GP	 GS	 GS	AP	AP	AP				 GP	 GS	 GS	
								AP	AP	AP							
								AP	AP	AP							
								AP	AP	AP							
3ACP + 24S + 5P																	

NO CONTACTS LOADED




PART NUMBER	ROWS		POWER (L)					SIGNAL					POWER (R)					
			P9	P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2		P1
5-6450550-5	D C B A	 						AP	AP	AP	AP	AP	AP					 
								AP	AP	AP	AP	AP	AP					
								AP	AP	AP	AP	AP	AP					
								AP	AP	AP	AP	AP	AP					
4P + 24S + 5P	NO CONTACTS LOADED																	

NO CONTACTS LOADED



ASSY PART NUMBER	ROWS		POWER		SIGNAL						POWER			
			P4	P3	6	5	4	3	2	1	P2	P1		
4-6450550-7	D C B A		GS	GP	AP	AP	AP	AP	AP	AP	GP	GS		
					AP	AP	AP	AP	AP	AP				
					AP	AP	AP	AP	AP	AP				
					AP	AP	AP	AP	AP	AP				
2P + 24S + 2P														



THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN R.GRZYBOWSKI 02MAY05
CHK M.PERCHERKE 02MAY05
APVD M.PERCHERKE

NAME

DIMENSIONS:
INCHES

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.002
ANGLES ±2°
FINISH

PRODUCT SPEC 108-1973
APPLICATION SPEC 114-13038
WEIGHT
CUSTOMER DRAWING

TE Connectivity

VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL

SIZE A1
CAGE CODE 00779
DRAWING NO C=6450550

RESTRICTED TO

SCALE 4:1


SHEET 12 OF 23

REV VI

LOC	DIST	REVISONS			
ES	00	P	LTR	DESCRIPTION	DATE
		-		SEE SHEET 1	-

PART NUMBER	ROWS		POWER			SIGNAL						POWER			
			P6	P5	P4	6	5	4	3	2	1	P3	P2	P1	
5-6450550-6	D C B A	HD	GS	GS		AP	AP	AP	AP	AP	AP	GP	GS	GS	HD
						AP	AP	AP	AP	AP	AP				
						AP	AP	AP	AP	AP	AP				
						AP	AP	AP	AP	AP	AP				
3P + 24S + 3P															


NO CONTACT LOADED



PART NUMBER	ROWS		POWER (L)				SIGNAL						POWER (R)					
			P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1		
5-6450550-7	D C B A						AP	AP	AP	AP	AP	AP						
							AP	AP	AP	AP	AP	AP						
							AP	AP	AP	AP	AP	AP						
							AP	AP	AP	AP	AP	AP						
4P + 24S + 4P																		


K1

K1



PART NUMBER	ROWS		POWER (L)		SIGNAL								POWER (R)			
			P4	P3	8	7	6	5	4	3	2	1	P2	P1		
5-6450550-8	D C B A	HD	GS		AP	AP	AP	AP	AP	AP	AP	AP	AP	GP	GS	HD
					AP	AP	AP	AP	AP	AP	AP	AP	AP			
					AP	AP	AP	AP	AP	AP	AP	AP	AP			
					AP	AP	AP	AP	AP	AP	AP	AP	AP			
2P + 32S + 2P																



NO CONTACT LOADED



LOC	DIST	REVISIONS				
P	LTR	DESCRIPTION		DATE	DWN	APVD
-	-	SEE SHEET 1		-	-	-

PART NUMBER	ROWS		POWER					SIGNAL					POWER					
			P9	P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2		P1
5-6450550-9	D C B A	HD	GP	GP	GP	GP	GP	AP	AP	AP	AP	AP	AP	GP	GP	GP	GP	
								AP	AP	AP	AP	AP	AP					
								AP	AP	AP	AP	AP	AP					
4P + 24S + 5P																		HD


PART NUMBER	ROWS		POWER				SIGNAL				POWER						
			P9	P8	P7	P6	6	5	4	3	2	1	P5	P4		P3	P2
6-6450550-0	D C B A	 HD	GP	GP	GP	GP	AP	AP	AP	AP	AP	AP	GP	GP	GP	GP	GP
			GP	GP	GP	GP	AP	AP	AP	AP	AP	AP	GP	GP	GP	GP	GP
			GP	GP	GP	GP	AP	AP	AP	AP	AP	AP	GP	GP	GP	GP	GP
5P + 24S + 4P																	HD



LOC		DIST		REVISIONS						
ES	00	P	LTR	DESCRIPTION			DATE	DWN	APVD	
		-		SEE SHEET 1			-	-	-	

PART NUMBER	ROWS		POWER								SIGNAL						POWER												
			P18	P17	P16	P15	P14	P13	P12	P11	P10	1	2	3	4	5	6	P9	P8	P7	P6	P5	P4	P3	P2		P1		
6-6450550-1	D C B A		GS	GS	GP	GP	GP	GS	GS	GS	GS	AP	AP	AP	AP	AP	AP	GS	GS	GS	GS	GP	GP	GP	GS	GS			
												AP	AP	AP	AP	AP	AP											AP	AP
												AP	AP	AP	AP	AP	AP											AP	AP
												AP	AP	AP	AP	AP	AP											AP	AP
9P + 24S + 9P																													

PART NUMBER	ROWS		POWER										SIGNAL						POWER										
			P18	P17	P16	P15	P14	P13	P12	P11	P10	1	2	3	4	5	6	P9	P8	P7	P6	P5	P4	P3	P2	P1			
6-6450550-5	D C B A	HD	GP	GS	GS	GS	GS	GS	GS	GS	GS	AP	AP	AP	AP	AP	AP	GS	GS	GS	GS	GS	GS	GS	GS	GP	HD		
												AP	AP	AP	AP	AP	AP											AP	AP
												AP	AP	AP	AP	AP	AP											AP	AP
												AP	AP	AP	AP	AP	AP											AP	AP
9P + 24S + 9P																													



6-6450550-1 AND 6-6450550-5 PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. GRZYBOWSKI
CHK
M. PERCHERKE
APVD
M. PERCHERKE

02MAY05
02MAY05
-

DIMENSIONS:
INCHES

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±.0020
FINISH

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC
108-1973
APPLICATION SPEC
114-13038
WEIGHT
-

MATERIAL

CUSTOMER DRAWING

NAME
VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL

SIZE
A1

CAGE CODE
00779

DRAWING NO
6450550

RESTRICTED TO
REV
VI

SCALE
4:1

SHEET
15

OF
23

REV
VI

TE Connectivity


TE







Technical drawing of a rectangular plate with a grid of holes. The drawing includes dimensions: overall width 4.330 MIN, overall height 6.10 MIN, hole diameter $\varnothing.040 \pm .003$, and various hole patterns with counts (e.g., 128 PLC, 9 PLC, 7 PLC, 2 PLC). It also shows feature control frames with material and surface texture symbols.

4805 (3/11)

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	SEE SHEET 1		-	-	-


PART NUMBER	ROWS		POWER								SIGNAL						POWER								
			P14	P13	P12	P11	P10	P9	P8	1	2	3	4	5	6	P7	P6	P5	P4	P3	P2	P1			
6-6450550-3	D C B A		GP	GP	GP	GS	GS	GS	GS	AP	AP	AP	AP	AP	AP	GS	GS	GS	GS	GP	GP	GP			
										AP	AP	AP	AP	AP	AP										
										AP	AP	AP	AP	AP	AP										
										AP	AP	AP	AP	AP	AP										
7P + 24S + 7P																									




ASSY PART NUMBER	ROWS		POWER				SIGNAL				POWER		
			P6	P5	P4	P3	4	3	2	1	P2	P1	
6-6450550-4	D C B A						AP	AP	AP	AP			
							AP	AP	AP	AP			
							AP	AP	AP	AP			
							AP	AP	AP	AP			
2P + 16S + 4P													

REMARK:

PCB LAYOUT THE SAME AS 5-6450550-4




ASSY PART NUMBER	ROWS		POWER		SIGNAL						POWER		
			P4	P3	6	5	4	3	2	1	P2	P1	
6-6450550-6	D C B A				AP	AP	AP	AP	AP	AP			
					AP	AP	AP	AP	AP	AP			
					AP	AP	AP	AP	AP	AP			
2P + 24S + 2P													

[illegible]4805 (3/11)

[illegible]4805 (3/11)

LOC		DIST		REVISIONS				
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	SEE SHEET 1	-	-	-		

PART NUMBER	ROWS		POWER				SIGNAL														POWER									
			P8	P7	P6	P5	I5	I4	I3	I2	I1	I0	9	8	7	6	5	4	3	2	1	P4	P3	P2		P1				
7-6450550-2	D C B A						AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP								
							AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP						AP	AP	AP
							AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP						AP	AP	AP
							AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP	AP						AP	AP	AP
4P + 60S + 4P																														



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
R. GRZYBOWSKI
CHK
M. PERCHERKE
APVD
M. PERCHERKE

02MAY05
02MAY05
-

DIMENSIONS:
INCHES

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH

CUSTOMER DRAWING

SCALE 4:1

SHEET 21 OF 23

REV VI

NAME
VERTICAL RECEPTACLE ASSEMBLY
WITH GUIDES, MULTI-BEAM XL

SIZE
A1

CAGE CODE
00779


DRAWING NO
6450550


RESTRICTED TO

TE Connectivity

4805 (3/11)

PART NUMBER	ROWS		POWER					SIGNAL											POWER						
			P11	P10	P9	P8	P7	12	11	10	9	8	7	6	5	4	3	2	1	P6	P5	P4	P3	P2	
7-6450550-3	D C B A																								
6 P + 48 S + 5 P																									



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 02MAT05		 TE Connectivity	
DIMENSIONS: INCHES		CHW M. PERCHERKE 02MAT05 APVD M. PERCHERKE PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038 WEIGHT -			
TOLERANCES UNLESS OTHERWISE SPECIFIED: 1 P/LC ±. 1 P/LC ±. 2 P/LC ±.01 3 P/LC ±.005 4 P/LC ±.0020 ANGLES ±°				VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES, MULTI-BEAM XL -	
MATERIAL		FINISH		SIZE CASE CODE DRAWING NO A 100779 © 6450550	
				RESTRICTED TO	
CUSTOMER DRAWING				SCALE 4:1 SHEET 23 OF 23 REV. V1	